Author Index to Volume 27

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 27, 1989. The Edition in which an item appears is indicated by a C, P, or L, respectively, following the page number.

Aalto, S. See Gaymans, R. J., 423C
Abdel-Razik, E. A.
Aspects of Degradation and Stability of ABS Copolymers. I. Effect of β-Carotene As Antioxidant, 343C
Abe, Y.
—; Masuda, T.; Higashimura, T.: Polymerization of (*o*-Methylphenyl)acetylene and Polymer Characterization, 4267C
Abhiraman, A. S. See Desai, P., 2469P
Abraham, T.
—; Soloski, E. J.; Benner, C. L.; Evers, R. C.: Synthesis and Characterization of Acetylene-Terminated Aromatic Amide Resin Precursors, 4305C
Abubakar, S. D. See Rashid, H. U., 5L
Acar, M. H.
—; Nambu, Y.; Yamamoto, K.; Endo, T.: Synthesis and Radical Ring-Opening Polymerization of an Optically Active 2-Methylene-4-Phenyl-1,3-Dioxolane, 4441C
Achar, B. N.
—; Fohlen, G. M.; Keshavayya, J.: MS and GC–MS Studies on Phthalocyanine Monomers, 2109C
Adduci, J. M.
—; Amone, M. J.: Synthesis and Characterization of Poly(amide-Sulfonamide)s, 1115C
Aeiyach, S.
—; Lacaze, P. C.: Electropolymerization of Benzene and Biphenyl in Organic Media: Influence of Different Parameters (Solvent, Water, Acidity, Salt) on the Formation of Polyparaphenylene Films (PPP), 515C
Aggarwal, S. L.
Review of *Rubber Technology, Third Edition*, 111L
Agrawal, A.
Effect of Temperature and Molecular Weight on Enthalpy Relaxation in Polystyrene, 1449P
Agrawal, J. P.
—; Chouk, M. P.; Satpute, R. S.; Bhale, V. C.: A Comparative Account of Properties of Novel Unsaturated Polyesters Synthesized by Different Polyesterification Processes, 409C
Aibing, L. See Mujie, Y., 3829C
Akashi, M.
—; Wada, M.; Yanase, S.; Miyauchi, N.: Polymer Drugs and Polymeric Drugs. II. Synthesis of Water Dispersible Microspheres Having 5-Fluorouracil and Theophylline Using a Water Soluble Macromonomer, 377L
—; Yanagi, T.; Yashima, E.; Miyauchi, N.: Graft Copolymers Having Hydrophobic Backbone and Hydrophilic Branches. IV. A Copolymerization Study of Water-Soluble Oligovinylpyrrolidone Macromonomers, 3521C
Akbulut, U. See Hacioglu, B., 3875C; Sacak, M., 1599
Akiyama, A. See Ihara, Y., 87C
Alasli, N. J. See Pyriadi, T. M., 2491C
Aldissi, M.
Molecular and Supramolecular Orientation in Polyacetylene, 105L
Alex, R.
—; De, P. P.; De, S. K.: Self-Vulcanizable Rubber Blend System Based on Epoxidized Natural Rubber and Carboxylated Nitrile Rubber, 361L
Alfonso, G. C.
—; Turturro, A.; Pizzoli, M.; Scandola, M.; Ceccorulli, G.: Studies of Poly(vinylidene fluoride)/Poly(vinyl pyrrolidone) Blends. I. Thermal Transitions by Differential Scanning Calorimetry, 1195P
Alger, M. M.
—; Ward, W. J.; Stanley, T. J.: $^{14}CO_2$ and CO_2 Transport in Polycarbonate: Measurement of the Time Lag and Permeability, 97P
Allmér, K.
—; Hult, A.; Rånby, B.: Surface Modification of Polymers. II. Grafting with Glycidyl Acrylates and the Reactions of the Grafted Surfaces with Amines, 1641C
—; Hult, A.; Rånby, B.: Surface Modification of Polymers. III. Grafting of Stabilizers onto Polymer Films, 3405C
—; Hult, A.; Rånby, B.: Surface Modification of Polymers. IV. UV Initiated Degradation of Polymers with Stabilizers Grafted onto the Surface, 3419C
Alvi, N. I. See Siddiqi, F. A., 1499P
Alyürük, K. See Uğur, N., 1749C
Amano, T. See Kato, J., 1853C
Ambrose, R. J.
Review of *A Guide to Materials Characterization and Chemical Analysis*, 465L
Review of *Interfacial Phenomena in Biotechnology and Materials Processing*, 244L
Review of *Organic Luminescent Materials*, 466L
Review of *Plastic Films*, 535L
Review of *Polymers for Advanced Technologies IUPAC International Symposium*, 217L
Review of *Surfactants and Interfacial Phenomena—second edition*, 503L
Ametani, K. See Imai, M., 1763C
Amis, E. J. See Ding, N., 489L
Amone, M. J. See Adduci, J. M., 1115C
Anandakumaran, K.
—; St. John Manley, R.: Mechanical Relaxations in *Trans*-1,4-Polyisoprene Crystals, 1425P
Anderson, C. C. See Turner, S. R., 253L
Ando, I. See Kubo, K., 929P
Ando, M.
—; Uryu, T.: Synthesis of Polymer Materials by Low-energy Electron Beam. XI. Synthesis of Liquid-crystalline Side-chain Polymer by Electron Beam Irradiation, 325L
Andreis, M.
—; Liu, J.; Koenig, J. L.: Solid-State Carbon-13 NMR Studies of Vulcanized Elastomers. V. Observation of New Structures in Sulfur-vulcanized Natural Rubber, 1389P
Andrews, S. M.
—; Bass, R. G.: Polypyrazolinones from Aromatic Di(propynoic Ester)s and Aromatic Dihydrazines, 1225C
Angelopoulos, A. P. See Schneider, N. S., 939P
Aoshima, S. See Higashimura, T., 2937C
Araux-Lara, J. L. See Stern, S. A., 427L
Ariyapadi, M. V.
—; Nauman, E. B.: Free Energy of an Inhomogeneous Polymer-Polymer-Solvent System, 2637P
Arnold, F. E. See Tsai, T. T., 2839C
Arnott, H. J. See Reynolds, J. R., 2081P
Arvieu, C.
—; Navard, P.: Small-angle Scattering of Polarized Light. III. Isotropic Sphere in an Anisotropic Medium (Large Refractive Index Mismatch), 2157P
Asada, K. See Nagai, K., 3779C
Asano, M. See Yoshida, M., 437L
Ashida, K. See Chang, W. L., 3619C, 3637C
Ashida, M.
—; Ueda, Y.; Yanagi, H.; Sayo, K.: Preparation and Characterization of Thin Films of Monomeric and Polymeric Octacyanophthalocyanines, 3883C
Aso, T. See Matsumoto, A., 839C
Astarita, G.
—; Paulaitis, M. E.; Wissinger, R. G.: Thermodynamics of the Glass Transition, 2105P
Asúa, J. M. See Barandiarán, M. J., 4241C;

Rodriguez, V. S., 3659C
—; Rodriguez, V. S.; Sudol, E. D.; El-Aasser, M. S.: The Free Radical Distribution in Emulsion Polymerization Using Oil-Soluble Initiators, 3569C
—; Sudol, E. D.; El-Aasser, M. S.: Radical Desorption in Emulsion Polymerization, 3903C
Ataman, O. Y. See Galal, A., 1891C
Audisio, G. See Carniti, P., 3865C
Avramov, I.
—; Avramova, N.; Fakirov, S.: Kinetics of Structural Relaxation of Poly(ethylene Terephthalate), 2419P
Avramova, N. See Avramov, I., 2419P
Azároff, L. V. See Chin, H. H., 1993P, 2001P

Bachmann, K. J.
Review of *Lecture Notes in Chemistry—One-Dimensional Organometallic Materials*, 239L
Bafna, S. See Lenz, R. W., 2117P
Baik, D. H. See Jo, W. H., 673P
Bakhmutov, V. I. See Otton, J., 3535C
Balasubramanian, T. R.
—; Mahadevan, V.: Electroinitiated Polymerization of Acrylamide in Nonaqueous Media, 2685C
Baliga, S.
—; Wong, W. T.: Depolymerization of Poly(ethylene Terephthalate) Recycled from Post-Consumer Soft-Drink Bottles, 2071C
Banerjee, R. S. See Sarkar, A., 331L
Barandiarán, M. J.
—; Asúa, J. M.: Kinetic Analysis of the Transesterification of Dimethyl Terephthalate with Ethylene Glycol in a Semibatch Reactor, 4241C
Barham, P. J.
—; Keller, A.: The Initial Stages of Crystallization of Polyethylene from the Melt, 1029P
Barlow, J. W. See Kim, J. H., 223P, 2211P
Barth, H. G. See Vandenberg, E. J., 3745C
Basler, W. See Buttersack, C., 1551P
Bass, R. G. See Andrews, S. M., 1225C
—; Sinsky, M. S.; Connell, J. W.; Waldbauer, R. O.; Hergenrother, P. M.: Poly(Enamine-Ketones) from Hydrogen-Terminated Aromatic Dipropynones and Aromatic Diamines, 171C
Bastiaansen, C. W. M. See Leblans, P. J. R., 1009P
Bataille, P.
—; Bourassa, H.: Determination of the Reactivity Parameters for the Copolymerization of Butyl Acrylate with Vinyl Acetate, 357C
Batich, C. See Wagener, K., 2625C
Bazuaye, A.
—; Okieimen, F. E.; Said, O. B.: Graft Copolymerization of Acrylonitrile on Starch, 433L
Beach, D. L. See Kissin, Y. V., 147C
Beck, K. R.
—; Pasad, D. M.; Vail, S. L.: Synthesis, Isolation, and Characterization of *N,N'*-Oxydimethylenebisamides, 725C
Beltrame, P. L. See Carniti, P., 3865C
Beltsios, K. G.
—; Carr, S. H.: Thermal Polymerization of Dihydroxy(metallo)phthalocyanine Compounds of the Group IVa Elements in the Solid State, 355L
Benayad, B. See Montheard, J. P., 2539C
Benedetti, E.
—; Galleschi, F.; Chiellini, E.; Galli, G.; Lenz, R. W.: Infrared Study of Phase Transitions in Thermotropic Liquid Crystal Polyesters, 25P
Benner, C. L. See Abraham, T., 4305C
Benninghoven, A. See Lub, J., 2071P, 4035C
Bergbreiter, D. E.
—; Blanton, J. R.; Chandran, R.; Hein, M. D.; Huang, K.-J.; Treadwell, D. R.; Walker, S. A.: Anionic Syntheses of Terminally Functionalized Ethylene Oligomers, 4205C
Berger, L. L.
Solvent-induced Embrittlement in a Crystallizable Polyarylate, 1629P
Berry, G. C.
—; Park, J. O.; Meitz, D. W.; Birnboim, M. H.; Plazek, D. J.: A Rotational Rheometer for Rheological Studies with Prescribed Strain or Stress History, 273P
Berti, C. See Montaudo, G., 2277C, 2657C
Bhale, V. C. See Agrawal, J. P., 409C
Bhattacharjee, D. See Durvasula, V. R., 661C
Bhattacharya, J.
—; Chakravarti, S. K.; Talapatra, S.; Saha, S. K.; Guhaniyogi, S. C.: Aqueous Polymerization on Clay Surfaces. III. The Polymerization of Methyl Methacrylate by Montmorillonite/Thiourea Initiating System, 3977C
Bhattacharya, S. See Lenz, R. W., 2117P
Bhattacharya, S. K.
—; Lenz, R. W.: Phase Transition Studies of Thermotropic Liquid Crystalline Polymers Using Polarized Light Transmission Techniques, 2145P
Bhattacharyya, T. B. See Ducháček, V., 1089C
Bianchi, E.
—; Ciferri, A.; Conio, G.; Tealdi, A.: Fiber Formation from Liquid-Crystalline Precursors. II. Cellulose in *N,N*-dimethylacetamide-lithium Chloride, 1477P
Bicak, N.
—; Tunca, U.; Yagci, Y.: Synthesis of New Polyamidoximes and Their Crosslinking by Transition Metal Ions, 3759C
Biela, T.
—; Kłosiński, P.; Penczek, S.: Microstructure of Poly(Alkylene Phosphates) Related to Biopolymers (Teichoic Acids), 763C
Bigger, S. W.
—; Delatycki, O.: The Effect of Hindered Amine Light Stabilizers on the Photooxidative Stability of High-Density Polyethylene, 63C
Bihai, S. See Zhu, K. J., 2151C
Birnboim, M. H. See Berry, G. C., 273P
Bisio, A.
Review of *Petrochemicals: The Rise of an Industry*, 142L
Blanton, J. R. See Bergbreiter, D. E., 4205C
Blazso, M.
—; Jakab, E.; Szekely, T.; Plage, B.; Schulten, H.-R.: Pyrolysis–Gas Chromatography Mass Spectrometry and Field Ionization Mass Spectrometry of Polyquinones, 1027C
Boerio, F. J.
—; Tsai, W. H.; Montaudo, G.: Metal-catalyzed Oxidation of Poly(α-methylstyrene) During Surface-Enhanced Raman Scattering, 1017P
Boinon, B. See Montheard, J. P., 2539C
Bonora, V. See Pilati, F., 951C
Bourassa, H. See Bataille, P., 357C
Bower, D. I. See Slee, J. A., 71P
Bradley, D. J. See Long, T. E., 4001C
Brandt, M. W.
—; Mulvaney, J. E.; Hall, H. K. Jr.; Green, G. D.: Synthesis and Polymerizability of 7,8-Dicyano-7,8-Diphenylquinodimethane, 1957C
Branston, R. E. See Plaumann, H. P., 2819C
Brauman, S. K.
Chemiluminescence Studies of the Low Temperature Thermooxidation of Poly(phenylene Sulfide), 3285C
Breslow, D. S. See Landoll, L. M., 2189C
Briber, R. M. See Ding, N., 489L
Brook, M. A.
—; Kremers, C. H.; Sebastian, T.; Yu, W.: A Novel Glycol-Silicone Polymer, 229L
Broske, A. D. See Long, T. E., 4001C
Brown, A. S.
—; Fujimori, K.; Craven, I. E.: The Mechanism of Copolymerization of Maleic Anhydride with Styrene and with Vinyl Acetate, 3315C
Brown, H. R.
A Model of Environmental Craze Growth in

Polymers, 1273P
Brown, J.
—; Goddard, P.; Petrak, K.: Soluble Polymeric Carriers for Drug Delivery. Part I: Free Radical Copolymerization of *N*-(2-Hydroxypropyl)Methacrylamide with *N*-[2-(4-Hydroxyphenyl)Ethyl]Acrylamide, 515L
Brunn, J. See Charmas, W., 2397C
Buchanan, D. R. See Kazmierczak, M. E., 2173P, 2189P
Buchner, S. See Kricheldorf, H. R., 431C
Bueschges, U.
—; Chien, J. C. W.: Metallocene–Methylaluminoxane Catalysts for Olefin Polymerizations. III. Reduction of η^5-Cyclopentadienyl Trichlorides of Titanium and Zirconium, 1525C
Buntinx, G. See Feio, G., 1P
Burillo, G. See Ogawa, T., 167L
Butera, R. J.
—; Lando, J. B.: Thermal Behavior of Poly(1,8-nonadiyne) and Its Cross-Polymerized Product, 2451P
Butler, G. B. See Matsumoto, A., 1811C
Butler, George B. See Mallakpour, S. E., 125C, 217C
Butterfield, D. A. See Smith, W. T., Jr., 575C
Buttersack, C.
—; Basler, W.: Self-diffusion of Water in Sulfonic Acid Ion-Exchange Resins, 1551P

Cabasso, I. See Sun, J., 2687P, 3985C
Cai, G.
—; Litt, M. H.: Preparation and Characterization of Phenyl and Undecyl Oxazoline Block Copolymers, 3603C
Cakmak, M.
Intrinsic Birefringence of Poly Ether Ether Ketone, 119L
Calafate, B. A. L.
—; Garcia, M. E. F.; Mano, E. B.: The Electrocopolymerization of Styrene with Vinyl Acetate in an Organic Solvent, 847C
Cameron, A.
—; McGill, W. J.: A Theory of Green Strength in Polyisoprene, 1071C
Cameron, G. G. See Mohan, D., 2123C
Campos, A.
—; Gavara, R.; Tejero, R.; Gomez, C.; Celda, B.: A Flory–Huggins Thermodynamic Approach for Predicting Sorption Equilibrium in Ternary Polymer Systems, 1569P
—; Gavara, R.; Tejero, R.; Gomez, C.; Celda, B.: A Procedure for Predicting Sorption Equilibrium in Ternary Polymer Systems from Flory–Huggins Binary Interaction Parameters and the Inversion Point of Preferential Solvation, 1599P
Camus, A. See Furlani, A., 75C
Candau, F. See Carver, M. T., 2161C, 2179C
Canetti, M. See Cimmino, S., 1781P
Carlin, C. M. See Mack, R. G., 25L
Carlini, C.
—; Ciardelli, F.; Rolla, P.; Tombari, E.: Kinetic Analysis of Photoinitiated Polymerization of *n*-Butyl Acrylate up to High Conversion by Microwave Dielectrometry, 189P
Carlsson, D. J.
Review of *Polymer Degradation and Stabilization*, 244L
Carniti, P.
—; Gervasini, A.; Beltrame, P. L.; Audisio, G.: Evidence of Formation of Radicals in the Polystyrene Thermodegradation, 3865C
Carr, S. H. See Beltsios, K. G., 355L
Carver, M. T.
—; Candau, F.; Fitch, R. M.: Effect of Solute Components on the Termination Mechanism in Acrylamide Microemulsion Polymerizations, 2179C
—; Dreyer, U.; Knoesel, R.; Candau, F.; Fitch, R. M.: Kinetics of Photopolymerization of Acrylamide in AOT Reverse Micelles, 2161C
Casas-Vázquez, J. See Pérez-García, C., 1807P
Casinos, I. See Fernández, M. J., 3173C
Cassidy, P. E. See Johnson, C. G., 2253C
Cavaillé, J.-Y. See Jourdan, C., 2361P; Pathmanathan, K., 1519P
Cebe, P. See Kim, S. S., 443P
Ceccorulli, G. See Alfonso, G. C., 1195P
Celda, B. See Campos, A., 1569P, 1599P
Cella, N.
—; Vargas, H.; Galembeck, E.; Galembeck, F.; Miranda, L. C. M.: Photoacoustic Monitoring of Crosslinking Reactions in Low-density Polyethylene, 313L
Cesteros, L. C.
—; Quintana, J. R.; Fernández, J. A.; Katime, I. A.: Miscibility of Poly(ethylene oxide) with Poly(*N*-vinyl pyrrolidone): DMTA and DTA Studies, 2567P
Chainey, M. See Kim, J. H., 3187C
Chakravarti, S. K. See Bhattacharya, J., 3977C
Chanda, M.
—; Rempel, G. L.: Attaching Chelating Ligands to Polybenzimidazole via Epoxidation to Obtain Metal Selective Sorbents, 3237C
Chandran, R. See Bergbreiter, D. E., 4205C
Chang, B. T.-A.
—; Li, J. C. M.: Second-Order Kinetics of Enthalpy Recovery in Polystyrene, 1125C
Chang, C. H. See Hoyle, C. E., 1609C
Chang, J.-H. See Jin, J.-I., 2291C
Chang, J. Y. See Overberger, C. G., 99C, 3589C, 4013C
Chang, T.-L.
—; Holzknecht, L. J.; Mark, H. B., Jr.; Ridgway, T. H.; Zimmer, H.: Synthesis of Regiospecifically Meta-Substituted Poly(phenylacetylene)s and Some of Their Electrical Properties, 989C
Chang, W. L.
—; Frisch, K. C.; Ashida, K.: Anionic Polymerization of Star-Shaped Nylon 6 with a Trifunctional Initiator, 3637C
—; Frisch, K. C.; Ashida, K.: Nylon 6/Polyisocyanurate Interpenetrating Polymer Networks (IPNs), 3619C
Chao, H. S.-I.
—; Hovatter, T. W.; Johnson, B. C.; Rice, S. T.: Synthesis and Characterization of Nylon-Grated Polyphenylene Ether, 3371C
Chapman, T. M.
Models for Polyurethane Hydrolysis under Moderately Acidic Conditions: A Comparative Study of Hydrolysis Rates of Urethanes, Ureas, and Amides, 1993C
Charmas, W.
—; Podkościelny, W.; Brunn, J.: Thioether Glycidyl Resins. VI. Reaction Products of Opening of Oxirane Ring of Phenylthioetherglycidyl Resin and of Some Derivatives under the Influence of Temperature, 2397C
Chatterjee, S. K.
—; Yadav, D.; Ghosh, S.; Khan, A. M.: Study of Interaction between Two Oppositely Charged Polyelectrolytes and Formation of Polyelectrolyte Complexes, 3855C
Chaudhuri, A. K. See Pal, P. K., 1687C
Chaumont, P. See Reghunadhan Nair, C. P., 1795C
Chen, J. See Osada, Y., 3799C; Qiu, H., 469L; Ye, M., 2265C
Chen, S.-A.
—; See Kuo, C.-T., 2793C
—; Chen, S.-H.: Oriented Surface and Fibrilar Morphologies of Electrochemically Polymerized Polypyrrole at Xylene/Water Interface, 93L
Chen, S.-H. See Chen, S.-A., 93L
Chen, W.-L. See Wang, H.-H., 1359C
Cheng, C. Y.
Review of *Polymer Mixing and Extrusion Technology*, 282L

Cheng, S. Z. D.
—; Noid, D. W.; Wunderlich, B.: Molecular Segregation and Nucleation of Poly(ethylene oxide) Crystallized from the Melt. IV. Computer Modeling, 1149P
Cheng, Z. S. See Chien, J. C. W., 915C
Cherdron, H.
Review of *Raw Materials For Industrial Polymers*, 467L
Chern, R. T. See Sheu, F. R., 1121P
Chertok, F. See Kaleem, K., 865C
Chiba, K. See Nagai, K., 3779C
Chiellini, E. See Benedetti, E., 25P
Chien, J. C. W. See Bueschges, U., 1525C; Gong, B.-M., 1149C; Ramakrishnan, S., 3937C; Zhao, X., 1571C
—; Cheng, Z. S.: Poly(arylsulfone Imide) as E-Beam Resist: Synthesis and Radiolysis, 915C
—; Hu, Y.: Superactive and Stereospecific Catalysts. III. Definitive Identification of Active Sites by Electron Paramagnetic Resonance, 897C
—; Gong, B. M.: Poly(aryline Imide)s as E-Beam Resist: Sensitivity and Resolution, 3343C
—; Wang, B.-P.: Metallocene–Methylaluminoxane Catalysts for Olefin Polymerizations. IV. Active Site Determinations and Limitation of the ^{14}CO Radiolabeling Technique, 1539C
—; Weber, S.; Hu, Y.: Magnesium Chloride Supported Catalysts for Olefin Polymerization. XIX. Titanium Oxidation States, Catalyst Deactivation, and Active Site Structure, 1499C
Chin, H. H.
—; Azároff, L. V.; Lenz, R. W.: X-Ray Diffraction by Thermotropic Main-chain Polymers with Side Groups. I. Rigid Polyesters, 1993P
—; Azároff, L. V.; Saini, A. R.; Lenz, R. W.: X-Ray Diffraction by Thermotropic Main-chain Polymers with Side Groups. II. Semiflexible Polyesters, 2001P
Cho, I. See Kim, J.-B., 3733C; Lee, J.-Y., 85L
—; Lee, B.-J.: Hydrophobic Interactions in the Enantioselective Solvolyses of Optically Active Activated Esters by Imidazole-Containing Polymeric Surfactants, 3789C
—; Song, S. S.: Ring-Opening Polymerization of 1-(*p*-Substituted Phenyl)-2-Vinylcyclopropanes by Ziegler–Natta Catalysts, 3151C
Cho, J. J.
—; Hudson, S. H.; Cuculo, J. A.: The Coagulation of Cellulose from Anisotropic Solutions in the NH_3/NH_4SCN Solvent System, 1699P
Cho, W.-J. See Kang, D.-P., 1401C
Choi, E.-J. See Jin, J.-I., 2291C
Choi, K.-Y. See Kim, Y.-H., 443L; Yi, M. H., 2417C
Choi, S.-K. See Gal, Y.-S., 31C; Kim, Y.-H., 443L
Chosdu, R. See Yoshida, M., 437L
Choubal, M.
—; Ford, W. T.: Crosslinked Polystyrene Latexes Prepared with 12-(*o*-Styryloxy)dodecyltrimethylammonium Bromide, 1873C
Chouk, M. P. See Agrawal, J. P., 409C
Choy, I.-C. See Plazek, D. J., 307P
Chu, C.-H. See Vrentas, J. S., 465P, 1179P
Chu, H.-L. See Hsiue, G.-H., 4397C
Chujo, Y.
—; Kobayashi, H.; Yamashita, Y.: Synthesis of Aromatic Dicarboxyl-Terminated Poly(methyl Methacrylate) Macromonomers, 2007C
—; Kohno, K.; Usami, N.; Yamashita, Y.: Synthesis, Surface Accumulation, and Micellar Properties of Amphiphilic Block Copolymers, 1883C
—; Samukawa, H.; Yamashita, Y.: Surface and Solution Properties of Polysiloxane–Poly(methyl Methacrylate) Graft Copolymer, 1907C
Chung, T. C.
Synthesis of Diblock Copolymers Containing Both Polydiene and Polyalcohol Blocks, 3251C
Ciardelli, F. See Carlini, C., 189P
Ciferri, A. See Bianchi, E., 1477P; Jadhav, J. Y., 59L
Cimmino, S.
—; Martuscelli, E.; Silvestre, C.; Canetti, M.; De Lalla, C.; Seves, A.: Poly(ethylene oxide)/Poly(ethyl methacrylate) Blends: Crystallization, Melting Behavior, and Miscibility, 1781P
Clouet, G. See Reghunadhan Nair, C. P., 1795C
Clough, R. L.
—; Gillen, K. T.: Polymer Degradation under Ionizing Radiation: The Role of Ozone, 2313C
Clough, R. S.
—; Koenig, J. L.: Observation of Polybutadiene Rubber Structure Using NMR Imaging, 451L
Clough, S. L. See Pinkus, A. G., 4291C
Cohen, D. S. See Cox, R. W., 589P
—; White, A. B., Jr.: Sharp Fronts Due to Diffusion and Stress at the Glass Transition in Polymers, 1731P
Cohen, R. E. See Veith, C. A., 1241C
Cohen-Addad, J. P. See Feio, G., 1P
Coles, H. J. See Simon, R., 1823P
Conio, G. See Bianchi, E., 1477P
Connell, J. W. See Bass, R. G., 171C
Cook, M. R. See Mack, R. G., 25L
Cooper, A. W.
—; Harris, P. J.; Kumar, G. K.; Tebby, J. C.: Hydrolysis of Alkyl Cyanoacrylate and Ethoxycarbonylpropenoylphosphonate Polymers, 1967C
Cooper, S. See Register, R. A., 1911P
Corrigan, J. P. See Zemel, I. S., 2479P
—; Zemel, I. S.; Woodward, A. E.: Crystallization of *trans*-1,4-Polyisoprene and of Hydrochlorinated Segmented Block Copolymer Derivatives from Solution, 1135P
Cowie, J. M. G.
—; Cree, S. H.: Alternating Copolymerization of 2,4-Dicyanobut-1-ene and Isoprene: Structural Analysis, 2907C
Cox, R. W.
—; Cohen, D. S.: A Mathematical Model for Stress-driven Diffusion in Polymers, 589P
Craven, I. E. See Brown, A. S., 3315C
Cree, S. H. See Cowie, J. M. G., 2907C
Crewdson, L. F. E. See Searle, N. D., 1341C
Crist, B. See Howard, P. R., 2269P; Tanzer, J. D., 859P
—; Tanzer, J. D.; Finerman, T. M.: Chain Relaxation while Annealing a Semicrystalline Polymer: A Small-angle Neutron Scattering Study, 875P
Crivello, J. V.
Review of *Encyclopedia of Engineering Materials-Part A: Polymer Science and Technology*, 241L
—; Lee, J. L.: Alkoxy-Substituted Diaryliodonium Salt Cationic Photoinitiators, 3951C
Crowson, A. See Kasbekar, A. D., 1373C
Cruz, C. A. See Jo, W. H., 1057P
Cuculo, J. A. See Cho, J. J., 1699P; Liu, C.-K., 2493P
Ćwiklińska, D. See Pączkowski, J., 2647C

D'Amore, L. See Nguyen, H. X., 1611P
Dana, D. E. See Hay, A. S., 873C
Dandge, D. K.
—; Taylor, C.; Heller, J. P.: Associative Organotin Polymers. I. Symmetric Trialkyltin Fluorides: Synthesis and Properties, 1053C
Davis, T. P. See O'Driscoll, K. F., 417L
—; O'Driscoll, K. F.; Piton, M. C.; Winnik, M. A.: Determination of Propagation Rate Constants for the Copolymerization of Methylmethacrylate and Styrene Using a Pulsed Laser Technique, 181L
De, P. P. See Alex, R., 361L
De, S. K. See Alex, R., 361L

Deanin, R. D.
Review of *Plastics Additives Handbook, Second Edition*, 178L
Deblauwe, V.
—; Smets, G.: Photochromism of Spirofluorenylindolizines, 671C
Decker, C.
—; Moussa, K.: A New Photoinitiator for Ultrafast Light-Induced Polymerization, 347L
De Giorgi, M. See Pilati, F., 951C
De Lalla, C. See Cimmino, S., 1781P
Delatycki, O. See Bigger, S. W., 63C
Delgado, J.
—; El-Aaser, M. S.; Silebi, C. A.; Vanderhoff, J. W.: Miniemulsion Copolymerization of Vinyl Acetate and Butyl Acrylate. III. Experimental Evidence for the Role of the Cosurfactant, 193C
Denton III, F. R. See Machado, J. M., 199P
Desai, P.
—; Abhiraman, A. S.: Role of Orientation in Kinetics of Nucleation and Growth of Crystals in Polymers, 2469P
Desbordes, M.
—; Meeten, G. H.; Navard, P.: Small-angle Scattering of Polarized Light. II. Experiments with Isotropic Spheres, 2037P
Deshmukh, B. T. See Moharil, S. V., 2577P
Diab, M. A. See Ghander, A. M., 447C
DiBenedetto, A. T.
—; Dilandro, L.: Correlation of Glass Transition Temperature and Molecular Weight: A Model Based on the Principle of Corresponding States, 1405P
DiBerardino, T.
—; Yang, N.-L.: Synthesis and Polymerization of 4-Vinylpyrimidine, 2483C
Dilandro, L. See DiBenedetto, A. T., 1405P
Dimock, A. W. See Durairaj, B., 3211C
Ding, M. See Wang, Y., 475L
Ding, N.
—; Amis, E. J.; Salovey, R.; Briber, R. M.: Preparation of Polymer Crystal Nuclei, 489L
Diveley, W. R. See Vandenberg, E. J., 3745C
Donald, A. M. See Plummer, C. J. G., 325P
Donaruma, L. G.
Review of *Controlled Release of Drugs: Polymers and Aggregate Systems*, 536L
Dondos, A. See Tsitsilianis, C., 763P
Dorset, D. L. See Zhang, W. P., 1433P
Rectangular and Oblique Layer Packings of Alkane Chains and the Eutectic Solid Formed by their Interaction, 1161P
Drake, M. C. See Vrentas, J. S., 1179P
Dreyer, U. See Carver, M. T., 2161C
Du, Q.
—; Wang, L.: The Hard Elasticity of Polypropylene and Its Blends with Polyethylene, 581P
Du, Z. See Qiu, H., 469L, 2849C, 2861C
Ducháček, V.
—; Bhattacharyya, T. B.; Kuta, A.: A Study of Sulfur-Free Thiuram Vulcanization Using Differential Scanning Calorimeter, 1089C
Duff, T. S. See Lustiger, A., 561P
Dupuis-Lallemand, J. See Rossignol, J. M., 527L
Durairaj, B.
—; Dimock, A. W.; Samulski, E. T.; Shaw, M. T.: Investigation of the Thermal Degradation of Alkyl Isocyanate Polymers by Direct Pyrolysis Mass Spectrometry, 3211C
Durning, C. J. See Tong, H. M., 689P
Durvasula, V. R.
—; Stuber, F. A.; Bhattacharjee, D.: Synthesis of Polyphenylene Ether and Thioether Ketones, 661C
Dutta, P. See Halperin, K., 1289P
Dvornic, P. R.
—; Perpall, H. J.; Uden, P. C.; Lenz, R. W.: Exactly Alternating Silarylene-Siloxane Polymers. VII. Thermal Stability and Degradation Behavior of *p*-Silphenylene-Siloxane Polymers with Methyl, Vinyl, Hydrido, and/or Fluoroalkyl Side Groups, 3503C
Dybowski, C. See Kauffman, J. S., 2203P

Ebara, K. See Higashimura, T., 2937C
Economy, J. See Quach, L., 775C
Egawa, H. See Nonaka, T., 3515C
Eguiazábal, J. I.
—; Iruin, J. J.: Glass Transition Temperatures in Blends of Polyarylate and a Styrene/Acrylonitrile Copolymer, 1951P
Ehrlich, P. See Park, J. S., 4281C
Eirich, F. R.
Review of *Colloidal Systems and Interfaces*, 83L
El-Aasser, M. S. See Asua, J. M., 3569C, 3903C; Delgado, J., 193C; Guo, J. S., 691C; Kim, J. H., 187C; Rodriguez, V. S., 3659C
Elsabee, M. Z. See Mikhael, M. G., 185C
El-Sonbati, A. Z. See Ghander, A. M., 447C
Encinas, M. V.
—; Garrido, J.; Lissi, E. A.: Polymerization Photoinitiated by Carbonyl Compounds. VIII. Solvent and Photoinitiator Concentration Effects, 139C
Endo, T. See Acar, M. H., 4441C; Hiraguri, Y., 1L, 135C, 333L, 4403C; Ishikawa, K., 339L, 1625C; Isobe, N., 681C; Saotome, Y., 507L; Sato, T., 289L; Suga, K., 381L; Tagoshi, H., 409L, 1415C, 4169C, 4319C; Tsubokawa, N., 4413C; Uno, H., 1675C; Yokozawa, T., 197L, 291C
—; Kikkawa, A.; Uno, H.; Sato, H.; Hiza, M.; Takata, T.: Cationic Polymerization of Vinyl Monomers with Latent Catalysts. I. Cationic Polymerization of Styrene with a Benzylsulfonium Salt at High Temperature, 73L
—; Suga, K.: Radical Ring-Opening Polymerization Behavior of Vinylcyclopropanes Derived from Dienes and Chloroform, 1831C
—; Watanabe, M.; Suga, K.; Yokozawa, T.: Radical Ring-Opening Polymerization Behavior of 1,1-Disubstituted-2-vinylcyclopropanes, 1435C
Erhan, S. See Kaleem, K., 865C
Errede, L. A.
—; Van Bogart, J. W. C.: Polymer Drying. II. Replicated Time-Studies of Molecular Desorption from Liquid Swollen Poly(styrene-co-Divinylbenzene) before and after Transition from the Gel-State to the Glass-State, 2015C
Evans, S. B. See Mulvaney, J. E., 971C
Evers, R. C. See Abraham, T., 4305C

Factor, A. See Miranda, P. M., 4427C
Fakirov, S. See Avramov, I., 2419P
Fan, C. F.
—; Hsu, S. L.: Effects of Fiber Orientation on the Stress Distribution in Model Composites, 2605P
—; Hsu, S. L.: Spectroscopic Study of a Model Composite: Compressive Behavior of the Reinforcement Fiber and the Buildup of Thermal Residual Stress, 337P
Faria, R. M.
—; Latour, M.: Study of Ferroelectric Transitions of Vinylidene fluoride–Trifluorethylene Copolymers, 913P
Fayt, R.
—; Jérôme, R.; Teyssié, Ph.: Molecular Design of Multicomponent Polymer Systems. IV. Comparative Behavior of Poly(styrene-b-ϵ-Caprolactone) and Poly(styrene-b-Methylmethacrylate) Diblock Copolymers in Blends of Polystyrene with Polyvinyl Chloride, 2823C
—; Jérôme, R.; Teyssié, Ph.: Molecular Design of Multicomponent Polymer Systems. XIV. Control of the Mechanical Properties of

Polyethylene–Polystyrene Blends by Block Copolymers, 775P
—; Teyssié, Ph.: Molecular Design of Multicomponent Polymer Systems XVI. Emulsification of Polystyrene and Nylon-6 by a Reactive Block Copolymer, 481L
Feijen, J. See Vulić, I., 397C
Felo, G.
—; Buntinx, G.: Cohen-Addad, J. P.: NMR Approach to the Kinetics of Polymer Crystallization. II. Polydimethylsiloxane Solutions, 1P
Feld, W. A. See Tjugito, S., 963C
Feldman, D.
Review of *Applications of Polymers*, 43L
Review of *Aqueous Size-Exclusion Chromatography*, 111L
Review of *Chemistry Reviews* (*Soviet Scientific Reviews/Section B, Volume 9*), 42L
Review of *Chitin Sourcebook: A Guide to the Research Literature*, 503L
Review of *International Plastics Handbook for the Technologist, Engineer and User, 2nd Edition*, 147L
Review of *Molecular Conformation and Dynamics of Macromolecules in Condensed Systems*, 141L
Review of *Nitrosation*, 83L
Review of *Polymer Degradation and Stabilisation*, 84L
Review of *Polymers in Microelectronics. Fundamentals and Applications*, 504L
Review of *Principles of Polymer Engineering*, 280L
Review of *Raw Materials for Industrial Polymers*, 240L
Review of *Sonochemistry, Theory, Applications and Uses of Ultrasound in Chemistry*, 537L
Review of *The Theory of Polymer Dynamics*, 239L
Feng, S. See Qiu, H., 469L
Fernández, J. A. See Cesteros, L. C., 2567P
Fernández, M. D. See Fernández, M. J., 3173C
—; Fernández, M. J.; Guzmán, G. M.: Study of the Morphology of Poly(methyl Methacrylate) as Polymerized by the Redox System Ce(IV)–Isopropyl Alcohol, 3439C
—; Fernández, M. J.; Guzmán, G. M.: Thermal Stability of Poly(Methyl Methacrylate) as Polymerized in Aqueous Media by Using Redox Systems as Initiators, 3161C
—; Guzman, G. M.: Aqueous Polymerization of Methyl Methacrylate Initiated by Ce(IV)–Alcohol Redox Systems: Effect of Acid Concentration and Additives, 2427C
—; Guzmán, G. M.: Aqueous Polymerization of Methyl Methacrylate Initiated by the Redox System Ce(IV)–Isopropyl Alcohol. Kinetics and Molecular Weight, 3703C
Fernández, M. J. See Fernández, M. D., 3161C, 3439C
—; Fernández, M. D.; Casinos, I.; Guzmán, G. M.: Thermal Stability of Copolymers of Vinyl Acetate and Methyl Acrylate, 3173C
Ferrar, W. T. See Warshawsky, A., 3015C
Fetters, L. J. See Israelachvili, J. N., 489P
Figueroa, F. R. See Mulvaney, J. E., 971C
Filar, L. J. See Vandenberg, E. J., 3745C
Finerman, T. M. See Crist, B., 875P
Fitch, R. M.
Review of *Polymers in Colloid Systems—Adsorption, Stability and Flow*, 505L
—; See Carver, M. T., 2161C, 2179C
Fitzgibbon, D. R.
—; McCullough, R. L.: Influence of a Neutral Surface on Polymer Molecules in the Vicinity of the Surface, 655P
Fleming, G. K. See Pope, D. S., 1173P
Fleš, D. D.
—; Vuković, R.; Ranogajec, F.: Copolymerization of α-Methylstyrene and *N*-Phenylmaleimide, 3227C
Florjańczyk, Z.
—; Krawiec, W.: Terpolymerization of Maleic Anhydride with Vinyl Monomers, 4099C
—; Skórkiewicz, B.: Copolymerization of Methyl Acrylate and Vinyl Acetate Catalyzed by Ethylaluminium Chlorides, 1559C
Focke, W. W. See Wei, Y., 2385C
Fohlen, G. M. See Achar, B. N., 2109C
Fonslick, J.
—; Khan, A.: Thermal Stability and Composition of the Amylose-Iodine Complex, 4161C
Ford, W. T. See Choubal, M., 1873C; Periyasamy, M., 2357C
—; Periyasamy, M.; Mohanraj, S.; McEnroe, F. J.: Peak Area Measurements of Cross-Polarization Magic-Angle-Spinning ^{13}C-NMR Spectra of Crosslinked Polystyrenes, 2345C
Fornes, R. E. See Gilbert, R. D., 1949P; Kazmierczak, M. E., 2173P, 2189; Wilson, T. W., 1185P
Freelin, R. G. See Yilgor, I., 3673C
Fried, J. R.
—; Liu, H.-C.; Zhang, C.: Effect of Sorbed Carbon Dioxide on the Dynamic Mechanical Properties of Glassy Polymers, 385L
Frisch, H. L. See Mengnjoh, P. C., 285L, 3363C; Sun, J., 2687P
Frisch, K. C.
Review of *Handbook of Thermoplastic Elastomers*, 344L
Review of *The ICI Polyurethanes Book*, 465L
—; See Chang, W. L., 3619C, 3637C; Sehović, H., 1287C; Žilić, M., 1843C
Fueki, K. See Geetha, R., 1653C
Fujimori, K. See Brown, A. S., 3315C
Fujimoto, M. See Oishi, T., 1429C
Fukuda, K. See Hoshino, M., 2083C
Fukuda, M. See Tanaka, A., 2283P
Fukutomi, T. See Ishizu, K., 1259C
Funt, B. L. See Lowen, S. V., 4087C
Furlani, A.
—; Napoletano, C.; Russo, M. V.; Camus, A. Marsich, N.: The Influence of the Ligands on the Catalytic Activity of a Series of Rh^{I} Complexes in Reactions with Phenylacetylene: Synthesis of Stereoregular Poly(phenyl) Acetylene, 75C
Furukawa, J. See Ohashi, T., 247L
Futrell, J. H. See Greenwalt, C. C., 301C

Gadwood, R. See Halperin, K., 1289P
Gahlaut, A. S. See Mehrotra, K. N., 1631C
Galal, A.
—; Lewis, E. T.; Ataman, O. Y.; Zimmer, H.; Mark, H. B., Jr.: Electrochemical Synthesis of Conducting Polymers from Oligomers Containing Thiophene and Furan Rings, 1891C
Galembeck, E. See Cella, N., 313L
Galembeck, F. See Cella, N., 313L
Galleschi, F. See Benedetti, E., 25P
Galli, G. See Benedetti, E., 25P
Garcia, M. E. F. See Calafate, B. A. L., 847C
Gardella, J. A., Jr. See Vargo, T. G., 1267C
Gargallo, L. See Leon, A., 2337P
Garrido, J. See Encinas, M. V., 139C
Gattiglia, E.
—; Russell, T. P.: Swelling Behavior of an Aromatic Polyimide, 2131P
Gavara, R. See Campos, A., 1569P See Campos, A., 1599P
Gaymans, R. J.
—; Aalto, S.; Maurer, F. H. J.: Copolyamides of Nylon-4,6 and Nylon-4,T, 423C
Gebben, B.
—; Mulder, M. H. V.; Smolders, C. A.: Thermal Behavior of Polytriazole Films: A Thermal Analysis Study, 3481C
—; Rolevink, E.; Mulder, M. H. V.; Smolders, C. A.: Cyclodehydration Reaction of Polyhydrazides. III. Influence of the Sample History, 4129C

Geesey, G. G. See Jang, L. K., 1301P
Geetha, R.
—; Torikai, A.; Yashida, S.; Nagaya, S.; Fueki, K.: Effect of γ-Ray and Photoirradiation on Very Low Density Polyethylene, 1653C
Gent, A. N.
Review of *Rubberlike Elasticity—A Molecular Primer*, 405L
—; Kaang, S. Y.: Diffusion of Linear Polyisoprene Molecules into Polyisoprene Networks, 893P
—; Madan, S.: Plastic Yielding of Partially Crystalline Polymers, 1529P
German, A. L. See Tacx, J. C. J. F., 817C
Gert, E. V.
—; Torgashov, V. I.; Kaputskii, F. N.: Production, Properties, and Structure of High-Substituted Cellulose Nitrite, 393L
Gervasini, A. See Carniti, P., 3865C
Ghander, A. M.
—; El-Sonbati, A. Z.; Diab, M. A.: Conducting Polymers. I. Electrical Conductivity of Poly(bis-*p*-Phenylenediaminosulphoxide), 447C
Ghanem, A. M.
—; Porter, R. S.: Cold Crystallization and Thermal Shrinkage of Uniaxially Drawn Poly(ethylene 2,6-naphthalate) by Solid-state Coextrusion, 2587P
Ghosh, S. See Chatterjee, S. K., 3855C
Giddings, J. C. See Schimpf, M. E., 1317P
Gilbert, R. D. See Kazmierczak, M. E., 2173P, 2189P; Wilson, T. W., 1185P
—; Fornes, R. E.: Anisotropic Solutions of Methylol Cellulose, 1949P
Gillen, K. T. See Clough, R. L., 2313C
Gitsov, I.
—; Rashkov, I. B.; Panayotov, I. M.; Golub, A.: Anionic Polymerization of Lactones Initiated by Alkali Graphitides. IV. Copolymerization of ε-Caprolactone Initiated by KC_{24}, 639C
Glans, J. H.
—; Longone, D. T.: Synthesis and Polymerization of (*E*,*E*)-[6.2](9,10)Anthracenophane-1,5-Diene, 467C
Gleason, R. T. See Linde, H. G., 1485P
Goddard, P. See Brown, J., 515L
Goff, L. J. See Storey, R. F., 3837C
Golub, A. See Gitsov, I., 639C
Gomes, A. de S.
—; Soares, B. G.: An Apparatus for Continuous Monomer Addition in Cationic Polymerization, 1791C
Gomez, C. See Campos, A., 1569P See Campos, A., 1599P
Gong, B.-M. See Chien, J. C. W., 3343C
—; Chien, J. C. W.: Copolymer of Trifluoroethylmethacrylate-*N*-*p*-methoxyphenyl Citraconimide as High T_g E-Beam Resist, 1149C
Goñi, I. See Gurruchaga, M., 149L; Vázquez, B., 595C
Gorecki, J. P. See Nguyen, H. X., 1611P
Goto, T. See Ando, M., 317C
Govaert, L. E. See Leblans, P. J. R., 1009P
Goydan, R. See Schneider, N. S., 939P
Grade, M. M.
—; Verbicky, J. W., Jr.: Polyimide–Polyformal Block Copolymers, 1467C
Gradwell, A. J.
—; Guthrie, J. T.; Webber, S. E.: Aspects of the Radiation-Induced Polymerization of 2-Vinyl Anthraquinone, 4181C
Graessley, W. W. See Tanzer, J. D., 859P
Granier, T.
—; Thomas, E. L.; Karasz, F. E.: Paracrystalline Structure of Poly(paraphenylene vinylene), 469P
Grasmick, D. See Jang, L. K., 1301P
Grasso, R. P.
—; Lando, J. B.: Polymerization and Characterization of Nitrile-Terminated Diacetylene Materials, 3327C
Gray, F. M.
—; Vincent, C. A.; Kent, M.: A Study of the Dielectric Properties of the Polymer Electrolyte PEO–$LiClO_4$ over a Composition Range Using Time Domain Spectroscopy, 2011P
Green, G. D. See Brandt, M. W., 1957C
Greener, J. See Tribone, J. J., 837P
Greenwalt, C. C.
—; Futrell, J. H.; Lyman, D. J.: Analysis of Model Polyurethane Thermolysis Products by Direct Mass Spectrometer Sampling, 301C
Grigoras, M. See Simionescu, Cristofor I., 3201C
Grubb, D. T. See Prasad, K., 381P
Guhaniyogi, S. C. See Bhattacharya, J., 3977C
Guillet, J. E. See Itagaki, H., 21L; Price, G. J., 2925C
Gunesin, B.
—; Gustafson, R. J.: Melting Point Determination of Isotactic Poly(*p*-Methylstyrene), 4439C
Gunn, V. E. See Overberger, C. G., 99C
Guo, J. S.
—; El-Aasser, M. S.; Vanderhoff, J. W.: Microemulsion Polymerization of Styrene, 691C
Gurruchaga, M. See Vázquez, B., 595C
—; Goñi, I.; Vázquez, M. B.; Valero, M.; Guzmán, G. M.: An Approach to the Knowledge of the Graft Polymerization of Acrylic Monomers onto Polysaccharides Using Ce (IV) as Initiator, 149L
Gustafson, R. J. See Gunesin, B., 4439C
Guthmann, J. E. See Ho, K. W., 2435C
Guthrie, J. T. See Gradwell, A. J., 4181C
Guzmán, G. M. See Fernández, M. D., 2427C, 3161C, 3439C, 3703C; Fernández, M. J., 3173C; Gurruchaga, M., 149L; Vázquez, B., 595C
Guzman, J.
—; Madruga, E. L.; Riande, E.: Influence of Thermal Initiation on the Radical Polymerization of Unsaturated Monomers, 1045C

Ha, C.-S. See Kang, D.-P., 1401C
Hacioglu, B.
—; Akbulut, U.; Toppare, L.: Electroinitiated Polymerization of Acrylamide by Direct Electron Transfer, 3875C
Hahn, B. See Percec, V., 2367C
Hall, H. K., Jr. See Brandt, M. W., 1957C; Ito, H., 2871C; Tomida, M., 219L
Halperin, K.
—; Peng, J. B.; Sailor, M.; Gadwood, R.; Ketterson, J. B.; Dutta, P.: Direct Measurements of the Mechanical Properties of Polymerized and Unpolymerized Langmuir–Blodgett Films, 1289P
Hammouda, B.
Treatment of Asymmetric SANS Data, 1971P
Hanabusa, K. See Itoh, H., 2531C
—; Tsutsumi, H.; Kurose, A.; Shirai, H.; Hayakawa, T.; Hojo, N.: Synthesis of Poly(amino Acid)s on Molecular Assemblies Formed by Functional Active Esters of Amino Acids, 1665C
—; Ye, X.; Kurose, A.; Shirai, H.; Hayakawa, T.; Hojo, N.: Synthesis of Poly(dipeptide)s on the Surface of Functional Micelle and Reversed Micelle, 4191C
Hara, M.
—; Nakajima, A.: Light-Scattering Study of Polyelectrolyte Complexes: Heparin with Partially Aminoacetalized Poly(vinyl alcohol) in Aqueous Solution, 1043P

Harada, S. See Oishi, Y., 1425C, 3393C
Hargreaves, J. S.
The Solid State Photobleaching and Photocrosslinking of Copolymers Containing the Anthracene Chromophore, 203C
Harmon, J. P.
—; Lee, S.; Li, J. C. M.: Errata: Methanol Transport in PMMA: The Effect of Mechanical Deformation, 397C
Harpt, N. See Jang, L. K., 1301P
Harris, P. J. See Cooper, A. W., 1967C
Hasegawa, M.
—; Mita, I.; Kochi, M.; Yokota, R.: Charge-transfer Emission Spectra of Aromatic Polyimides, 263L
Hashida, I. See Morita, M., 49L
Hashimoto, K.
—; Sumitomo, H.; Shinoda, H.; Washio, A.: Equilibrium Anionic Polymerization of Bicyclic Oxalactam, 307L
—; Sumitomo, H.; Washio, A.: Preparation of Monodisperse Hydrophilic Polyamide by Anionic Polymerization of Bicyclic Oxalactam, 1915C
Hashimoto, T. See Takeuchi, E., 3303C
Hatanaka, Y. See Takagishi, T., 1C
Havens, J. R.
—; Reimer, K. B.: ^{13}C-NMR Study of Arylene-Ether-Ketone Copolymers, 565C
Havens, S. J. See Hergenrother, P. M., 1161C
Hay, A. S.
—; Dana, D. E.: Polymerization of 2,6-Diarylphenols, 873C
Hayakawa, T. See Hanabusa, K., 1665C, 4191C
Hayamizu, K. See Matsumura, K., 2407P
Hayashi, H. See Inoue, K., 4231C
Hayashi, J. See Hoshino, M., 2083C
Hayashi, K. See Ohtsuka, T., 399L
Hayashi, S.
—; Komatsu, A.; Hirai, T.: Seeded Polymerization of Vinyl Acetate Using Monodisperse Poly(vinyl acetate) Latex Particles, 157C
Haynes, R. D. See Saenger, K. L., 235L
He, G.-X. See Shinkai, S., 209L
Hecai, S. See Yang, C., 2829C
Hedrick, J. L. See Labadie, J. W., 2951C
Heilmann, S. M. See Katritzky, A. R., 1515C, 1781C
Hein, M. D. See Bergbreiter, D. E., 4205C
Heise, B. See Koenen, J. A., 1235P
Heller, J. P. See Dandge, D. K., 1053C
Hergenrother, P. M. See Bass, R. G., 171C
—; Havens, S. J.: Polyimides Containing Carbonyl and Ether Connecting Groups. II, 1161C
Herweh, J. E.
The Synthesis, Characterization, and Polymerization of 1-Ethyl-4-[(2-Methacryloxy)ethyl Carbamoyloxymethyl]-2,6,7-trioxabicyclo[2.2.2]octane, 333C
Heuschen, J.
—; Jérôme, R.; Teyssié, Ph.: Polycaprolactone-based Block Copolymers. II. Morphology and Crystallization of Copolymers of Styrene or Butadiene and ϵ-Caprolactone, 523P
Heydweiller, J. C. See Subramanian, S., 1209P
Higashi, F.
—; Kobayashi, A.: Direct Polyamidation with Phosphorus Oxychloride in Pyridine, 507C
Higashimura, T. See Abe, Y., 4267C; Takeuchi, E., 3303C; Tang, B.-Z., 1197C, 1261P
—; Ebara, K.; Aoshima, S.: Living Cationic Polymerization of Vinyl Ethers with a Functional Group. VII. Polymerization of Vinyl Ethers with a Silyloxyl Group and Synthesis of Polyalcohols and Related Functional Polymers, 2937C
Hill, D. A.
—; Soane, D. S.: Measurement of Rotational Diffusivity of Rodlike Molecules in Amorphous Polymer Matrices by the Dynamic Kerr Effect, 2295P
—; Soane, D. S.: Rotational Diffusivity of Rodlike Molecules in Amorphous Polymeric Matrices, 261P
Hiraguri, Y.
—; Endo, T.: Effect of Temperature on Radical Ring-Opening Polymerization of 2,2-Diphenyl-4-Methylene-1,3-Dioxolane, 2135C
—; Endo, T.: Incorporation of Ketone Group into Vinyl Polymers by Radical Copolymerization of 2,2-Diphenyl-4-methylene-1,3-dioxolane with Vinyl Monomers, IL, 21261P
—; Endo, T.: Preparation and Radical Ring-Opening Polymerization of 2-Substituted-4-Methylene-1,3-Dioxolanes, 4403C
—; Endo, T.: Synthesis and Radical Ring-opening Polymerization of 1,2-Dicarbomethoxy-3-vinylcyclobutane, 333L
Hirai, T. See Hayashi, S., 157C
Hirano, T. See Nishikubo, T., 2519C; Nisizawa, M., 123L
Hirano, Y. See Takahashi, A., 3817C
Hirao, A. See Packirisamy, S., 2811C
Hirasawa, E. See Yano, S., 2647P
Hirose, T. See Kamiya, Y., 879P
Hirota, K. See Nakamura, Y., 2883C
Hirsch, J. A. See Ramakrishnan, S., 3937C
Hiza, M. See Endo, T., 73L
Ho, K. W.
—; Guthmann, J. E.: The Ozonolysis of Butyl and Halobutyl Elastomers, 2435C
Hoagland, D. A.
Review of *Water-Soluble Polymers for Petroleum Recovery*, 345L
Hogen-Esch, T. E.
Review of *Polymer Flooding*, 215L
Hojo, N. See Hanabusa, K., 1665C, 4191C; Kobayashi, N., 191L
Holzknecht, L. J. See Chang, T.-L., 989C
Hon, D. N.-S.
—; Ou, N.-H.: Thermoplasticization of Wood. I. Benzylation of Wood, 2457C
—; San Luis, J. M.: Thermoplasticization of Wood. II. Cyanoethylation, 4143C
Horas, J. A.
—; Rizzotto, M. G.: On the Diffusion of Gases in Partially Crystalline Polymers, 175P
Horikawa, Y. See Inagaki, N., 3495C
Hori, T. See Nakamura, Y., 2883C
Hornbogen, E. See Quach, L., 775C
Horrion, J.
—; Jérôme, R.; Teyssié, Ph.: Halato-telechelic Polymers. XIV. Solution Behavior of α,ω-Divalent Transition Metal Dicarboxylato Polybutadiene, 2677P
Horta, A. See Leon, A., 2337P
Hosford, W. F. See Krause, S. J., 1853P, 1867P
Hoshino, M.
—; Takai, M.; Fukuda, K.; Imura, K.; Hayashi, J.: ^{13}C-NMR Study of Cellulose Derivatives in the Solid State, 2083C
Hosokawa, T. See Kozuka, H., 555C; Takagishi, T., 1C, 1925C
Hou, W.-H. See Hsiue, G.-H., 4119C
Hovatter, T. W. See Chao, H. S.-I., 3371C
Howard, P. R.
—; Crist, B.: Unit Cell Dimensions in Model Ethylene-Butene-1 Copolymers, 2269P
Hoyle, C. E.
—; Trapp, M. A.; Chang, C. H.: Laser-Initiated Polymerization of Lauryl Methacrylate: Laser Repetition Rate Effect, 1609C
Hsiue, G.-H. See Huang, W.-K., 279C, 3451C
—; Huang, W.-K.; Chu, H.-L.: A New Differential Scanning Calorimetry Based Approach for the Characterization of Peracid Resin, 4397C
—; Huang, W.-K.; Hou, W.-H.: Dynamic Mechanical and Dielectric Properties of Epoxidized SBS Triblock Copolymer, 4119C
Hsu, C. S.
—; Percec, V.: Synthesis and Characterization of Liquid Crystalline Polyacrylates and

Polymethacrylates Containing Benzyl Ether and Diphenyl Ethane Based Mesogens, 453C
Hsu, S.-G. See Reynolds, J. R., 2081P
Hsu, S. L. See Fan, C. F., 337P, 2605P
Hsueh, K. F. See Wei, Y., 4351C
Hu, L. See Su, D., 3769C
Hu, S.
—; Xu, M.; Li, J.; Qian, B.; Tao, K.; Lenz, R. W.: Transitions and Morphology of a Thermotropic Liquid-crystalline Polyester with a Flexible Spacer, 1749P
Hu, Y. See Chien, J. C. W., 897C, 1499C
Huang, K.-J. See Bergbreiter, D. E., 4205C
Huang, W.-K. See Hsiue, G.-H., 4119C, 4397C
—; Hsiue, G.-H.: Degradation of Epoxidized Polyenes in the Presence of Phthalic Acid, 279C
—; Hsiue, G.-H.: Synthesis and Characterization of Bigraft Copolymers Based on Grafted Type Peracid Polymer, 3451C
Hudson, S. H. See Cho, J. J., 1699P
Hult, A. See Allmér, K., 1641C, 3405C, 3419C
Hummel, D.
Review of *Simple Methods for Identification of Plastics*, 344L
Hur, T.
—; Manson, J. A.; Sperling, L. H.: Interplay of Rubber Network Theory with the Damping Behavior of Crosslinked Polyurethanes, 2251P
Hurwitz, F. I. See Nguyen, H. X., 1611P
Hwang, W. F. See Tsai, T. T., 2839C
Hyatt, L. H. See Nguyen, H. X., 1611P

Idage, B. B. See Idage, S. B., 583C
Idage, S. B.
—; Idage, B. B.; Shinde, B. M.; Vernekar, S. P.: Polyamides Containing Arylene Sulfone Ether Linkages, 583C
Ihara, Y.
—; Nakanishi, E.; Akiyama, A.; Yamamoto, H.; Nango, M.; Koga, J.: Stereoselective Hydrolysis of Amino Acid Esters by Dipeptide Catalysts and by *N*-Decanoyl-Histidine in Surfactant Aggregate Domains, 87C
Iida, K. See Kurita, K., 4297C
Iijima, T.
—; Sashida, N.; Kakiuchi, H.: Ring-Opening Polymerization of α,β-Disubstituted Oxiranes by α-Methoxyphenylmethylium Hexachloroantimonate, 3651C
Iizawa, T. See Nishikubo, T., 1975C
—; Watanabe, S.; Nishikubo, T.: Simple and Convenient Synthesis of a Photodegradative Polyimide, 411L
Ikada, Y. See Uchida, E., 527C
Ilavský, M.
—; Saiz, E.; Riande, E.: Effect of Length of Side Chains on the Optical Configuration Parameter of Poly(*n*-alkyl acrylate) Networks, 743P
Imai, M.
—; Xu, L. G.; Ametani, K.; Tutiya, M.: γ-Irradiation of Polypropylene in Vacuum and in Air, 1763C
Imai, Y. See Oishi, Y., 1425C, 3393C; Otsuki, T., 1775C; Yang, C.-P., 3895C; Yoneyama, M., 979C, 1985C
Immirzi, B.
—; Laurienzo, P.; Malinconico, M.; Martuscelli, E.: New Elastomeric Networks Based on Functionalized Ethylene–Propylene Rubbers and Hydroxyl Terminated Polybutadiene. I. A Kinetic Study on the Monoesterification, 829C
Imura, K. See Hoshino, M., 2083C
Inagaki, N.
—; Kubokawa, Y.: Plasma Polymerization of Ethylene Glycol Monomethylether and Water-Vapor Permeability, 795C
—; Tasaka, S.; Horikawa, Y.: Nafion-like Thin Film Plasma-Polymerized from Perfluorobenzene/SO_2 Mixture, 3495C
Inagaki, Y. See Kondo, S., 3383C
Inaki, Y. See Nagae, S., 2593C
Inoue, H. See Nishide, H., 497C
Inoue, K.
—; Kaku, H.; Hayashi, H.; Tanigaki, T.: Mechanism of Alternating Copolymerization of 4-Hydroxy-4′-Vinylbiphenyl with α-Chloromaleic Anhydride, 4231C
Inoue, T. See Ohnaga, T., 1675P
Iruin, J. J. See Eguiazábal, J. I., 1951P
Ishida, H. See Nguyen, H. X., 1611P
Ishikawa, K. See Shirai, M. , 325C
—; Endo, T.: Facile Syntheses of Poly(glutamine) Derivatives, 339L
—; Nambu, Y.; Endo, T.: Electron Transport Membrane: Preparation of Polypeptide Membrane with Spacers between the Polymer Matrix and Viologen Moiety and Their Application to an Electron Transfer Reaction, 1625C
Ishizuka, O. See Koyama, K., 297P
Ishizu, K.
—; Fukutomi, T.: Synthesis of Poly(Methyl Methacrylate) Macromonomer, 1259C
—; Onen, A.: Core-Shell Type Polymer Microspheres Prepared by Domain Fixing of Block Copolymer Films, 3721C
Isobe, N.
—; Numasawa, H.; Nishikubo, T.; Togoshi, H.; Endo, T.: Synthesis and Thermal Self-Crosslinking Reaction of Polymer Containing Spiro Ortho Ester and Carboxylic Acid, 681C
Israelachvili, J. N.
—; Kott, S. J.; Fetters, L. J.: Measurements of Dynamic Interactions in Thin Films of Polymer Melts: The Transition from Simple to Complex Behavior, 489P
Itagaki, H.
—; Guillet, J. E.; Sienicki, K.; Winnik, M. A.: A New Method to Measure Molecular Weight Dependence of Intramolecular Excimer Formation in Polymer Solutions, 21L
Itoh, H.
—; Masuda, E.; Koyama, T.; Hanabusa, K.; Shirai, H.; Kurose, A.; Takemoto, K.: Functional Metallomacrocycles and Their Polymers. XXII. Thermally Stable Metallophthalocyanine Formaldehyde Condensation Resins, 2531C
—; Padias, A. B.; Hall, H. K., Jr.: Thermal Deesterification and Decarboxylation of Alternating Copolymers of Styrene with β-Substituted *t*-Butyl α-Cyanoacrylates, 2871C
Ito, K. See Tsukahara, Y., 1099C
Itoyama, K.
Ultrahigh-Modulus Rods from Thermotropic Liquid-Crystalline Copolyesters, 369L
Ittel, S. D. See Tullock, C. W., 3063C
Iwaki, T. See Kuramoto, N., 367C
Iwasaki, Y. See Watanabe, A., 4431C

Jadhav, J. Y.
—; Krigbaum, W. R.; Ciferri, A.; Preston, J.: Nematogenic Block Copolymers of Rigid and Flexible Aromatic Units. IV. Synthesis by Two-Pot Phosphorylation Reactions, 59L
—; Preston, J.; Krigbaum, W. R.: Aromatic Rigid Chain Copolymers. I. Synthesis, Structure, and Solubility of Phenyl-Substituted Para-Linked Aromatic Random Copolyamides, 1175C
Jakab, E. See Blazso, M., 1027C
Jamieson, A. M. See Jamil, T., 2553P
Jamil, T.
—; Jamieson, A. M.: Studies of ESR Nitroxide Probe Mobility in Polymer Blends, 2553P
Jang, L. K.
—; Harpt, N.; Uyen, T.; Grasmick, D.; Geesey, G. G.: An Iterative Procedure Based on the Donnan Equilibrium for Calculating the Polymer-subphase Volume of Alginic Acid, 1301P
Jang, Y. T. See Parikh, D., 1333P
Jantas, R.
—; Połowiński, S.; Podešva, J.: Synthesis and

Polymerization of Multiallyl Monomer in Matrix of Poly(methacryloyl Chloride), 475C
Jasse, B. See Xu, Z., 355P
Javni, I. See Petrović, Z. S., 545P
Jean, Y. C. See Nakanishi, H., 1419P
Jelling, M.
Review of *Plastic Additives*, 144L
Review of *Transition Metals and Organometallics as Catalysts for Olefin Polymerization*, 112L
Jeon, S. H. See John, E., 9L; Park, S. M., 4109C
—; Park, S. M.; Ree, T.: Characterization of Interpolymer Complex Formation between Helical Poly(L-proline) and Random-coil Poly(methacrylic acid) through Hydrogen Bonding by Polarimetric Measurements, 161L
—; Park, S. M.; Ree, T.: Preparation and Complexation of an A–B–A Type Triblock Copolymer Consisting of Helical Poly(L-Proline) and Random-Coil Poly(ethylene Oxide), 1721C
Jeon, S. I.
—; Jhon, M. S.: Effect of Ureas on the Viscometric Behavior of Water-Soluble Isotactic Poly(2-Hydroxyethyl Methacrylate), 237C
Jeřábek, K.
—; Setínek, K.: Structure of Macronet Styrene Polymer as Studied by Inverse Steric Exclusion Chromatography and by Selective Sulfonation, 1619C
Jérôme, R. See Fayt, R., 775P, 2823C; Heuschen, J., 523P; Horrion, J., 2677P
Jhon, M. S. See Jeon, S. I., 237C; Oh, S. H., 1383C, 1731C
Jian, Z. See Mujie, Y., 3829C
Jiao, S. See Su, D., 3769C
Jin, J.-I.
—; Choi, E.-J.; Kang, C.-S.; Chang, J.-H.: Synthesis and Properties of Polyesters of Isomeric Poly(oxynaphthyleneoxy-2-Bromotereph-thaloyl)s, 2291C
Johari, G. P. See Pathmanathan, K., 1519P
John, E.
—; Jeon, S. H.; Ree, T.: Influence of Tacticity of Poly(methyl methacrylate) on the Morphology and Crystallization of Poly(ethylene oxide) in the Binary Polymer Blends, 9L
John, K. J.
—; Pillai, V. N. R.: Functionalization of Crosslinked Poly(4-vinylpyridine) and Poly(4-vinylpyridine-co-styrene) with Permanganate Species: Preparation of Poly(4-vinylpyridinium permanganate)s and Their Use as Oxidizing Reagents, 2897C
Johncock, P.
Relative Reactivity of Primary and Secondary Amine Hydrogen Atoms in the Reaction between Aniline and Phenyl Glycidyl Ether: The Effect of Ethanol and Other Additives and the Modifying Effect of Benzene as Solvent, 647C
Johnson, B. C. See Chao, H. S.-I., 3371C
Johnson, C. G.
—; Cassidy, P. E.: Polyimidines. VIII. Condensation of 3,5-Dibenzylidenepyromellitide-1,7-Dithione with *m*-Xylylenediamine, 2253C
Johnson, R. W. See Molaire, M. F., 2569C
Jones, G. A. See Zoller, P., 993P
Jones, P. L. See Kasbekar, A. D., 1373C
Joshi, S. G. See Radhakrishnan, S., 127L
Jourdan, C.
—; Cavaille, J. Y.; Perez, J.: Mechanical Relaxations in Polypropylene: A New Experimental and Theoretical Approach, 2361P
Jo, W. H.
—; Baik, D. H.: Structure–Property Relationships of Copolyamides. I. Thermal Properties and Crystallization, 673P
—; Cruz, C. A.; Paul, D. R.: FTIR Investigation of Interactions in Blends of PMMA with Styrene/Acrylic Acid Copolymer and their Analogs, 1057P
Junfeng, L. See Xiaojiang, Z., 223L
Jung, J. C. See Yi, M. H., 2417C
Juvet, R. S., Jr. See Vandenberg, E. J., 3083C, 3113C

Kaang, S. Y. See Gent, A. N., 893P
Kabir, G. M. A. See Kato, T., 1447C
Kafrawy, A. See Shalaby, S. W., 4423C
Kagami, Y. See Osada, Y., 3799C
Kajiwara, K. See Kawaguchi, A., 1463P
Kakimoto, M.-A. See Oishi, Y., 1425C; Otsuki, T., 1775C; Yang, C.-P., 3895C; Yoneyama, M., 979C, 1985C
Kakiuchi, H. See Iijima, T., 3651C
Kaku, H. See Inoue, K., 4231C
Kalachandra, S. See Singh, D. P., 1557P
Kaleem, K.
—; Chertok, F.; Erhan, S.: Quinone–Amine Polymers. II. 1,3-Bis(3-Aminophenoxy)benzene-*p*-Benzoquinone Oligomers, 865C
Kalfoglou, N. K. See Margaritis, A. G., 1767P
Kambour, R. P.
—; Kelly, J. M.; McKinley, B. J.: Modulus and Yield Resistance of Glassy Blends Containing Diluents Manifesting Varying Degrees of Mobility: Polyphenylene Ether/Polystyrene/Diluent Mixtures, 1979P
Kamel, I. L. See Krishnamurthy, V., 1211C
Kamimoto, M.-A. See Oishi, Y., 3393C
Kamiya, Y.
—; Mizoguchi, K.; Hirose, T.; Naito, Y.: Sorption and Dilation in Poly(ethyl methacrylate)–Carbon Dioxide System, 879P
—; Naito, Y.; Mizoguchi, K.: Sorption and Partial Molar Volume of Gases in Polybutadiene, 2243P
Kamogawa, H.
—; Kikushima, K.; Nanasawa, M.: Photomemory of Viologen Copolymers, 393C
—; Kohno, H.; Kitagawa, R.: Chemical Release Control: Carbamates of 3-Vinylphenyl and 2-Methacryloyloxyethyl Isocyanates and Perfume and Herbicide Alcohols, 487C
Kampschreur, J. H. See Northolt, M. G., 1107P
Kaneda, K. See Kurita, K., 115L
Kang, C.-S. See Jin, J.-I., 2291C
Kang, D.-P.
—; Ha, C.-S.; Cho, W.-J.: FT–IR Spectroscopic and Thermal Studies of Poly(Styrene-co-1-Vinyl Naphthalene) and Poly(Vinyl Methyl Ether) Blends, 1401C
Kang, E. T. See Neoh, K. G., 4365C
—; Neoh, K. G.; Tan, K. L.; Tan, B. T. G.: XPS Studies of Charge Transfer Interactions in Some Polyphenylacetylene–Electron Acceptor Systems, 2061P
Kaputskii, F. N. See Gert, E. V., 393L
Karasz, F. E. See Granier, T., 469P; Machado, J. M., 199P; Masse, M. A., 2045P
Karcha, R. J.
—; Porter, R. S.: Miscible Blends of a Sulfonated Poly(aryl ether ketone) and Aromatic Polyimides, 2153P
Kasbekar, A. D.
—; Jones, P. L.; Crowson, A.: Positron Annihilation Lifetime Evaluation of Thermal Cycling Effects in Atactic Polystyrene, 1373C
Katayama, K.-I. See Kawaguchi, A., 1463P
Katime, I. A. See Cesteros, L. C., 2567P
Kato, J.
—; Nakamura, K.; Yamazaki, S.; Tokushige, K.; Amano, T.: Thermal Behavior of Amide Substituted Diacetylenes, 1853C
Kato, T.
—; Kabir, G. M. A.; Uryu, T.: Solid-State CP/MAS ^{13}C-NMR Studies of Naphthalene-Based Thermotropic Polyesters and Model Compounds, 1447C

Katritzky, A. R.
—; Sakizadeh, K.; Swinson, J.; Heilmann, S. M.; Rasmussen, J. K.; Krepski, L. R.; Moren, D. M.; Smith, H. K., II; Pathre, S. V.: Azlactones as Polymer Components and Intermediates, 1781C
—; Sakizadeh, K.; Swinson, J.; Heilmann, S. M.; Rasmussen, J. K.; Krepski, L. R.; Pathre, S. V.: Further Polymers Derived from Bisazlactones and Tetraamino Compounds, 1515C
Kauffman, J. S.
—; Dybowski, C.: Determination of Transition Temperatures and Crystalline Content of Linear, High-molecular-weight Polyethylene by Proton NMR Spectroscopy, 2203P
Kawaguchi, A.
—; Murakami, S.; Kajiwara, K.; Katayama, K.-I.; Nerger, D.: A Dynamical Study of the Melting Behavior of Polypivalolactone Single Crystals by the X-ray Diffraction Method, 1463P
Kawaguchi, K. See Ueda, M., 737C
Kawai, H. See Tanaka, H., 1741C
Kazmierczak, M. E.
—; Fornes, R. E.; Buchanan, D. R.; Gilbert, R. D.: Investigations of a Series of PPDI-based Polyurethane Block Copolymers. I. General Morphology, 2173P
—; Fornes, R. E.; Buchanan, D. R.; Gilbert, R. D.: Investigations of a Series of PPDI-based Polyurethane Block Copolymers. II. Annealing Effects, 2189P
Kehl, T. A. See Zoller, P., 993P
Keller, A. See Barham, P. J., 1029P
Kelly, J. M. See Kambour, R. P., 1979P
Kent, M. See Gray, F. M., 2011P
Keshavayya, J. See Achar, B. N., 2109C
Keskkula, H.
Review of *Thermoplastic Elastomers—A Comprehensive Review*, 243L
Kesting, R. E.
Review of *Molecular Engineering of Ultrathin Polymeric Films*, 177L
The Solvent Size Effect: Solvents and Solvent Complexes Viewed as Transient Templates which Control Free Volume in the Skins of Integrally-Skinned Phase Inversion Membranes, 187L
Ketterson, J. B. See Halperin, K., 1289P
Khan, A. See Fonslick, J., 4161C
Khan, A. M. See Chatterjee, S. K., 3855C
Khanna, D. N. See Zhao, X., 1571C
Khanna, Y. P.
—; Kumar, R.: Annealing of Polymers in the Solid–Melt Region. I. A New Approach to Estimate the Equilibrium Melting Temperature of Polymer Crystals, 369P
Khoo, C. See Marchant, R. E., 881C
Khor, S. H. See Neoh, K. G., 4365C
Kiho, H. See Toda, A., 53P
Kikkawa, A. See Endo, T., 73L
Kikushima, K. See Kamogawa, H., 393C
Kilian, H.-G. See Koenen, J. A., 1235P
Kim, C.-Y. See Gal, Y.-S., 31C
Kim, J.
—; Litt, M. H.: Synthesis and Characterization of Poly[*N*-((10-phenothiazinyl)ethylenimine] and *N,N*-Diethyl-6-(10-phenothiazinyl)-hexanamide, 2711C
Kim, J.-B.
—; Cho, I.: Synthesis and Cationic Polymerization of Substituted 2,3-Dihydrofurans, 3733C
Kim, J. H.
—; Barlow, J. W.; Paul, D. R.: Interactions in SMA–SAN Blends, 223P
—; Barlow, J. W.; Paul, D. R.: Miscibility of Poly(vinyl chloride) with Styrene/Acrylonitrile Copolymers, 2211P
—; Chainey, M.; El-Aasser, M. S.; Vanderhoff, J. W.: Preparation of Highly Sulfonated Polystyrene Model Colloids, 3187C
Kim, K.-J. See Ruckenstein, E., 4375C
Kim, S.-J.
—; Matsuda, M.: Free Radical Copolymerization of Sulfur Dioxide with 1-Alkynes, 2305C
Kim, S. S.
—; Cebe, P.; Swager, T. M.: Electron Spin Resonance and Optical Spectroscopic Studies of the Conducting Polymer Precursor: Poly(3,4-diisopropylidene cyclobutene), 443P
Kim, S. W. See Vulić, I., 397C
Kim, W. S.
—; Seo, K. H.; Lim, Y. J.: Interaction of *N*-Partially Alkylated Poly(4-Vinylpyridine) with Methyl Orange, 389C
Kim, Y.-H.
—; Choi, K.-Y.; Choi, S.-K.: Cyclopolymerization of Diproparglycarbinol by Transition Metal Catalysts, 443L
King, J. A. Jr.
Condensation Polymerization and Addition Mechanisms of Enol Carbonates with Substituted Phenols, 173L
Kinoshita, S. See Takahashi, M., 2159P
Kirsch, B. See Wagener, K., 2625C
Kisakurek, D. See Sacak, M., 1599C
Kishore, K. See Mukundan, T., 455L
Kissin, Y. V.
Co-Oligomerization of Ethylene and Higher Linear Alpha Olefins. I. Co-Oligomerization with the Sulfonated Nickel Ylide-Based Catalytic System, 605C
Co-Oligomerization of Ethylene and Higher Linear Alpha Olefins. II. Olefin Reactivities in Various Reaction Steps of Co-Oligomerization with Nickel Ylide-Based System, 623C
—; Beach, D. L.: Oligomerization of Ethylene with a Homogeneous Sulfonated Nickel Ylide–Aluminum Alkoxide Catalyst, 147C
Kita, H. See Okamoto, K.-I., 643P, 1221P, 2621P
Kitagawa, M.
—; Mori, T.; Matsutani, T.: Rate-dependent Nonlinear Constitutive Equation of Polypropylene, 85P
Kitagawa, R. See Kamogawa, H., 487C
Klein, A. See Yang, S. I., 1649P
Klesper, E. See Thevissen, J., 929C
Kloczkowski, A.
—; Mark, J. E.: On the Pace–Datyner Theory of Diffusion of Small Molecules Through Polymers, 1663P
Kluttz, W. F., III. See Smith, W. T., Jr.,, 575C
Knoesel, R. See Carver, M. T., 2161C
Kobayashi, A. See Higashi, F., 507C
Kobayashi, E. See Ohashi, T., 247L
Kobayashi, H. See Chujo, Y., 2007C
Kobayashi, N.
—; Shirai, H.; Hojo, N.: Virtues of a Poly-Cyclodextrin for the De-Aggregation of Organic Molecules in Water, 191L
Kochi, M. See Hasegawa, M., 263L
Koenen, J. A.
—; Heise, B.; Kilian, H.-G.: A Phenomenological Description of Large Deformations in Polymeric Glasses (Polycarbonate), 1235P
Koenig, J. L. See Andreis, M., 1389P; Clough, R. S., 451L; Perry, B. C., 3429C; Weisenberger, L. A., 55L
Koga, J. See Ihara, Y., 87C
Kohno, H. See Kamogawa, H., 487C
Kohno, K. See Chujo, Y., 1883C
Kolterman, K. M. See Turner, S. R., 253L
Komatsu, A. See Hayashi, S., 157C
Komatsu, S. See Ueda, M., 1017C
Komoto, T. See Kubo, K., 929P
Kondo, S.
—; Inagaki, Y.; Ozeki, M.; Tsuda, K.: Polymeric Formamides as Liquid–Liquid Phase Transfer Catalysts, 3383C
Koros, W. J. See Pope, D. S., 1173P; Story, B. J., 1927P
Korshak, V. V. See Otton, J., 3535C
Kłosiński, P. See Biela, T., 763C
Kott, S. J. See Israelachvili, J. N., 489P
Kotzeva, L.

—; Mateva, R.: On the Kinetics and Mechanism of Copolymerization of Vinyl Acetate and Itaconic Monomers, 1325C
Koyama, K.
—; Ishizuka, O.: Birefringence of Polyethylene Melt in Transient Elongational Flow at Constant Strain Rate, 297P
Koyama, T. See Itoh, H., 2531C; Ueda, M., 751C
Koyama, Y. See Kurita, K., 115L, 4297C
Kozuka, H.
—; Hosokawa, T.; Takagishi, T.: Binding of Butyl Orange by Poly(2-Dimethylaminoethyl Methacrylate) and Copolymers of 2-Dimethylaminoethyl Methacrylate and *N*-Vinyl-2-Pyrrolidone: Peculiar Temperature Dependence of the Binding, 555C
Kramer, A. See Renner, A., 1301C; Vijayakumar, C. T., 2723C
Krause, S. See Venugopal, G., 497L
Krause, S. J.
—; Hosford, W. F.: Texture Development in Polyethylene. I. Uniaxial Extension and Uniaxial Compression, 1853P
—; Hosford, W. F.: Texture Development in Polyethylene. II. Unidirectional Rolling, 1867PR. P., 3327C
Krawiec, W. See Florjańczyk, Z., 4099C
Kremers, C. H. See Brook, M. A., 229L
Krepski, L. R. See Katritzky, A. R., 1515C, 1781C
Kricheldorf, H. R.
—; Pakull, R.; Buchner, S.: New Polymer Syntheses 22. LC-Poly(esterimide)s Derived from Trimellitic Acid, ω-Amino Acids and Hydroquinone or 4,4′-Dihydroxybiphenyl, 431C
Krigbaum, W. R. See Jadhav, J. Y., 59L, 1175C; Yang, D.-K., 819P, 1837P
Krimm, S.
Review of *Characterization of Plastics by Physical Methods*, 406L
Krishnamurthy, V.
—; Kamel, I. L.; Wei, Y.: Analysis of Plasma Polymerization of Allylamine by FTIR, 1211C
Kritskaya, D. A. See Savostyanov, V. S., 1935C
Kubokawa, Y. See Inagaki, N., 795C
Kubo, K.
—; Yamanobe, T.; Komoto, T.; Ando, I.; Shiibashi, T.: Nylon 6 Structure in Solid State as Studied by High-resolution ^{13}C-NMR Spectroscopy, 929P
Kumakura, M. See Yoshida, M., 437L
Kumar, G. K. See Cooper, A. W., 1967C
Kumar, P. See Shukla, A. K., 43C, 807C
Kumar, R. See Khanna, Y. P., 369P
Kumazawa, H. See Sada, E., 919P
Kuntz, I.
—; Rose, K. D.: Copolymerization of Isobutylene with 1,4-^{13}C-Isoprene, 107C
Kuo, C.-T.
—; Chen, S.-A.: Kinetics of Polyesterification: Adipic Acid with Ethylene Glycol, 1,4-Butanediol, and 1,6-Hexanediol, 2793C
Kuramoto, N. See Nagai, K., 3779C
—; Iwaki, T.; Satoh, A.; Nagai, K.: Copolymerization of Styrene with Maleic Anhydride Initiated by Thiol Compounds, 367C
—; Suda, K.; Nagai, K.: Copolymerization of Furan with Maleic Anhydride Initiated by Thioglycolic Acid, 1713C
Kurita, K.
—; Koyama, Y.; Mikawa, N.; Kaneda, K.; Murakoshi, H.: Polymers Based on *p*-Aminophenol.5. New Synthetic Route to Wholly Aromatic Polyimide-ester, 115L
—; Yamakawa, M.; Iida, K.; Susa, E.; Koyama, Y.: Synthesis and Properties of an Open-Chain Polyimide from Benzyloxyamine and Terephthaloyl Chloride, 4297C
Kuroda, A. See Tsubokawa, N., 1701C
Kuromiya, T. See Yamashita, K., 4389C
Kurose, A. See Hanabusa, K., 1665C, 4191C; Itoh, H., 2531C
Kuruppu, K. D. A. See Yoneyama, M., 979C
Kurusu, Y.
—; Masuyama, Y.: The Alcohol Oxidation with *t*-Butyl Hydroperoxide in the Presence of Immobilized Tetrabromooxomolybdate on Silane Coupling Reagent-Modified Silica, 79L
Kushibiki, N. See Kuwae, Y., 3969C
Kusuki, Y. See Okamoto, K.-I., 1221P, 2621P
Kuta, A. See Ducháček, V., 1089C
Kuwae, Y.
—; Kushibiki, N.: NMR Study on Microstructure of Polymer Produced by Hydrosilation of Styrene with Poly(hydrogenmethylsiloxane), 3969C
Kwei, T. K.
Review of *Interfaces in Polymer, Ceramic, and Metal Matrix Composites*, 141L
Kyu, T.
—; Lim, D.-S.: Immiscibility Loop Phase Behavior of Polycarbonate and Poly(Methyl Methacrylate) Blends, 421L

Labadie, J. W.
—; Hedrick, J. L.: Synthesis and Characterization of Phenolic Hydroxyl Terminated Phenylquinoxaline Oligomers, 2951C
Lacaze, P. C. See Aeiyach, S., 515C
Lahti, P. M. See Machado, J. M., 199P
Lairmore, T. C. See Pinkus, A. G., 4291C
Lando, J. B. See Butera, R. J., 2451P; Grasso, R. P., 3327C
Landoll, L. M.
—; Breslow, D. S.: Polypropylene Ionomers, 2189C
Langner, A. See Park, J. S., 4281C
Latour, M. See Faria, R. M., 913P; Moreira, R. L., 709P
Laurienzo, P. See Immirzi, B., 829C
Leblans, P. J. R.
—; Bastiaansen, C. W. M.; Govaert, L. E.: Viscoelastic Properties of UHMW-PE Fibers in Simple Elongation, 1009P
Lebon, G. See Pérez-García, C., 1807P
Lederer, K. See Vijayakumar, C. T., 2723C
Lee, B.-J. See Cho, I., 3789C
Lee, H.-R.
—; Lee, Y.-D.: Synthesis, Characterization, and Kinetics Studies of Organic Soluble Photosensitive Copolyimide, 1481C
Lee, J. L. See Crivello, J. V., 3951C
Lee, J.-Y.
—; Cho, I.: Synthesis and Ring-Opening Polymerization of 3-Methoxy-4-cyano-2,9-dioxabicyclo [4.3.0]non-3-ene: Preparation of Alternating Head-to-Head Copolymer of Methyl α-cyanoacrylate and 2,3-Dihydrofuran, 85L
Lee, S. See Harmon, J. P., 397C
Lee, T.-M. See Yang, C.-P., 2239C
Lee, Y.-D. See Lee, H.-R., 1481C
Lenz, R. W. See Benedetti, E., 25P; Bhattacharya, S. K., 2145P; Chin, H. H., 1993P, 2001P; Dvornic, P. R., 3503C; Hu, S., 1749P
—; Rao, A. K.; Reddy, C. R.; Bafna, S.; Bhattacharya, S.: Comparative Study of the Phase Behavior of Liquid-crystalline Components in Closely Related Blends and Copolyesters, 2117P
Leon, A.
—; Gargallo, L.; Horta, A.; Radić, D.: Synthesis and Solution Properties of Comblike Poly(mono-*n*-alkyl itaconates). I. Poly(monodecyl itaconate), 2337P
Leukel, G. See Mormann, W., 4341C
Lévesque, J. See Zhao, Y., 1955P
Lewis, E. L. V.
—; Ward, I. M.: A Study of the Mechanical Anisotropy in Sheet of High-draw, Low-draw, and Voided Poly(vinylidene fluoride), 1375P
Lewis, E. T. See Galal, A., 1891C
Li, C. See Register, R. A., 1911P
Li, J. See Hu, S., 1749P

Li, J. C. M. See Chang, B. T.-A., 1125C; Harmon, J. P., 397C
Li, S. See Ye, M., 2265C
Lie, C. Y.
—; Rånby, B.: Photocrosslinking of Polyethylene. I. Photoinitiators, Crosslinking Agent, and Reaction Kinetics, 4051C
—; Rånby, B.: Photocrosslinking of Polyethylene. II. Properties of Photocrosslinked Polyethylene, 4077C
Lim, D.-S. See Kyu, T., 421L
Lim, J. L. See Woo Sik Kim, 389C
Lin, Q.-S. See Xu, G. J., 1817C
Linde, H. G.
—; Gleason, R. T.: Cation Interactions with Polyamic Acids, 1485P
Lissi, E. A. See Encinas, M. V., 139C
Litt, M. H. See Cai, G., 3603C; Kim, J., 2711C
Liu, C.-K
—; Cuculo, J. A.; Smith, B.: Coagulation Studies for Cellulose in the Ammonia/Ammonium Thiocyanate (NH_3/NH_4SCN) Direct Solvent System, 2493P
Liu, H.-C. See Fried, J. R., 385L
Liu, J. See Andreis, M., 1389P
Liu, L. B.
—; Murakami, N.; Sumita, M.; Miyasaka, K.: Effect of Molecular Weight Distribution on the Structure and Mechanical Properties of Ultradrawn, Ultrahigh-molecular-weight Polyethylene Cast from Solution. I. Thermoluminescence and NMR, 2427P
—; Murakami, N.; Sumita, M.; Miyasaka, K.: Effect of Molecular Weight Distribution on the Structure and Mechanical Properties of Ultradrawn, Ultrahigh-molecular-weight Polyethylene Cast from Solution. II. Drawability and Mechanical Properties, 2441P
Long, T. E.
—; Broske, A. D.; Bradley, D. J.; McGrath, J. E.: Synthesis and Characterization of Poly(*t*-Butyl Methacrylate-b-Isoprene-b-*t*-Butyl Methacrylate) Block Copolymers by Anionic Techniques, 4001C
Longone, D. T. H See Glans, J. H., 467C
Lopez, M. See Moreira, R. L., 709P
Lorkowski, K.-H. See Wuensche, P., 1589C
Lotz, B. See Lustiger, A., 561P
Lowen, S. V.
—; MacInnes, D.; Funt, B. L.: The Electrochemical Preparation of Soluble Electrically Conducting Polymers of 3-Methoxythiophene with Narrow Distributions of Molecular Weight, 4087C
Lu, C. X.
—; Zhou, Y.: Synthesis of Diols Containing Nucleic Acid Bases and Their Polyesters, 1137C
Lu, L. See Ye, M., 2265C
Lub, J.
—; van Vroonhoven, F. C. B. M.; Benninghoven, A.: The Interaction of Hydrogen and Ammonia Plasmas with Polymethacrylic Esters, Studied by Static Secondary Ions Mass Spectrometry, 4035C
—; van Vroonhoven, F. C. B. M.; van Leyen, D.; Benninghoven, A.: The Time of Flight Static Secondary Negative Ion Mass Spectra of Poly(methylmethacrylate), Poly(ethylmethacrylate), and Poly(methylmethacrylate-co-ethylmethacrylate). Ion Structures and Quantification, 2071P
Lundberg, R. D.
—; Phillips, R. R.; Peiffer, D. G.: Solution Behavior of Sulfonate Ionomer Interpolymer Complexes, 245P
Luo, Y. See Wang, Y., 475L
Lustiger, A.
—; Lotz, B.; Duff, T. S.: The Morphology of the Spherulitic Surface in Polyethylene, 561P
Lyman, D. J. See Greenwalt, C. C., 301C

MacDonald, S. See McKean, D., 3927C
Machado, J. M.
—; Denton III, F. R.; Schlenoff, J. B.; Karasz, F. E.; Lahti, P. M.: Analytical Methods for Molecular Weight Determination of Poly(*p*-Xylylidene Dialkyl Sulfonium Halide): Degree of Polymerization of Poly(*p*-Phenylene Vinylene) Precursors, 199P
MacInnes, D., Jr. See Lowen, S. V., 4087C
Mack, R. G.
—; Patterson, H. H.; Cook, M. R.; Carlin, C. M.: A Raman Spectroscopic Study of Vapor Deposited Poly[*N,N'*-bis(phenoxyphenyl)pyromellitimide] Films, 25L
Madan, S. See Gent, A. N., 1529P
Maddams, W. F.
—; Parker, S. F.: Vibrational Spectroscopy of the Oxidation of Polyethylene. I. Fourier Self-deconvolution of the Carbonyl Absorption, 1691P
Madimu, M. See Zaranyika, M. F., 1863C
Madruga, E. L. See Guzman, J., 1045C
Maecker, N. L. See Searle, N. D., 1341C
Magill, J. H. See Sun, D. C., 65L
Mahadevan, V. See Balasubramanian, T. R., 2685C; Padma, S., 729C, 733C
Mahajan, S. S. See Sarwade, B. D., 3263C
Malinconico, M. See Immirzi, B., 829C
Malinge, J. See Pascal, T., 2777C
Mallakpour, S. E.
—; Butler, George B.: Modification of Polymers via Electrophilic Aromatic Substitution, 125C
—; Butler, George B.: Uncatalyzed Polymerization of Bistriazolinediones with Electron-Rich Aromatic Compounds via Electrophilic Aromatic Substitution, 217C
Mallikarjuna Reddy, P.
—; Manohara Murthy, N.; Mohana Raju, K.: X-radiation-induced Changes in Thermal Expansion and Glass Transition Temperature of Polymethylmethacrylate, 259L
Manabe, O. See Shinkai, S., 209L
Manaresi, P. See Pilati, F., 951C
Mandelkern, L. See Voigt-Martin, I. G., 957P, 967P
Mano, E. B. See Calafate, B. A. L., 847C; Thevissen, J., 929C
Manohara Murthy, N. See Mallikarjuna Reddy, P., 259L
Mano, H. See Matsumoto, A., 1811C
Mano, M. See Ueda, M., 737C, 751C
Manson, J. A. See Hur, T., 2251P
Marand, H.
—; Stein, R. S.: Isothermal Crystallization of Poly(vinylidene fluoride) in the Presence of High Static Electric Fields. II. Effect of Crystallization Temperature and Electric Field Strength on the Crystal Phase Content and Morphology, 1089P
Marchant, R. E.
—; Yu, D.; Khoo, C.: Preparation and Characterization of Plasma-Polymerized *N*-Vinyl-2-Pyrrolidone Films, 881C
Marechal, E. See Tessier, M., 539C
Margaritis, A. G.
—; Kalfoglou, N. K.: Compatibility of Poly(vinyl chloride) with Polyalkyleneoxides. II. Poly(propylene oxide) and Poly(tetramethylene oxide), 1767P
Marianucci, E. See Montaudo, G., 2277C, 2657C
Mark, H. B., Jr. See Chang, T.-L., 989C; Galal, A., 1891C
Mark, J. E. See Kloczkowski, A., 1663P
Markova, G. D. See Otton, J., 3535C
Marsich, N. See Furlani, A., 75C
Martin, J. E. See Roovers, J., 2513P
Martinez, J. R. See Ramakrishnan, S., 3937C
Martuscelli, E. See Cimmino, S., 1781P; Immirzi, B., 829C
Marvel, C. S. See Ogawa, T., 167L
Masayuki, A.
—; Goto, T.; Tsuchiya, M.; Uryu, T.: Synthesis of Polymer Materials by Low Energy Electron Beam. VIII. Formation Mechanism of Microporous Urethane-Acrylamide Film, 317C

Mash, E. A.
Review of *Topics in Current Chemistry, Volume 144*, 280L
Masse, M. A.
—; Schlenoff, J. B.; Karasz, F. E.; Thomas, E. L.: Crystalline Phases of Electrically Conductive Poly(*p*-phenylene vinylene), 2045P
Masuda, E. See Itoh, H., 2531C
Masuda, S.
—; Tanaka, M.; Ota, T.: Polymerizable Tautomers. VI. Solvent Effects on Polymerization and Copolymerization of Ethyl 4-Methyl-3-Oxo-4-Pentenoate, 855C
Masuda, T. See Abe, Y., 4267C; Tang, B.-Z., 1197C, 1261P
Masuyama, Y. See Kurusu, Y., 79L
Mateva, R. See Kotzeva, L., 1325C
Matsuda, M. See Kim, S.-J., 2305C
Matsuda, T. See Shinkai, S., 209L
Matsumoto, A.
—; Mano, H.; Oiwa, M.; Butler, G. B.: Polymerization of Tetraallyl Ammonium Chloride, 1811C
—; Ogasawara, Y.; Nishikawa, S.; Aso, T.; Oiwa, M.: Studies of the Polymerization of Diallyl Compounds. XLI. Discussion of Substantially Identical Gel Points among Three Isomeric Diallyl Phthalates, 839C
Matsumura, K.
—; Hayamizu, K.; Yamamoto, O.: Angular Dependence of ^{1}H-NMR and ^{2}H-NMR Spectra of Water Absorbed in Cellulose Film, 2407P
Matsumura, T. See Nishikubo, T., 1975C
Matsutani, T. See Kitagawa, M., 85P
Matyjaszewski, K.
Review of *Advances in Polymer Science, Volume 86, Polysiloxane Copolymers/Anionic Polymerization*, 216L
Maurer, F. H. J. See Gaymans, R. J., 423C
Mauze, G. R. See Stern, S. A., 405P
McCarthy, J. See Sipos, A., 3353C
McCullough, R. L. See Fitzgibbon, D. R., 655P
McDaniel, M. P. See Smith, P. D., 2695C
McEnroe, F. J. See Ford, W. T., 2345C; Periyasamy, M., 2357C
McGill, W. J. See Cameron, A., 1071C
McGrath, J. E. See Long, T. E., 4001C
McHugh, A. J.
—; Yung, W. S.: Strain-induced Crystallization of Swollen, Crosslinked Polyethylene, 431P
McKean, D.
—; Schaedeli, U.; MacDonald, S.: Acid Photogeneration from Sulfonium Salts in Solid Polymer Matrices, 3927C
McKinley, B. J. See Kambour, R. P., 1979P
Mee, C. F. See Schneider, N. S., 939P
Meeten, G. H. See Desbordes, M., 2037P
—; Navard, P.: Small-angle Scattering of Polarized Light. I. Comparison of Theoretical Predictions for Isotropic and Anisotropic Spheres, 2023P
Mehrotra, K. N.
—; Sharma, M.; Gahlaut, A. S.: Studies on Acoustic Behavior of Praseodymium Soaps, 1631C
Mehta, I. K.
—; Sood, D. S.; Misra, B. N.: Grafting onto Polypropylene II. Solvent Effect on Graft Copolymerization of Acrylonitrile by Preirradiation Method, 53C
Meitz, D. W. See Berry, G. C., 273P
Melissaris, A. P.
—; Mikroyannidis, J. A.: Thermally Stable Polymers Based on Bismaleimides Containing Amide, Imide, and Ester Linkages, 245C
Memory, J. D. See Wilson, T. W., 1185P
Mengnjoh, P. C.
—; Frisch, H. L.: Interpenetrating Polymer Networks of Poly(2,6-dimethyl-1,4 phenylene oxide) and Poly(urethane acrylate). I, 3363C
—; Frisch, H. L.: Interpenetrating Polymer Networks of Poly(2,6-dimethyl-1,4 phenylene oxide) and poly(urethane acrylate). II, 285L
Meng, Y.-Z. See Xu, G. J., 1817C
Mi, Y. See Stern, S. A., 1887P
Mikawa, N. See Kurita, K., 115L
Mikhael, M. G.
—; Mokhtar, S. M.; Saad, G. R.; Naoum, M. M.; Elsabee, M. Z.: Copolymerization and Interaction of Acrylonitrile and Indene, 185C
Mikroyannidis, J. A. See Melissaris, A. P., 245C
New Heat-Resistant Polymers Derived from Azomethine Bismaleimides and Maleimide-Terminated Azomethine Prepolymers, 3465C
Miller, T. See Vandenberg, E. J., 3113C
Mingjian, Z. See Mujie, Y., 3829C
Minkova, L.
—; Stamenova, R.; Tsvetanov, C.; Nedkov, E.: Structural Studies of Radiation-crosslinked Poly(ethylene oxide), 621P
Miranda, L. C. M. See Cella, N., 313L
Miranda, P. M.
—; Factor, A.: Photo-Fries Rearrangement of [2-(2H-Benzotriazole-2-yl)-4-*t*-Octylphenyl Benzene Sulfonate], 4427C
Misra, B. N. See Mehta, I. K., 53C
Mita, I. See Hasegawa, M., 263L
Mitra, N. C. See Sarkar, A., 331L
Mitsiani, G. See Tsitsilianis, C., 763P
Miura, J. See Nakamura, Y., 2883C
Miyasaka, K. See Liu, L. B., 2441P, 2427P
Miyauchi, N. See Akashi, M., 377L, 3521C
Miyazawa, T. See Saotome, Y., 507L
Mizoguchi, K. See Kamiya, Y., 879P, 2243P
Mohan, D.
—; Radhakrishnan, G.; Rajadurai, S.; Rao, K. V.; Cameron, G. G.: Graft Copolymerization of Acrylamide onto Casein: A Kinetic Study, 2123C
Mohana Raju, K. See Mallikarjuna Reddy, P., 259L
Mohanraj, S. See Ford, W. T., 2345C
Moharil, S. V.
—; Deshmukh, B. T.; Muthal, P. L.: On the Possibility of Using Organic Phosphors in Thermoluminescence Dosimetry, 2577P
Mokhtar, S. M. See Mikhael, M. G., 185C
Molaire, M. F.
—; Johnson, R. W.: Organic Monomeric Glasses: A Novel Class of Materials, 2569C
Monnerie, L. See Xu, Z., 355P
Monnier, J. R. See Warshawsky, A., 3015C
Montaudo, G. See Boerio, F. J., 1017P
—; Puglisi, C.; Berti, C.; Marianucci, E.; Pilati, F.: Thermal Decomposition Processes in Aromatic Polythiocarbonates, 2657C
—; Puglisi, C.; Berti, C.; Marianucci, E.; Pilati, F.: Thermal Degradation Processes in Aliphatic Polydithiocarbonates, 2277C
Montheard, J. P.
—; Boinon, B.; Benayad, B.: Poly 4-(3-Chloropropyl)styrene: Syntheses of Monomer, Polymerization, Characterizations, and Thermal Degradation of Polymer, 2539C
Montoneri, E.
The Products of the Reaction of Polyphenylene Sulfide with SO_3 and $SOCl_2$, 3043C
Moore, J. W. See Price, G. J., 2925C
Morawetz, H.
Review of *Photoreactive Polymers. The Science and Technology of Resists*, 404L
Moreira, R. L.
—; Saint-Grégoire, P.; Lopez, M.; Latour, M.: Thermal and Dielectric Behaviors of Poly(vinylidene fluoride–trifluoroethylene) Copolymers at the Curie Transition, 709P
Moren, D. M. See Katritzky, A. R., 1781C
Mori, K. See Watanabe, A., 4431C
Mori, T. See Kitagawa, M., 85P
Morita, M.
—; Hashida, I.; Nishimura, M.: *In Situ* Preparation and Electrical Conductivity of Poly(vinylstyrylpyrazine), 49L
Morita, N. See Sato, T., 2497C
Mormann, W.

—; Leukel, G.: Polymers from Multifunctional Isocyanates. II. Synthesis and Polyaddition Reactions of Novel Aliphatic Diisocyanatoesters, 4341C
Morrow, C. J. See Wallace, J. S., 2553C, 3271C
Moussa, K. See Decker, C., 347L
Msayib, K. J. See Owen, E. D., 399C
Mueller, S. See Wuensche, P., 1589C
Mujie, Y.
—; Jian, Z.; Aibing, L.; Zhiquan, S.; Mingjian, Z.; Senhao, L.: High Photosensitivity in *cis*-Polyphenylacetylene Films Irradiated with ^{60}Co γ-Ray, 3829C
Mukundan, T.
—; Kishore, K.: Synthesis of Poly(1,4-Divinylbenzene Peroxide), 455L
Mulder, M. H. V. See Gebben, B., 3481C, 4129C
Mulhaupt, R. See Tullock, C. W., 3063C
Mullis, J. C. See Vandenberg, E. J., 3083C, 3113C
Mulvaney, J. E. See Brandt, M. W., 1957C
—; Figueroa, F. R.; Evans, S. B.; Osorio, F. V.: Dithiafulvene (1,3-Dithiole): Monomers and Polymers, 971C
Munari, A. See Pilati, F., 951C
Münoz-Guerra, S. See Puiggalí, J., 1563P
Murakami, K. See Oikawa, H., 795P; Nagai, T., 809P
Murakami, N. See Liu, L. B., 2427P, 2441P
Murakami, S. See Kawaguchi, A., 1463P; Watanabe, A., 4431C
Murakoshi, H. See Kurita, K., 115L
Murthy, M. R. See Rao, B. S., 1187P
Muruganandam, N. See Puleo, A. C., 2385P
Muthal, P. L. See Moharil, S. V., 2577P

Nagae, S.
—; Suda, Y.; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers. CLIV. Application of Nucleic Acid Base Containing Polymers to High Performance Liquid Chromatography, 2593C
Nagai, H. See Tanaka, A., 2283P
Nagai, K. See Kuramoto, N., 367C, 1713C
—; Asada, K.; Chiba, K.; Kuramoto, N.: Silyl Enol Ethers as Monomer. I. Radical Copolymerizability of α-Trimethylsilyloxystyrene, 3779C
Nagai, T. See Oikawa, H., 795P
—; Oikawa, H.; Murakami, K.: Chemorheology of Allophanate-cured Polyurethane Rubber, 809P
Nagaya, S. See Geetha, R., 1653C
Naito, Y. See Kamiya, Y., 879P, 2243P
Nakahama, S. See Packirisamy, S., 2811C
Nakajima, A. See Hara, M., 1043P
Nakamura, A. See Okamoto, K.-I., 1221P, 2621P
Nakamura, K. See Kato, J., 1853C
Nakamura, Y. See Watanabe, A., 4431C
—; Yamada, M.; Miura, J.; Hirota, K.; Hori, T.: Electron Transfer Function of Kerateine Gel and Conjugated Redox Reaction by Using the Kerateine-Immobilized Membrane, 2883C
Nakanishi, E. See Ihara, Y., 87C
Nakanishi, H.
—; Jean, Y. C.; Smith, E. G.; Sandreczki, T. C.: Positronium Formation at Free-volume Sites in the Amorphous Regions of Semicrystalline PEEK, 1419P
Nakashima, N. See Shinkai, S., 209L
Nambu, Y. See Acar, M. H., 4441C; Ishikawa, K., 1625C; Sato, T., 289L
Nametov, K. M. See Otton, J., 3535C
Nanasawa, M. See Kamogawa, H., 393C
Nandi, D. See Pal, P. K., 1687C
Nango, M. See Ihara, Y., 87C
Nanjan, M. J.
—; Sivaraj, K.: Synthesis and Characterization of Certain New Poly(bisimide)s. I, 375C
Naoum, M. M. See Mikhael, M. G., 185C
Napoletano, C. See Furlani, A., 75C
Napper, D. H.
Review of *Dispersing Powders in Liquids*, 282L
Natansohn, A.
Two-Dimensional NMR Spectra of Poly(*N*-Vinylcarbazole), 4257C
Nauman, E. B. See Ariyapadi, M. V., 2637P
Navard, P. See Arvieu, C., 2157P; Desbordes, M., 2037P; Meeten, G. H., 2023P
Navarro, F.
—; Serrano, J. L.: Synthesis and Properties of Two New Series of Isomeric Liquid Crystalline Polyesters with Conjugated Double Bonds, 3691C
Navarro, R. E.
—; Ogawa, T.: Effect of Diphenylbutadiyne on the Free Radical Polymerization of Vinyl Monomers in Solution, 2143C
Nedkov, E. See Minkova, L., 621P
Neoh, K. G. See Kang, E. T., 2061P
—; Kang, E. T.; Khor, S. H.; Tan, K. L.: Synthesis and Characterization of Electrically Conducting Polyaniline-TCNE Complexes, 4365C
Nerger, D. See Kawaguchi, A., 1463P
Newman, B. A. See Takase, Y., 2347P
Nguyen, H. X.
—; Ishida, H.; Hurwitz, F. I.; Gorecki, J. P.; D'Amore, L.; Hyatt, L. H.: Polymerization of Diethynyldiphenylmethane: DSC, FTIR, NMR, and Dielectric Characterization, 1611P
Nickoson, C. G. See Prohaska, G. W., 2633C
Nieman, R. A. See Vandenberg, E. J., 3113C
Nishide, H.
—; Ohyanagi, M.; Suenaga, K.; Tsuchida, E.: Oxygen-Permeation in Silicone-bound Cobaltporphyrin Membrane, 1439C
—; Yoshioka, N.; Tsuchida, E.; Inoue, H.: Coordination Structure and Magnetic Property of Poly(pyridilenemethylidenenitriloiron)s, 497C
Nishijima, K. See Shirai, M., 325C
Nishikawa, S. See Matsumoto, A., 839C
Nishikubo, T. See Iizawa, T., 411L; Isobe, N., 681C
—; Iizawa, T.; Matsumura, T.: Synthesis of Polyester by Novel Addition Reaction of Active Di-Ester with Di-Epoxy Compound, 1975C;
—; Shimokawa, T.; Hirano, T.; Shiina, A.: A Novel Insertion Reaction of Epoxy Compounds into Phenyl Ester Linkages in Polymer Chains, 2519C
Nishimura, M. See Morita, M., 49L
Nisizawa, M.
—; Hirano, T.: Studies on Irradiation of Agar-Agar in the Solid State: On the Changes of Textural Property of Agar-Agar Hydrogel Produced by Irradiation, 123L
Noggle, J. H. See Ting, S.-J., 2325C
Noid, D. W. See Cheng, S. Z. D., 1149P
—; Pfeffer, G. A.: Short Time Molecular Dynamics Simulations: Stressed Polyethylene Results, 2321P
Nonaka, T.
—; Egawa, H.: Homopolymerization and Copolymerization of Vinyl Monomers by Resin Containing Polyethylenepolyamine Side Chain–Peroxide System, 3515C
Northolt, M. G.
—; Roos, A.; Kampschreur, J. H.: Birefringence, Compliance, and Viscoelasticity of Poly(ethylene terephthalate) Fibers, 1107P
Nose, T. See Takahashi, M., 2159P
Numasawa, H. See Isobe, N., 681C
Nyström, B.
—; Wærnes, Ø.; Roots, J.: Master Curve Representation of Molecular Weight and Concentration Dependences of Sedimentation Coefficients of Polystyrene Solutions, 271L

Ödberg, L. See Tanaka, H., 4329C
O'Driscoll, K. F. See Davis, T. P., 181L
—; Davis, T. P.: Penultimate Unit Effects on Sequence Length Distribution, 417L

Ogasawara, Y. See Matsumoto, A., 839C
Ogata, T. See Takeishi, M., 295L
Ogawa, T. See Navarro, R. E., 2143C
—; Sotelo, M.; Burillo, G.; Marvel, C. S.: Polymerization of Diphenyloctatetrayne in Solid State, 167L
Oh, S. H.
—; Jhon, M. S.: Temperature Dependence of Unperturbed Dimensions for Isotactic Poly(2-Hydroxyethyl Methacrylate), 1731C
—; Ryoo, R.; Jhon, M. S.: Molecular Motions of Tactic Poly(2-Hydroxyethyl Methacrylate) in Solutions Studied by ^{13}C-NMR Relaxation Measurement, 1383C
Ohashi, T.
—; Kobayashi, E.; Furukawa, J.: Effect of Photolysis Wavelength on the Addition Polymerization of 1,4-Benzenedithiol to 1,4-Diethynylbenzene in Solid State, 247L
Ohnaga, T.
—; Inoue, T.: Growth and Decay of Concentration Fluctuations in Polymer–Polymer Mixtures, 1675P
Ohshima, S. See Tsubokawa, N., 4413C
Ohtsuka, T.
—; Yamamoto, Y.; Hayashi, K.: Salt Effect on Photoinduced Cationic Polymerization of Isobutyl Vinyl Ether by Butyl Iodide, 399L
Ohyanagi, M. See Nishide, H., 1439C
Oikawa, H. See Nagai, T., 809P
—; Nagai, T.; Murakami, K.: Network Structure and Mechanical Properties of Allophanate-cured Polyurethane Rubber, 795P
Oishi, T.
—; Saeki, K.; Fujimoto, M.: Reactivities of *N*-Alkyl-α-Chloromaleimide in Radical Copolymerizations with Styrene or Methyl Methacrylate, 1429C
Oishi, Y. See Yang, C.-P., 3895C
—; Harada, S.; Kamimoto, M.-A.; Imai, Y.: Preparation and Properties of Fluorine-Containing Aromatic Polyamides from Tetrafluorophthaloyl Chlorides and Aromatic Diamines, 3393C
—; Harada, S.; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of Fluorine-Containing Polyarylates from Tetrafluoroterephthaloyl Chloride and Bisphenols, 1425C
Oiwa, M. See Matsumoto, A., 839C, 1811C
Okamoto, K.-I.
—; Tanaka, K.; Kita, H.; Nakamura, A.; Kusuki, Y.: Sorption and Transport of Carbon Dioxide in a Polyimide from 3,3′4,4′-Biphenyltetracarboxylic Dianhydride and 4,4′-Diaminodiphenyl Sulfone, 2621P
—; Tanaka, K.; Kita, H.; Nakamura, A.; Kusuki, Y.: The Effect of Morphology on Sorption and Transport of Carbon Dioxide in a Polyimide from 3,3′,4,4′-Biphenyltetracarboxylic Dianhydride and 4,4′-Oxydianiline, 1221P
—; Tanaka, K.; Yokoshi, O.; Kita, H.: The Effect of Morphology on Sorption and Transport of Carbon Dioxide in Poly(4,4′-oxydiphenylene pyromellitimide), 643P
Okano, T. See Vulić, I., 397C
Okieimen, F. E. See Bazuaye, A., 433L
Onen, A. See Ishizu, K., 3721C
Onogi, S. See Tanaka, A., 2283P
Orchard, G. A. J. See Slee, J. A., 71P
O'Reilly, J. M. See Tribone, J. J., 837P
Osada, Y.
—; Yu, Q. S.; Yasunaga, H.; Kagami, Y.; Wang, F. S.; Chen, J.: A Study on the Plasma Polymerization of Some Cyano-Containing Compounds and Their Electrical Properties, 3799C
Osorio, F. V. See Mulvaney, J. E., 971C
Ota, T. See Masuda, S., 855C; Sato, T., 2497C; Tanaka, H., 1741C
Otsuki, T.
—; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of Aromatic Copolyamides from Aromatic Diisocyanates and Aromatic Dicarboxylic Acids, 1775C
Otton, J.
—; Ratton, S.; Vasnev, V. A.; Markova, G. D.; Nametov, K. M.; Bakhmutov, V. I.; Vinogradova, S. V.; Korshak, V. V.: Investigation of the Formation of Poly(ethylene Terephthalate) with Model Molecules. III. Metal-Catalyzed Esterification and Alcoholysis Reactions: Influence of the Structure of the Reactants and of the Nature of the Reaction Medium, 3535C
Ou, N.-H. See Hon, D. N.-S., 2457C
Ovenall, D. W. See Tullock, C. W., 3063C
Overberger, C. G.
—; Chang, J. Y.: Synthesis of Optically Active Polynucleotide Analogs with Poly(vinyl Alcohol)s as Backbones and Adenine and 5-Bromouracil Derivatives as Pendants, 3589C
—; Chang, J. Y.: Synthesis of Polynucleotide Analogs by Grafting Optically Active Adenine, Cytosine, and Hypoxanthine Derivatives onto Polytrimethylenimine, 4013C
—; Chang, J. Y.; Gunn, V. E.: Synthesis of Optically Active Polynucleotide Analogs with Polytrimethylenimine Backbones and Thymine Moieties, 99C
Owen, E. D.
—; Msayib, K. J.: Catalyzed Degradation of Poly(vinylchloride). III. Zinc(II) Chloride Catalysis, 399C
Ozeki, M. See Kondo, S., 3383C

Packirisamy, S.
—; Hirao, A.; Nakahama, S.: Radical Copolymerization of 4-(tert-Butyldimethylsilyloxy)styrene with Styrene: Reactivity Ratios, 2811C
Paczkowski, J.
—; Toczek, M.; Ścigalski, F.; Ćwiklińska, D.; Sierocka, M.: Cinnamates. III. The Light Sensitive Polymers: Cinnamates with Internal Charge-Transfer Spectroscopic Properties, 2647C
Padias, A. B. See Ito, H., 2871C
Padma, S.
—; Mahadevan, V.; Srinivasan, M.: Preparation and Properties of Poly(1,3,4-Oxadiazole)s and Poly(1,2,4-Triazole)s, 729C
—; Mahadevan, V.; Srinivasan, M.: Synthesis of Novel Benzothiazolimides, 733C
Pakull, R. See Kricheldorf, H. R., 431C
Palmieri, D. See Smith, W. T., Jr., 575C
Pal, P. K.
—; Nandi, D.; Chaudhuri, A. K.: Polymerization of Methyl Methacrylate with Cupric Laurate–Benzoin System as Initiator, 1687C
Panayotov, I. M. See Gitsov, I., 639C
Panchalingam, V.
—; Reynolds, J. R.: New Vinylidene Fluoride Copolymers: Poly(vinyl acetate-co-vinylidene fluoride), 201L
Parikh, D.
—; Phillips, P. J.; Jang, Y. T.: Dielectric Relaxation Studies of Dipolar Aromatics in Polyethylene. II. Oriented Low-density Polyethylene, 1333P
Park, J. O. See Berry, G. C., 273P
Park, J. S.
—; Serwon, S.; Langner, A.; Ehrlich, P.: The Polymerization of Phenylacetylene in Carbon Tetrachloride in the Presence of Light-Activated $W(CO)_6$, 4281C
Park, S. M. See Jeon, S. H., 161L, 1721C
—; Jeon, S. H.; Ree, T.: Interpolymer Complex Formation between Helical Poly(L-Proline) and Random-Coil Poly(methacrylic Acid) through Hydrogen Bonding, 4109C
Parker, S. F. See Maddams, W. F., 1691P
Pasad, D. M. See Beck, K. R., 725C

Pascal, T.
—; Malinge, J.; Sillion, B.: Synthesis of Polyphthalocyanines by an Oxido-Reduction Reaction Initiated by the Benzhydrol Functional Group. II. Polymer Study, 2777C
Pasquali, R. E.
—; Rodriguez, F.: A Kinetic Study of the Copolymerization of Maleic Anhydride with Ethyl Vinyl Ether Using the Rotating-Sector Technique, 2093C
Patel, P.
—; Suthar, B.: Interpenetrating Polymer Network from Castor Oil-Based Polyurethanes and Poly(methyl Methacrylate). XV, 3053C
Patel, S. R. See Vandenberg, E. J., 3745C
Pathmanathan, K.
—; Cavaillé, J.-Y.; Johari, G. P.: Dielectric Studies of the Effects of Thermal History on Secondary Relaxation in Bisphenol-A-Polycarbonate, 1519P
Pathre, S. V. See Katritzky, A. R., 1515C, 1781C
Patterson, H. H. See Mack, R. G., 25L
Paulaitis, M. E. See Astarita, G., 2105P
Paul, D. R. See Jo, W. H., 1057P; Kim, J. H., 223P, 2211P; Puleo, A. C., 2385P
Pauling, L.
Review of *Redesigning the Molecules of Life*, 143L
Peacock, A. J. See Voigt-Martin, I. G., 957P
Peiffer, D. G. See Lundberg, R. D., 245P
Penczek, S. See Biela, T., 763C
Peng, J. B. See Halperin, K., 1289P
Percec, V. See Hsu, C. S., 453C
—; Hahn, B.: Side-Chain Liquid Crystalline Polymers Containing 4-[2-(S)-Methyl-1-Butoxy]- 4′-(11-Undecanyl-1-Oxy)-α-Methylstilbene Side Groups, 2367C
—; Tomazos, D.: Synthesis and Characterization of Liquid Crystalline Polymethacrylates, Polyacrylates, and Polysiloxanes Containing 4-Methoxy-4′-Hydroxy-α-Methylstilbene-Based Mesogenic Groups, 999C
Perez, J. See Jourdan, C., 2361P
Pérez-García, C.
—; Casas-Vázquez, J.; Lebon, G.: A Nonequilibrium Thermodynamic Description of Dilute Polymer Solutions, 1807P
Periyasamy, M. See Ford, W. T., 2345C
—; Ford, W. T.; McEnroe, F. J.: ^{13}C-NMR Spectroscopic Analysis of Vinyl Groups in Styrene-Divinylbenzene Networks, 2357C
Perpall, H. J. See Dvornic, P. R., 3503C
Perry, B. C.
—; Koenig, J. L.: A ^{1}H Magnetic Resonance Imaging Study of Porosity in Polyurethane Foams, 3429C
Petrak, K. See Brown, J., 515L
Petropoulos, J. H.
A Generalized, Topologically Consistent, Dual-mode Transport Model for Glassy Polymer–Gas Systems, 603P
Petrović, Z. S.
—; Javni, I.: The Effect of Soft-Segment Length and Concentration on Phase Separation in Segmented Polyurethanes, 545P
Pfeffer, G. A. See Noid, D. W., 2321P
Phillips, P. J. See Parikh, D., 1333P
—; Rensch, G. J.: Crystallization Studies of Poly(ε-caprolactone). II. Lamellar Thickening and Melting, 155P
Phillips, R. R. See Lundberg, R. D., 245P
Pilati, F. See Montaudo, G., 2277C, 2657C
—; Bonora, V.; Manaresi, P.; Munari, A.; Toselli, M.; Re, A.; De Giorgi, M.: Preparation of Poly(ethylene Terephthalate) in the Presence of a Telechelic Perfluoropolyether, 951C
Pillai, V. N. R. See John, K. J., 2897C
Pinkus, A. G.
—; Subramanyam, R.; Clough, S. L.; Lairmore, T. C.: Preparation of Polymandelide by Reaction of α-Bromophenylacetic Acid and Triethylamine, 4291C
Piton, M. C. See Davis, T. P., 181L
Pizzoli, M. See Alfonso, G. C., 1195P
Plage, B. See Blazso, M., 1027C
Platzer, N.
Review of *Encyclopedia of Polymer Science and Engineering, Volume 10, Second Edition*, 41L
Review of *Encyclopedia of Polymer Science and Engineering, Volume 11*, 41L
Plaumann, H. P.
—; Branston, R. E.: On Estimating Reactivity Ratios Using the Integrated Mayo–Lewis Equation, 2819C
Plazek, D. J. See Berry, G. C., 273P
—; Choy, I.-C.: The Physical Properties of Bisphenol-A-based Epoxy Resins During and After Curing. II. Creep Behavior Above and Below the Glass Transition Temperature, 307P
Plummer, C. J. G.
—; Donald, A. M.: The Deformation Behavior of Polyethersulfone and Polycarbonate, 325P
Podešva, J. See Jantas, R., 475C
Podkościelny, W. See Charmas, W., 2397C
Pokorný, S. See Toman, L., 2217C, 2229C, 785C
Polak, A. J. See Surgi, M. R., 2761C
Pomogailo, A. D. See Savostyanov, V. S., 1935C
Ponomarev, A. N. See Savostyanov, V. S., 1935C
Połowiński, S. See Jantas, R., 475C
Pope, D. S.
—; Koros, W. J.; Fleming, G. K.: Measurement of Thickness Dilation in Polymer Films, 1173P
Porter, R.
Review of *Order in the Amorphous "State" of Polymers*, 533L
Porter, R. S. See Ghanem, A. M., 2587P; Karcha, R. J., 2153P
Prasad, K.
—; Grubb, D. T.: Direct Observation of Taut Tie Molecules in High-Strength Polyethylene Fibers by Raman Spectroscopy, 381P
Pratt, J. R. See Wakelyn, N. T., 2833C
Preston, J. See Jadhav, J. Y., 59L, 1175C
Price, G. J.
—; Moore, J. W.; Guillet, J. E.: A Rapid Method for the Determination of Mark–Houwink Constants from GPC and Viscosity Data on a Single Sample, 2925C
Prohaska, G. W.
—; Nickoson, C. G.: Preparation and Characterization of Plasma Polymerized (Ethylene + Oxygen) Thin Films, 2633C
Prud'homme, R. E. See Zhao, Y., 1955P
Pryde, C. A.
IR Studies of Polyimides. I. Effects of Chemical and Physical Changes During Cure, 711C
Pu, H. H. See Xiaojiang, Z., 223L
Puglisi, C. See Montaudo, G., 2277C, 2657C
Puiggalí, J.
—; Múnoz-Guerra, S.: Preliminary Study of the Crystal Structure of Nylon 2/11, 1563P
Puleo, A. C.
—; Muruganandam, N.; Paul, D. R.: Gas Sorption and Transport in Substituted Polystyrenes, 2385P
Purgett, M. D.
—; Vogl, O.: Functional Polymers. XLIX. Copolymerization of ω-Alkenoates with α-Olefins and Ethylene, 2051C
Pusch, W.
Review of *Medical Applications of Piezoelectric Polymers*, 403L
Pyriadi, T. M.
—; Alasli, N. J.: Synthesis and Polymerization of *N*-(Ethylene)-Phthalimidyl Acrylate, 2491C

Qian, B. See Hu, S., 1749P
Qiu, H.
—; Chen, J.; Feng, S.; Du, Z.: Syntheses and Electronic Properties of Polysilanes Containing Substituted Fluoranthene Groups, 469L

—; Du, Z.: Organosilane Polymers: Formable Polymers Containing Methylsilylene Units, 2849C
—; Du, Z.: Organosilane Polymers: Formable Polymers Containing Reactive Side Groups, 2861C
Quach, L.
—; Hornbogen, E.; Volksen, W.; Economy, J.: Structure and Morphology of the 60/40 Poly(*p*-oxybenzoate-co-Ethylene Terephthalate) Copolymer, 775C
Quintana, J. R. See Cesteros, L. C., 2567P

Rabek, J. F.
Review of *Topics in Current Chemistry*, 177L
Radhakrishnan, G. See Mohan, D., 2123C
Radhakrishnan, S.
—; Joshi, S. G.: Stabilization of High Conductivity in Iodine Doped Polyphenylene Sulfide, 127L
Radić, D. See Leon, A., 2337P
Raghava, R. S.
—; Smith, R. W.: Adhesion Through Molecular Entanglements in Polymer Interfaces, 2525P
Rahman, R.
—; Ratner, B. D.: Synthesis and ESCA Surface Studies of Octadecyl Chain-Extended Polyurethanes, 2673C
Rai, J. S. P. See Shukla, A. K., 43C, 807C
Rajadurai, S. See Mohan, D., 2123C
Ramakrishnan, S.
—; Hirsch, J. A.; Martinez, J. R.; Chien, J. C. W.: Acetylene–Norbornene Copolymers, 3937C
Rånby, B. See Allmér, K., 1641C, 3405C, 3419C; Lie, C. Y., 4051C, 4077C
Ranogajec, F. See Fleš, D. D., 3227C
Rao, A. K. See Lenz, R. W., 2117P
Rao, B. S.
Norbornene End Capped Bisimide Resins via Epoxy-Carboxy Addition Reaction, 133L
Synthesis, Characterization, and Thermal Stability of Bismaleimides Derived from Maleimido Benzoic Acid, 2509C
—; Murthy, M. R.: Electron Spin Resonance Study of γ-Irradiated Poly(acrylic Acid), 1187P
Rao, K. V. See Mohan, D., 2123C
Rashid, H. U.
—; Abubakar, S. D.: Discontinuity in the Variation of Intrinsic Viscosity of Polymers and Their Mixtures with Temperature in Dilute Solutions, 5L
Rashkov, I. B. See Gitsov, I., 639C
Rasmussen, J. K. See Katritzky, A. R., 1515C, 1781C
Ratner, B. D. See Rahman, R., 2673C
Ratton, S. See Otton, J., 3535C
Rault, J.
—; Robelin-Souffaché, E.: Long Periods in Slow-cooled Linear and Branched Polyethylene: Part II, 1349P
Re, A. See Pilati, F., 951C
Reddy, C. R. See Lenz, R. W., 2117P
Reddy, T. A.
—; Srinivasan, M.: Preparation and Properties of Cardopolyimides Containing Phenoxaphosphine Units, 1419C
—; Srinivasan, M.: Synthesis and Characterization of Poly(benzimidazole-Ureas), 2805C
Ree, T. See Jeon, S.-H., 161L, 1721C; John, E., 9L; Park, S. M., 4109C
Reghunadhan Nair, C. P.
—; Clouet, G.; Chaumont, P.: Functionalization of PMMA by a Functional "Iniferter": Kinetics of Polymerization of MMA Using *N,N'*-Diethyl-*N,N'*-Bis(2-Hydroxyethyl)thiuram Disulfide, 1795C
Register, R. A.
—; Sen, A.; Weiss, R. A.; Li, C.; Cooper, S.: Morphology and Cation Local Structure in a Blend of Copper-neutralized Carboxy-terminated Polybutadiene and Poly(styrene-co-4-vinylpyridine), 1911P
Reimer, K. B. See Havens, J. R., 565C
Rempel, G. L. See Chanda, M., 3237C
Renner, A.
—; Kramer, A.: Allylnadic-Imides: A New Class of Heat-Resistant Thermosets, 1301C
Rensch, G. J. See Phillips, P. J., 155P
Reynolds, J. R. See Panchalingam, V., 201L
—; Hsu, S.-G.; Arnott, H. J.: The Effect of Electrolyte-controlled Growth Morphology on the Charge Transport Properties of Poly(3-methylthiophene), 2081P
Riande, E. See Guzman, J., 1045C; Ilavský, M., 743P
Rice, S. T. See Chao, H. S.-I., 3371C
Ridgway, T. H. See Chang, T.-L., 989C
Rietsch, F. See Rossignol, J. M., 527L
Riffle, J. S. See Yilgor, I., 3673C
Rizzotto, M. G. See Horas, J. A., 175P
Robelin-Souffaché, E. See Rault, J., 1349P
Roberge, P. C. See Zhao, Y., 1955P
Rochow, E. G.
Review of *The Chemistry of Functional Groups, The Chemistry of Organic Silicon Compounds*, 534L
Rodriguez, F. See Pasquali, R. E., 2093C
Rodriguez, V. S. See Asua, J. M., 3569C
—; El-Aasser, M. S.; Asua, J. M.; Silebi, C. A.: Miniemulsion Copolymerization of Styrene–Methyl Methacrylate, 3659C
Rolevink, E. See Gebben, B., 4129C
Rolla, P. See Carlini, C., 189P
Ronca, G.
Phase Transitions in Lattice Solutions of Semiflexible Chains of Finite Length, 1795P
Roos, A. See Northolt, M. G., 1107P
Roots, J. See Nyström, B., 271L
Roovers, J.
—; Martin, J. E.: The Hard-Sphere Model for Linear and Regular Star Polybutadienes, 2513P
Rose, K. D. See Kuntz, I., 107C
Rossignol, J. M.
—; Seguela, R.; Rietsch, F.; Dupuis-Lallemand, J.: Intrinsic Amorphous Birefringence of Semi-Crystalline Polyethylene from Combined Birefringence and Infrared Dichroism Measurements, 527L
Ruckenstein, E.
—; Kim, K.-J.: Copolymerization of Styrene and Methacrylic Acid in Concentrated Emulsions, 4375C
Runt, J. See Yeh, J. T., 1543P
Russell, K. E. See Sipos, A., 3353C
Russell, T. P. See Gattiglia, E., 2131P
Russo, M. V. See Furlani, A., 75C
Ryoo, R. See Oh, S. H., 1383C

Saad, G. R. See Mikhael, M. G., 185C
Sacak, M.
—; Akbulut, U.; Kisakurek, D.; Turker, L.; Toppare, L.: Electroninitiated Polymerization of Bis(trichlorophenoxo)-Tetramethylethylene Diamine Copper(II), 1599C
Sada, E.
—; Kumazawa, H.; Xu, P.: Permeation of Carbon Dioxide Through Homogeneous and Asymmetric Polysulfone Membranes, 919P
Saeki, K. See Oishi, T., 1429C
Saenger, K. L. See Tong, H. M., 689P
—; Tong, H. M.; Haynes, R. D.: Improved Polyimide/Polyimide Adhesion Via Swelling Agent Enhanced Interdiffusion, 235L
Saha, S. K. See Bhattacharya, J., 3977C
Said, O. B. See Bazuaye, A., 433L
Saigo, K.
Radical Polymerizations of 4-Pentamethyldisilylstyrenes, 2203C
—; Watanabe, F.: Synthesis of Nearly Monodisperse Poly(α-Methylstyrene)s Containing Two Si Atoms and an Allyl Group and the Application to Resist, 2611C

Sailor, M. See Halperin, K., 1289P
Saini, A. R. See Chin, H. H., 2001P
Saini, S. See Shukla, A. K., 43C, 807C
Saint-Grégoire, P. See Moreira, R. L., 709P
Saiz, E. See Ilavský, M., 743P
Sakizadeh, K. See Katritzky, A. R., 1515C, 1781C
Salovey, R. See Ding, N., 489L
Salvati, L., Jr. See Vargo, T. G., 1267C
Samara, G. A.
Pressure Dependence of the Dielectric Properties and Phase Transitions of Polyvinylidene Fluoride (PVDF) and a Copolymer with Trifluoroethylene, 39P
Samukawa, H. See Chujo, Y., 1907C
Samulski, E. T. See Durairaj, B., 3211C
Sandreczki, T. C. See Nakanishi, H., 1419P
San Luis, J. M. See Hon, D. N.-S., 4143C
Sano, Y.
Polymerization of Bis(2-Oxazoline) Compounds with Dicarboxylic Acids, 2749C
Saotome, Y.
—; Miyazawa, T.; Endo, T.: New Optically Active Fused Hydantoin Polymers from Penicillin. Synthesis and Optical Resolution Capability, 507L
Sarkar, A.
—; Mitra, N. C.; Banerjee, R. S.: Development of Cation Exchangers by Substitution of Phenols with Renewable Polyphenolic (Tannin) Materials, 331L
Sarwade, B. D.
—; Wadgaonkar, P. P.; Mahajan, S. S.: Synthesis and Properties of Polyurethanes Containing *s*-Triazine Rings in the Main Chain, 3263C
Sasaki, S.
—; Takigawa, S.: Crystal Structure of Polysulfonamides, 1077P
Sashida, N. See Iijima, T., 3651C
Sastri, V. R.
—; Tesoro, G. C.: Recoverable Polyimide Resins, 153L
Sata, T.
—; Yamamoto, Y.: Modification of Transport Properties of Ion-Exchange Membranes VIII. Changes in Properties of Anion Exchange Membranes on Introduction of Hydrophobic Groups, 2229P
Sato, H. See Endo, T., 73L
Sato, T. See Tanaka, H., 1741C
—; Morita, N.; Tanaka, H.; Ota, T.: Solvent Effect on the Radical Polymerization of Di-*n*-butyl Itaconate, 2497C
—; Nambu, Y.; Endo, T.: Incorporation of Viologen Moiety as Redox Function into Hydroxypropyl Cellulose, 289L
Satoh, A. See Kuramoto, N., 367C
Satpute, R. S. See Agrawal, J. P., 409C
Savostyanov, V. S.
—; Pomogailo, A. D.; Kritskaya, D. A.; Ponomarev, A. N.: Radiation-Induced Graft Polymerization of Metal-Containing Monomers, 1935C
Sawamoto, M. See Takeuchi, E., 3303C
Sayo, K. See Ashida, M., 3883C
Scandola, M. See Alfonso, G. C., 1195P
Schaedeli, U. See McKean, D., 3927C
Scheinbeim, J. I. See Takase, Y., 2347P
Schick, M. J.
Review of *Surfactant Science and Technology*, 245L
Schimpf, M. E.
—; Giddings, J. C.: Characterization of Thermal Diffusion in Polymer Solutions by Thermal Field-flow Fractionation: Dependence on Polymer and Solvent Parameters, 1317P
Schlenoff, J. B. See Machado, J. M., 199P; Masse, M. A., 2045P
Schneider, N. S.
—; Mee, C. F.; Goydan, R.; Angelopoulos, A. P.: Incremental Vapor Sorption in a Phase-Segregated Polyurethane Elastomer, 939P
Schulten, H.-R. See Blazso, M., 1027C
Scigalski, F. See Pączkowski, J., 2647C
Searle, N. D.
—; Maecker, N. L.; Crewdson, L. F. E.: Wavelength Sensitivity of Acrylonitrile–Butadiene–Styrene, 1341C
Sebastian, T. See Brook, M. A., 229L
Seguela, R. See Rossignol, J. M., 527L
Šehović, H.
—; Sendijarević, A.; Sendijarević, V.; Frisch, K. C.: Cyclotrimerization of Butyl and Cyclohexyl Isocyanate—Catalysis and Kinetics, 1287C
Sen, A. See Register, R. A., 1911P
Sendijarević, A. See Šehović, H., 1287C; Žilić, M., 1843C
Sendijarević, V. See Šehović, H., 1287C; Žilić, M., 1843C
Sengupta, T. K.
Nomenclature of Polymers (Based on Structure), 2065C
Senhao, L. See Mujie, Y., 3829C
Senturia, S. D. See Sheppard, N. F., Jr., 753P
Seo, K. H. See Kim, W. S., 389C
Serrano, J. L. See Navarro, F., 3691C
Serwon, S. See Park, J. S., 4281C
Setínek, K. See Ječábek, K., 1619C
Setterquist, R. A. See Tullock, C. W., 3063C
Seves, A. See Cimmino, S., 1781P
Shaffer, T. D.
Phase Transfer-Catalyzed Polyetherification through Nitro Displacement, 457L
Phase Transfer Catalyzed Polymerization of α,α'-dibromoxylene Isomers, 33L
Shalaby, S. W.
—; Kafrawy, A.: Synthesis and Some Properties of Isomorphic Copolymers of ϵ-Caprolactone and 1,5-Dioxepan-2-One, 4423C
Sharma, M. See Mehrotra, K. N., 1631C
Shaw, M. T. See Durairaj, B., 3211C
Sheppard, N. F., Jr.
—; Senturia, S. D.: Dielectric Properties of Bisphenol-A Epoxy Resins, 753P
Sheu, F. R.
—; Chern, R. T.: Effects of Packing Density on the Gas-transport Properties of Poly(phenolphthalein phthalate)s, 1121P
Shiibashi, T. See Kubo, K., 929P
Shiina, A. See Nishikubo, T., 2519C
Shilin, Y. See Zhu, K. J., 2151C
Shimamoto, K. See Shinkai, S., 209L
Shimizu, Y. See Yamashita, K., 4389C
Shimokawa, T. See Nishikubo, T., 2519C
Shinde, B. M. See Idage, S. B., 583C
Shinkai, S.
—; He, G.-X.; Matsuda, T.; Shimamoto, K.; Nakashima, N.; Manabe, O.: Ion Permeation through Polymer-Supported Steroidal Crown Membranes, 209L
Shinoda, H. See Hashimoto, K., 307L
Shinohara, M. See Tanaka, A., 2283P
Shirai, H. See Hanabusa, K., 1665C, 4191C; Itoh, H., 2531C; Kobayashi, N., 191L
Shirai, M.
—; Tsunooka, M.; Tanaka, M.; Nishijima, K.; Ishikawa, K.: Synthesis and Photo-Induced Dissolution of Polymers Bearing Imino Sulfonate Groups, 325C
Shukla, A. K.
—; Saini, S.; Kumar, P.; Rai, J. S. P.; Srivastava, A. K.: Studies on Polymerization of Vinyl Acetate Using Ylide As an Initiator and Degradative Transfer Agent, 43C
Shukla, A. K.
—; Saini, S.; Kumar, P.; Rai, J. S. P.; Srivastava, A. K.: Studies on Polymerization of Vinyl Acetate Using Ylide as an Initiator and Degradative Transfer Agent, 807C
Shukla, P.
—; Srivastava, A. K.: Radical Polymerization of Styrene Initiated by Styrene–Arsenic Sulfide Complex, 3811C
Siddiqi, F. A.
—; Alvi, N. I.: Transport Studies with Model Membrane, 1499P

Sienicki, K. See Itagaki, H., 21L
Sierocka, M. See Pączkowski, J., 2647C
Silebi, C. A. See Delgado, J., 193C; Rodriguez, V. S., 3659C
Sillion, B. See Pascal, T., 2777C
Silvestre, C. See Cimmino, S., 1781P
Simionescu, C. I.
—; Grigoras, M.: Synthesis and Characterization of 9-Anthrylmethyl Propiolate Polymers, 3201C
Simon, R.
—; Coles, H. J.: Investigations of Comblike Polysiloxanes. I. The Influence of Spacer Length on Dielectric Relaxation Studies of Aligned Samples, 1823P
Singh, D. P.
—; Kalachandra, S.; Turner, D. T.: Entangled Mixtures of Poly(methacrylates) Made from Polymer-Monomer Slurries, 1557P
Sinsky, M. S. See Bass, R. G., 171C
Sipos, A.
—; McCarthy, J.; Russell, K. E.: Kinetic Studies of Grafting of Maleic Anhydride to Hydrocarbon Substrates, 3353C
Sivaraj, K. See Nanjan, M. J., 375C
Skolnick, J. See Yeates, A. T., 151P
Skórkiewicz, B. See Florjańczyk, Z., 1559C
Slee, J. A.
—; Orchard, G. A. J.; Bower, D. I.; Ward, I. M.: The Transport of Oxygen Through Oriented Poly(ethylene terephthalate), 71P
Smets, G. See Deblauwe, V., 671C
Smith, B. See Liu, C.-K, 2493P
Smith, E. G. See Nakanishi, H., 1419P
Smith, H. K., II See Katritzky, A. R., 1781C
Smith, P. D.
—; McDaniel, M. P.: Ethylene Polymerization Catalysts from Supported Organotransition Metal Complexes: I. Pentadienyl Derivatives of Ti, V, and Cr, 2695C
Smith, R. W. See Raghava, R. S., 2525P
Smith, W. T., Jr.
—; Kluttz, W. F. III; Palmieri, D.; Butterfield, D. A.: Adenine and Thymine Grafts on Polyethyleneimine, 575C
Smolders, C. A. See Gebben, B., 3481C, 4129C
Soane, D. S. See Hill, D. A., 261P, 2295P
Soares, B. G. See Gomes, A. de S., 1791C
Soloski, E. J. See Abraham, T., 4305C
Sone, Y. See Tsubokawa, N., 1701C, 4413C
Song, H. See Xu, G. J., 1817C
Song, S. S. See Cho, I., 3151C
Sood, D. S. See Mehta, I. K., 53C
Sotelo, M. See Ogawa, T., 167L
Sperling, L. H.
Review of *Biological and Synthetic Polymer Networks*, 145L
—; See Hur, T., 2251P; Yang, S. I., 1649P
Spěváček, J. See Toman, L., 785C, 217C, 2229C
Sprague, M. J.
Review of *Catalyst Design—Progress and Perspectives*, 343L
Srinivasan, M. See Padma, S., 729C, 733C; Reddy, T. A., 1419C, 2805C
Srivastava, A. K. See Shukla, A. K., 43C, 807C; Shukla, P., 3811C; Tewari, N., 1065C
Stack, G. M. See Voigt-Martin, I. G., 957P
Stamenova, R. See Minkova, L., 621P
Stanley, T. J. See Alger, M. M., 97P
Starkweather, H. W., Jr. See Zoller, P., 993P
St. Clair, A. K. See Stern, S. A., 1887P
Steckle, W. P., Jr. See Yilgor, I., 3673C
Stein, R. S. See Marand, H., 1089P
Stern, S. A. See Subramanian, S., 1209P; Zhou, S., 205P
—; Mi, Y.; Yamamoto, H.; St. Clair, A. K.: Structure/Permeability Relationships of Polyimide Membranes. Applications to the Separation of Gas Mixtures, 1887P
—; Vakil, U. M.; Mauze, G. R.: The Solution and Transport of Gases in Poly(*n*-butyl methacrylate) in the Glass Transition Region. I. Absorption–Desorption Measurements, 405P
—; Zhou, S.; Araux-Lara, J. L.; Ware, B. R.: Evidence of Dual-Mode Diffusion of Small Molecules in Glassy Poly(1-Trimethylsilyl-1-Propyne) from Fluorescence Photobleaching Recovery, 427L
St. John Manley, R. See Anandakumaran, K., 1425P
Stockmayer, W. H.
Review of *Introduction to Physical Polymer Science*, 146L
Stone, T. See von Meerwall, E., 503P
Storey, R. F.
—; Goff, L. J.: Investigation of the Cerium^{IV} Oxidation of Poly(vinyl Alcohol), 3837C
Story, B. J.
—; Koros, W. J.: Comparison of Three Models for Permeation of CO_2/CH_4 Mixtures in Poly(phenylene oxide), 1927P
Stuber, F. A. See Durvasula, V. R., 661C
Stuk, I. G. F.
Limitations of the Free-Volume Sieving Model for Diffusion of Gases in Polymers, 2561P
Su, D.
—; Yu, D.; Hu, L.; Jiao, S.: The Effect of the Third Component on Butadiene–Propylene Alternating Copolymerization Catalyzed by Vanadium-Aluminum System, 3769C
Subramanian, S.
—; Heydweiller, J. C.; Stern, S. A.: Dual-mode Sorption Kinetics of Gases in Glassy Polymers, 1209P
Subramanyam, R. See Pinkus, A. G., 4291C
Suda, K. See Kuramoto, N., 1713C
Suda, Y. See Nagae, S., 2593C
Sudol, E. D. See Asua, J. M., 3569C, 3903C
Suenaga, K. See Nishide, H., 1439C
Sugahara, Y. See Takahashi, A., 3817C
Suga, K. See Endo, T., 1435C, 1831C
—; Endo, T.: Facile Syntheses of Vinylthiirane Derivatives, 381L
Sugawara, M. See Takeishi, M., 295L
Sugita, H. See Ueda, M., 2815C
Sumita, M. See Liu, L. B., 2427P, 2441P
Sumitomo, H. See Hashimoto, K., 307L, 1915C
Sun, D. C.
—; Magill, J. H.: Novel Three-Dimensional Mechanical Properties for Rolltruded Polymers: Polypropylene, 65L
Sun, J.
—; Cabasso, I.: Impact of Degree of Phosphorylation on Intrinsic and Thermal Properties of Poly(styrenephosphonate Diethyl Ester)s, 3985C
—; Frisch, H. L.; Cabasso, I.: Tracing the Spontaneous Mixing and Mobility of Miscible Polymer Blends Using Differential Scanning Calorimetry [Cellulose Acetate-Poly(styrenephosphonate ester)], 2687P
Sun, Y. See Wei, Y., 2385C; Ye, M., 2265C
Sundahl, R. C. See Surgi, M. R., 2761C
Surgi, M. R.
—; Polak, A. J.; Sundahl, R. C.: Description of Oxygen Permeability in Various High Polymers Using a Graph Theoretical Approach, 2761C
Susa, E. See Kurita, K., 4297C
Suthar, B. See Patel, P., 3053C
Swager, T. M. See Kim, S. S., 443P
Swinson, J. See Katritzky, A. R., 1515C, 1781C
Szekely, T. See Blazso, M., 1027C

Tacx, J. C. J. F.
—; German, A. L.: Study on the Feasibility of TLC/FID to Reveal Chemical Composition Distributions of Copolymers Obtained by Emulsion Processes, 817C
Tadano, K. See Yano, S., 2647P
Tagoshi, H.
—; Endo, T.: Novel Functionalized Polyurethanes. Preparation of Polyurethanes Containing

Spiroorthocarbonate Moiety, 409L
—; Endo, T.: Radical Polymerization of Unsaturated Spiroorthocarbonate, 1415C
—; Endo, T.: Syntheses and Crosslinking Reactions of Polymers Containing Spiroorthoester Moieties, 4319C
—; Endo, T.: Syntheses and Properties of Polysulfides Containing Spiroorthocarbonate Moiety, 4169C
Takagi, J. See Yokozawa, T., 291C
Takagishi, T. See Kozuka, H., 555C
—; Hatanaka, Y.; Hosokawa, T.: Binding Methyl Orange and Hydrophobic Fluorescent Probes by Poly(2-Dimethylaminoethyl Methacrylate) and Copolymers of 2-Dimethylaminoethyl Methacrylate) and *N*-Vinyl-2-Pyrrolidone: pH Dependence of the Binding and Fluorescence Intensity, 1C
—; Hosokawa, T.: Binding of Methyl Orange and the Hydrophobic Fluorescent Probe, 2-*p*-Toluidinylnaphthalene-6-Sulfonate, by 2-Dialkylaminoethyl Methacrylate-*N*-Vinyl-2-Pyrrolidone and Related Copolymers, 1925C
Takahashi, A.
—; Sugahara, Y.; Hirano, Y.: Studies on Graft Copolymerization onto Cellulose Derivatives. XXIX. Photo-Induced Graft Copolymerization of Methyl Methacrylate onto Chitin and Oxychitin, 3817C
Takahashi, M.
—; Kinoshita, S.; Nose, T.: A Light-scattering Study of Phase Separation Kinetics in Polystyrene/Poly(2-chlorostyrene) Blends, 2159P
Takai, M. See Hoshino, M., 2083C
Takakubo, M.
—; Teramura, K.: Molecular Orbital Calculations of Poly(vinylidene Fluoride) and Its Model Compounds, 1897C
Takase, Y.
—; Scheinbeim, J. I.; Newman, B. A.: Annealing Effects of Phase I Poly(vinylidene fluoride), 2347P
Takata, T. See Endo, T., 73L; Uno, H., 1675C
Takeishi, M.
—; Tao, G.-Y.: Photopolymerization of *N*-vinylpyrrolidone Accelerated by Oxygen, 301L
—; Umeta, N.; Sugawara, M.; Ogata, T.: Persistent Free Radicals in the Graft Polymerization of Methyl Methacrylate to Crosslinked Polystyrene Beads, 295L
Takemoto, K. See Itoh, H., 2531C; Nagae, S., 2593C
Takeuchi, E.
—; Hashimoto, T.; Sawamoto, M.; Higashimura, T.: Living Cationic Polymerization of Ethyl 2-(Vinyloxy)ethoxyacetate: A Vinyl Ether with an Ether and an Ester Function in the Pendant, 3303C
Takigawa, S. See Sasaki, S., 1077P
Talapatra, S. See Bhattacharya, J., 3977C
Tan, B. T. G. See Kang, E. T., 2061P
Tan, K. L. See Kang, E. T., 2061P; Neoh, K. G., 4365C
Tanaka, A.
—; Fukuda, M.; Nagai, H.; Shinohara, M.; Onogi, S.: Rheo-optical Properties of Polyethylene Films in the Nonlinear Viscoelastic Region, 2283P
Tanaka, H. See Sato, T., 2497C
—; Kawai, H.; Sato, T.; Ota, T.: Polymerization Reactivity of Unsaturated End Group Generated during the Disproportionation in Termination Reaction of Methyl Methacrylate Polymerization: A Study Using Model Compounds, 1741C
—; Ödberg, L.: Preparation of Cationic Polyacrylamides by a Modified Hofmann Reaction: Fluorescent Labeling of Cationic Polyacrylamides, 4329C
Tanaka, K. See Okamoto, K.-I., 643P, 1221P, 2621P
Tanaka, M. See Masuda, S., 855C; Shirai, M., 325C; Yokozawa, T., 197L
Tang, B.-Z.
—; Masuda, T.; Higashimura, T.: Permeation of Oxygen Dissolved in Water Through Substituted Polyacetylene Membranes, 1261P
—; Masuda, T.; Higashimura, T.; Yamaoka, H.: Radiation Effects on Silicon-Containing Polyacetylenes, 1197C
Tang, X. See Wei, Y., 2385C
Tanigaki, T. See Inoue, K., 4231C
Tanzer, J. D. See Crist, B., 875P
—; Crist, B.; Graessley, W. W.: Chain Dimensions in Plastically Deformed Semicrystalline Polymers, 859P
Tao, G.-Y. See Takeishi, M., 301L
Tao, K. See Hu, S., 1749P
Tasaka, S. See Inagaki, N., 3495C
Taylor, C. See Dandge, D. K., 1053C
Taylor, P. L.
Review of *Quantum Theory of Polymers as Solids*, 241L
Tealdi, A. See Bianchi, E., 1477P
Tebbe, F. N. See Tullock, C. W., 3063C
Tebby, J. C. See Cooper, A. W., 1967C
Tejero, R. See Campos, A., 1569P, 1599P
Teramura, K. See Takakubo, M., 1897C
Teshirogi, T.
Polyimides from 4,4′-(Alkylene-α,ω-Dioxy)Bis(Phenylsuccinic Anhydride)s and Bis(Phenylglutaric Anhydride)s, 653C
Tesoro, G. C. See Sastri, V. R., 153L
Tessier, M.
—; Marechal, E.: Study of the Synthesis of Poly(isobutylene-b-Amide-11) by Polycondensation α,ω-Dianhydride Oligoisobutylene with α,ω-Diamino Oligoamide-11. II. Synthesis of the Block Copolymers by Reaction in Solution, 539C
Tewari, N.
—; Srivastava, A. K.: Poly(vinyl Acetate) as a Template for the Radical Polymerization of Acrylonitrile, 1065C
Teyssié, Ph. See Fayt, R., 481L, 775P, 2823C; Heuschen, J., 523P; Horrion, J., 2677P
Thevissen, J.
—; Mano, E. B.; Klesper, E.: Circular Dichroism and Exciton Effect of Syndiotactic Methacrylic Polymers with Chiral Diacyl Hydrazide Side Chain. II. Poly(methacrylic Acid–N^{β}(L-(+)-Lactoyl) hydrazide), 929C
Thomas, E. L. See Granier, T., 469P; Masse, M. A., 2045P
Ting, S.-J.
—; Noggle, J. H.: NMR Studies of the Thermal Decomposition and Branching Reactions of Aromatic Esters, 2325C
Tjugito, S.
—; Feld, W. A.: Polyimides Derived from 1,2-Bis(4-Aminophenoxy)propane, 963C
Toczek, M. See Pączkowski, J., 2647C
Toda, A.
Nucleation-controlled Growth in Polyethylene Single Crystals: Growth and Shape of {100} Sectors, 1721P
—; Kiho, H.: Crystal Growth of Polyethylene from Dilute Solution: Growth Kinetics of {110} Twins and Diffusion-limited Growth of Single Crystals, 53P
Togoshi, H. See Isobe, N., 681C
Tokuda, H. See Yamashita, K., 1333C, 4389C
Tokushige, K. See Kato, J., 1853C
Toman, L.
—; Pokorný, S.; Spěváček, J.: Cationic Polymerization of α-Methylstyrene in Dichloromethane Initiated with System 2,5-Dichloro-2,5-Dimethylhexane-BCl_3. I. Molecular Weight Distribution and Stereoregularity of Poly(α-Methylstyrene), 2217C
—; Pokorný, S.; Spěváček, J.: Cationic Polymerization of α-Methylstyrene in

Dichloromethane Initiated with System 2,5-Dichloro-2,5-Dimethylhexane-BCl_3. II. Continuous Addition of Monomer into Initiator, Quasiliving Polymerization, 2229C
—; Spěváček, J.; Pokorný, S.: The Polymerization of Isobutylene by $AlCl_3$ in CH_2Cl_2 and the Role of CH_2Cl_2 in the Initiation Reaction, 785C
Tomazos, D. See Percec, V., 999C
Tombari, E. See Carlini, C., 189P
Tomida, M.
—; Hall, H. K., Jr.: New Aliphatic Polymalonamides, 219L
Tong, H. M. See Saenger, K. L., 235L
—; Saenger, K. L.; Durning, C. J.: A Study of Solvent Diffusion in Thin Polyimide Films Using Laser Interferometry, 689P
Toppare, L. See Hacioglu, B., 3875C; Sacak, M., 1599C
Torgashov, V. I. See Gert, E. V., 393L
Torikai, A. See Geetha, R., 1653C
Toselli, M. See Pilati, F., 951C
Trapp, M. A. See Hoyle, C. E., 1609C
Treadwell, D. R. See Bergbreiter, D. E., 4205C
Tribone, J. J.
—; O'Reilly, J. M.; Greener, J.: Pressure-jump Volume-relaxation Studies of Polystyrene in the Glass Transition Region, 837P
Trochimczuk, W. M. See Wycisk, R., 321L
Tsai, H.-C. See Tsukahara, Y., 1099C
Tsai, T. T.
—; Arnold, F. E.; Hwang, W. F.: Synthesis and Properties of High Strength High Modulus ABA Block Copolymers, 2839C
Tsai, W. H. See Boerio, F. J., 1017P
Tsitsilianis, C.
—; Mitsiani, G.; Dondos, A.: An Indirect GPC Calibration Method for the Low-Molecular-Weight Region, 763P
Tsubokawa, N.
—; Kuroda, A.; Sone, Y.: Grafting onto Carbon Black by the Reaction of Reactive Carbon Black Having Epoxide Groups with Several Polymers, 1701C
—; Ohshima, S.; Sone, Y.; Endo, T.: Cationic Ring-Opening Isomerization Polymerization of Spiro Orthocarbonates Initiated by Carbon Black, 4413C
Tsuchida, E. See Nishide, H., 497C, 1439C
Tsuchiya, M. See Ando, M., 317C
Tsuda, K. See Kondo, S., 3383C; Yamashita, K., 1333C, 4389C
Tsukahara, Y.
—; Ito, K.; Tsai, H.-C.; Yamashita, Y.: Water-Soluble Graft Copolymers from Macromonomer Method, 1099C
Tsunooka, M. See Shirai, M., 325C
Tsutsumi, H. See Hanabusa, K., 1665C
Tsvetanov, C. See Minkova, L., 621P
Tullock, C. W.
—; Tebbe, F. N.; Mulhaupt, R.; Ovenall, D. W.; Setterquist, R. A.; Ittel, S. D.: Polyethylene and Elastomeric Polypropylene Using Alumina-Supported Bis(arene) Titanium, Zirconium, and Hafnium Catalysts, 3063C
Tunca, U. See Bicak, N., 3759C
Turker, L. See Sacak, M., 1599C
Turner, D. T. See Singh, D. P., 1557P
Turner, S. R.
—; Anderson, C. C.; Kolterman, K. M.: Alternating Copolymerization as a Route for Synthesis of Novel Reactive Copolymers, 253L
Turturro, A. See Alfonso, G. C., 1195P
Tutiya, M. See Imai, M., 1763C

Uchida, E.
—; Uyama, Y.; Ikada, Y.: Surface Graft Polymerization of Acrylamide onto Poly(ethylene Terephthalate) Film by UV Irradiation, 527C
Uden, P. C. See Dvornic, P. R., 3503C
Ueda, H.
Photoresponsive Inorganic Polymers Obtained by Metal Alkoxides, 263C
Ueda, M.
—; Kawaguchi, K.; Mano, M.: Radical-Initiated Homopolymerization and Copolymerization of α-Hydroxymethylacrylonitrile, 737C
—; Komatsu, S.: Synthesis of Poly(benzoxazinone)s by Direct Polycondensation of Dicarboxylic Acids with Bis(anthranilic Acid)s, 1017C
—; Koyama, T.; Mano, M.; Yazawa, M.: Radical-Initiated Homopolymerization and Copolymerization of Ethyl α-Hydroxymethylacrylate, 751C
—; Sugita, H.: Poly(benzimidazole) Synthesis by Direct Reaction of Methoxyphthalic Acids and Tetramine, 2815C
Ueda, Y. See Ashida, M., 3883C
Uğur, N.
—; Alyürük, K.: Stereoregularity of Fractionally Crystallized Poly(propylene Oxide) Samples by ^{13}C-NMR Spectroscopy, 1749C
Umeta, N. See Takeishi, M., 295L
Uno, H. See Endo, T., 73L
—; Takata, T.; Endo, T.: Grafting of a Bicycloorthoester onto Polymers Bearing Sulfonium Salt Structures, 1675C
Upson, D. A. See Warshawsky, A., 2963C, 2995C, 3015C
Uryu, T. See Ando, M., 317C, 325L; Kato, T., 1447C
Usami, N. See Chujo, Y., 1883C
Uyama, Y. See Uchida, E., 527C
Uyen, T. See Jang, L. K., 1301P

Vail, S. L. See Beck, K. R., 725C
Vakil, U. M. See Stern, S. A., 405P
Valero, M. See Gurruchaga, M., 149L; Vázquez, B., 595C
Van Bogart, J. W. C. See Errede, L. A., 2015C
Vandenberg, E. J.
—; Diveley, W. R.; Filar, L. J.; Patel, S. R.; Barth, H. G.: The Synthesis and Solution Properties of Some Rigid-Chain, Water-Soluble Polymers: [Poly *N,N'*-(Sulfo-Phenylene)phthalamide]s and Poly[*N,N'*-(Sulfo-*p*-Phenylene)pyromellitimide], 3745C
—; Mullis, J. C.; Juvet, R. S., Jr.; Miller, T.; Nieman, R. A.: Poly(3-Hydroxyoxetane)—An Analog of Poly(vinyl Alcohol): Synthesis, Characterization, and Properties, 3113C
—; Mullis, J. C.; Juvet, R. S., Jr.: Poly[3,3-Bis(hydroxymethyl)oxetane]—An Analog of Cellulose: Synthesis, Characterization, and Properties, 3083C
Vandenberg, E. J.
Review of *Transition Metals and Organometallics as Catalysts for Olefin Polymerization*, 279L
Vanderhoff, J. W. See Delgado, J. , 193C; Guo, J. S., 691C; Kim, J. H., 3187C
van Leyen, D. See Lub, J., 2071P
van Vroonhoven, F. C. B. M. See Lub, J., 2071P, 4035C
Vargas, H. See Cella, N., 313L
Vargo, T. G.
—; Gardella, J. A., Jr.; Salvati, L., Jr.: Multitechnique Surface Spectroscopic Studies of Plasma Modified Polymers III. H_2O and O_2/H_2O Plasma Modified Poly(methyl Methacrylate)s, 1267C
Vasnev, V. A. See Otton, J., 3535C
Vázquez, B.
—; Goñi, I.; Gurruchaga, M.; Valero, M.; Guzmán, G. M.: A Study of the Graft Copolymerization of Methacrylic Acid onto Starch Using the H_2O_2/Fe^{++} Redox System, 595C
Vázquez, M. B. See Gurruchaga, M., 149L
Veith, C. A.
—; Cohen, R. E.: Kinetic Modelling and

Optimization of the Trifluoropropylmethylsiloxane Polymerization, 1241C
Venugopal, G.
—; Krause, S.; Wnek, G. E.: Modification of Polymer Blend Morphology Using Electric Fields, 497L
Verbicky, J. W., Jr. See Grade, M. M., 1467C
Vernekar, S. P. See Idage, S. B., 583C
Vijayakumar, C. T.
—; Lederer, K.; Kramer, A.: Structural Aspects of Polyimides. I. Polymerization and Degradation of Endo-*N*-Phenylnadimide and Endo-*N*-Isobutylnadimide, 2723C
Vincent, C. A. See Gray, F. M., 2011P
Vinogradova, S. V. See Otton, J., 3535C
Vogl, O. See Purgett, M. D., 2051C
Voigt-Martin, I. G.
—; Mandelkern, L.: Numerical Analysis of Lamellar Thickness Distributions, 967P
—; Stack, G. M.; Peacock, A. J.; Mandelkern, L.: A Comparison of the Raman LAM and Electron Microscopy in Determining Crystallite Thickness Distributions: Polyethylenes with Narrow Size Distributions, 957P
Volkova, A. V.
On the Possibility of Using the Ultrasound Phase Comparison Method to Study Polymer Samples of Small Size, 103L
Volksen, W. See Quach, L., 775C
von Meerwall, E. See Vrentas, J. S., 1179P
—; Stone, T.: Network Fraction and Molecular Motions in Polymer Composites: An NMR Relaxation and Self-diffusion Study, 503P
Vrentas, J. S.
—; Chu, C.-H.: Molecular Weight Dependence of the Diffusion Coefficient for the Polystyrene–Toluene System, 465P
—; Chu, C.-H.; Drake, M. C.; von Meerwall, E.: Predictive Capabilities of a Free-volume Theory for Solvent Self-diffusion Coefficients, 1179P
Vuković, R. See Fleš, D. D., 3227C
Vulić, I.
—; Feijen, J.; Okano, T.; Kim, S. W.: Errata: Synthesis and Characterization of Polystyrene-Poly(Ethylene Oxide)-Heparin Block Copolymers, 397C

Wada, M. See Akashi, M., 377L
Wadgaonkar, P. P. See Sarwade, B. D., 3263C
Wagener, K.
—; Batich, C.; Kirsch, B.; Wanigatunga, S.: Chain Propagation/Step Propagation Polymerization. III. An XPS Investigation of Poly(oxyethylene)-*b*-Poly(pivalolactone) Telechelomer, 2625C
Wagner, H. D.
Stochastic Concepts in the Study of Size Effects in the Mechanical Strength of Highly Oriented Polymeric Materials, 115P
Wakelyn, N. T.
—; Pratt, J. R.: X-Ray Diffraction Studies of Model Compounds of Thermoplastic Polyimides, 2833C
Waldbauer, R. O. See Bass, R. G., 171C
Walker, S. A. See Bergbreiter, D. E., 4205C
Wallace, J. S.
—; Morrow, C. J.: Biocatalytic Synthesis of Polymers. II. Preparation of $[AA–BB]_x$ Polyesters by Porcine Pancreatic Lipase Catalyzed Transesterification in Anhydrous, Low Polarity Organic Solvents, 3271C
—; Morrow, C. J.: Biocatalytic Synthesis of Polymers. Synthesis of an Optically Active, Epoxy-Substituted Polyester by Lipase-Catalyzed Polymerization, 2553C
Wang, B.-P. See Chien, J. C. W., 1539C
Wang, F. See Wang, Y., 475L
Wang, F. S. See Osada, Y., 3799C
Wang, H.-H.
—; Chen, W.-L.: The Block Copolymers and Polymer Blends of Nylon 6 with Poly(4,4'-Diphenylsulfone terephthalamide). I. Preparation and Thermal Properties, 1359C
Wang, L. See Du, Q., 581P
Wang, S.-S. See Yang, C.-P., 15C, 3551C
Wang, Y.
—; Ding, M.; Luo, Y.; Wang, F.: The Stability of Optically Active Poly(triphenylmethyl methacrylate), 475L
Wanigatunga, S. See Wagener, K., 2625C
Ward, I. M. See Lewis, E. L. V., 1375P; Slee, J. A., 71P
Ward, W. J. See Alger, M. M., 97P
Ware, B. R. See Stern, S. A., 427L
Warshawsky, A.
—; Upson, D. A.: Zerovalent Metal Polymer Composites. I. Metallized Beads, 2963C
—; Upson, D. A.: Zerovalent Metal Polymer Composites. II. Metal–Polymer Microdispersions, 2995C
—; Upson, D. A.; Ferrar, W. T.; Monnier, J. R.: Zerovalent Metal Polymer Composites. III. Metallization of Metal Oxide Surfaces with the Aid of Metallized Functional Polymer Microdispersions, 3015C
Washio, A. See Hashimoto, K., 307L, 1915C
Watanabe, A.
—; Mori, K.; Iwasaki, Y.; Murakami, S.; Nakamura, Y.: Polyanilines Prepared by Electrochemical Polymerization: Molecular Weight of Polyaniline Films, 4431C
Watanabe, F. See Saigo, K., 2611C
Watanabe, M. See Endo, T., 1435C
Watanabe, S. See Iizawa, T., 411L
Webber, S. E. See Gradwell, A. J., 4181C
Weber, S. See Chien, J. C. W., 1499C
Weisenberger, L. A.
—; Koenig, J. L.: NMR Imaging of Case II Diffusion in Glassy Polymers, 55L
Weiss, R. A. See Register, R. A., 1911P
Wei, Y. See Krishnamurthy, V., 1211C
—; Hsueh, K. F.: Thermal Analysis of Chemically Synthesized Polyaniline and Effects of Thermal Aging on Conductivity, 4351C
—; Tang, X.; Sun, Y.; Focke, W. W.: A Study of the Mechanism of Aniline Polymerization, 2385C
Wesslén, B.
—; Wesslén, K. B.: Preparation and Properties of Some Water-Soluble, Comb-Shaped, Amphiphilic Polymers, 3915C
Wesslén, K. B. See Wesslén, B., 3915C
White, A. B., Jr. See Cohen, D. S., 1731P
Wilson, T. W.
—; Fornes, R. E.; Gilbert, R. D.; Memory, J. D.: Erratum, 1185P
Winnik, M. A. See Davis, T. P., 181L; Itagaki, H., 21L
Wissinger, R. G. See Astarita, G., 2105P
Wnek, G. E. See Venugopal, G., 497L
Wolter, K. D.
Review of *The Geometry of Genetics*, 536L
Wong, W. T. See Baliga, S., 2071C
Woodward, A. E. See Corrigan, J. P., 1135P; Zemel, I. S., 2479P
Wærnes, Ø. See Nyström, B., 271L
Wu, S.
Chain Structure and Entanglement, 723P
Wuensche, P.
—; Mueller, S.; Lorkowski, K.-H.: Radiation Induced Radical Reactions in Poly(chloroalkyl Methacrylate)s/Triallylisocyanurate Mixtures, 1589C
Wunderlich, B. See Cheng, S. Z. D., 1149P
Wycisk, R.
—; Trochimczuk, W. M.: Interpenetrating Polymer Networks. Preparation and Properties of Carboxylic Ion-exchange Membranes, 321L

Xiaojiang, Z.
—; Pu, H. H.; Yanheng, Y.; Junfeng, L.: A FT-IR Study on NBR/PVC, BR/PVC, and BR/PVC/NBR Blends, 223L

Xu, B. See Zhao, X., 1571C
Xu, G. J.
—; Meng, Y.-Z.; Song, H.; Lin, Q.-S.: Free Radical Copolymerization in the Presence of Lewis Acids. I. Alternating Copolymerization of Vinyl Acetate with Acrylic Acid in the Presence of $GeCl_4$ and BCl_3, 1817C
Xu, L. G. See Imai, M., 1763C
Xu, M. See Hu, S., 1749P
Xu, P. See Sada, E., 919P
Xu, Z.
—; Jasse, B.; Monnerie, L.: Fourier Transform Infrared Study of Conformational Changes Occurring at the Yield Point in Uniaxially Drawn Polymers, 355P

Yadav, D. See Chatterjee, S. K., 3855C
Yagci, Y. See Bicak, N., 3759C
Yamada, M. See Nakamura, Y., 2883C
Yamakawa, M. See Kurita, K., 4297C
Yamamoto, H. See Ihara, Y., 87C; Stern, S. A., 1887P; Yano, S., 2647P
Yamamoto, K. See Acar, M. H., 4441C
Yamamoto, O. See Matsumura, K., 2407P
Yamamoto, Y. See Ohtsuka, T., 399L; Sata, T., 2229P
Yamanobe, T. See Kubo, K., 929P
Yamaoka, H. See Tang, B.-Z., 1197C
Yamashita, Y. See Chujo, Y., 1883C, 1907C, 2007C; Tsukahara, Y., 1099C
—; Shimizu, Y.; Tokuda, H.; Kuromiya, T.; Tsuda, K.: Acyloin Condensation by Polymer Supported Thiazolium Salt: Relation between the Catalytic Activity and the Degree of Quarternization, 4389C
—; Tokuda, H.; Tsuda, K.: Syntheses of New Thiazolium Salt Polymers and Their Catalytic Activities, 1333C
Yamazaki, S. See Kato, J., 1853C
Yanagi, H. See Ashida, M., 3883C
Yanagi, T. See Akashi, M., 3521C
Yanase, S. See Akashi, M., 377L
Yang, C.
—; Hecai, S.; Zhiming, W.: Polymerization of Acetylene with Thorium Catalyst System, 2829C
Yang, C.-P.
—; Lee, T.-M.: Syntheses and Properties of 4-Hydroxy-3,5-Dibromobenzyl Phosphonates and Their Flame-Retarding Effects on ABS Copolymer, 2239C
—; Oishi, Y.; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of Aromatic Polyamides from 5-*t*-Butylisophthalic Acid and Various Aromatic Diamines, 3895C
—; Wang, S.-S.: Studies on the Imidization of *N*-Substituted Polymaleamic Acids, 15C
—; Wang, S.-S.: Syntheses of 4-Methacryloxy-2,3,5,6-tetrabromobenzyl Phosphonates and Effects of Flame Retardancy on Their Co-PMMA, 3551C
Yang, D.-K.
—; Krigbaum, W. R.: Fiber Spinning from the Nematic Melt. VI. Flow Instabilities in the 30:70 Copolyester of Hydroxybenzoic Acid and 2-Hydroxy-6-naphthoic Acid, 1837P
—; Krigbaum, W. R.: Rheological Studies of Thermotropic Liquid Crystal Copolyesters: P-Hydroxybenzoic Acid/2-Hydroxy-6-naphthoic Acid, 819P
Yang, N.-L. See DiBerardino, T., 2483C
Yang, S. I.
—; Klein, A.; Sperling, L. H.: Development of Supermolecular Structure in Polystyrene Latexes, 1649P
Yang, Z. See Ye, M., 2265C
Yanheng, Y. See Xiaojiang, Z., 223L
Yano, S.
—; Yamamoto, H.; Tadano, K.; Hirasawa, E.: Dielectric Properties of Complex Zn(II) Salts of Ethylene-Methacrylic Acid Copolymer with *n*-Hexylamine, 2647P
Yaris, R. See Yeates, A. T., 151P
Yashida, S. See Geetha, R., 1653C
Yashima, E. See Akashi, M., 3521C
Yasunaga, H. See Osada, Y., 3799C
Yazawa, M. See Ueda, M., 751C
Ye, M.
—; Chen, J.; Yang, Z.; Lu, L.; Li, S.; Sun, Y.: Copolymerization of Toluene with Tetrafluoromethane or Octafluorocyclobutane by Plasma Technique, 2265C
Ye, X. See Hanabusa, K., 4191C
Yeates, A. T.
—; Skolnick, J.; Yaris, R.: Fit of a Nonreptative Model of Polymer Melt Dynamics to Experimental Melt Diffusion Constant Measurements, 151P
Yeh, J. T.
—; Runt, J.: Multiple Melting in Annealed Poly(butylene terephthalate), 1543P
Yeing-Soon, Gal
—; Sam-Kwon Choi; Chung-Yup Kim: Polymerization of 1-Aryl-2-Trimethylsilylacetylenes by Transition Metal Catalysts(II), 31C
Yi, M. H.
—; Choi, K.-Y.; Jung, J. C.: Synthesis and Properties of Polyketones Containing Thiophene Links, 2417C
Yilgor, E. See Yilgor, I., 3673C
Yilgor, I.
—; Steckle, W. P., Jr.; Vilgor, E.; Freelin, R. G.; Riffle, J. S.: Novel Triblock Siloxane Copolymers: Synthesis, Characterization, and Their Use as Surface Modifying Additives, 3673C
Yokoshi, O. See Okamoto, K.-I., 643P
Yokota, R. See Hasegawa, M., 263L
Yokota, T. See Yoshida, M., 437L
Yokozawa, T. See Endo, T., 1435C
—; Takagi, J.; Endo, T.: Copolymerization of 2-Methylene-4-Phenyl-1,3-Dioxolane with Electrophilic Vinyl Monomers through Zwitterionic Mechanism, 291C
—; Tanaka, M.; Endo, T.: Novel Radical Polymerization Behavior of 2-Cyano-2-propyl Methyl Ketene Acetal via Retro-Ene Reaction, 197L
Yoneyama, M.
—; Kakimoto, M.-A.; Imai, Y.: Synthesis of Aliphatic–Aromatic Polyamides by Palladium-Catalyzed Polycondensation of Aliphatic Diamines, Aromatic Dibromides, and Carbon Monoxide, 1985C
—; Kuruppu, K. D. A.; Kakimoto, M.-A.; Imai, Y.: Preparation and Properties of Polyarylates and Copolyarylates from Phenylindanedicarbonyl Chloride and Bisphenols, 979C
Yoshida, M.
—; Asano, M.; Yokota, T.; Chosdu, R.; Kumakura, M.: *N*-Acryloxysuccinimide-containing Copolymeric Microspheres for the Immobilization of Bimolecules, 437L
Yoshioka, N. See Nishide, H., 497C
Yu, D. See Marchant, R. E., 881C; Su, D., 3769C
Yu, Q. S. See Osada, Y., 3799C
Yu, W. See Brook, M. A., 229L
Yung, W. S. See McHugh, A. J., 431P

Zemel, I. S. See Corrigan, J. P., 1135P
—; Corrigan, J. P.; Woodward, A. E.: Crystallization of Segmented *trans*-1,4-Polyisoprene/Epoxidized *trans*-1,4-Polyisoprene Block Copolymers from Solution, 2479P
Zaranyika, M. F.
—; Madimu, M.: Heterogeneous Dilute Acid Hydrolysis of Cellulose: A Kinetic Model for the Hydrolysis of the Difficultly Accessible Portion of Cellulose Based on Donnan's Theory of Membrane Equilibria, 1863C
Zhang, C. See Fried, J. R., 385L

Zhang, W. P.
—; Dorset, D. L.: Epitaxial Growth of Long-chain Molecules on Potassium Hydrogen Phthalate and Potassium Chloride Substrates from the Vapor Phase, 1433P
Zhao, X.
—; Xu, B.; Chien, J. C. W.; Khanna, D. N.: Radiolysis of Poly(Acetaldehyde-co-Chloral): A Positive E-Beam Resist, 1571C
Zhao, Y.
—; Lévesque, J.; Roberge, P. C.; Prud'homme, R. E.: A Study of Polymer Blends by Nonradiative Energy Transfer Fluorescence Spectroscopy, 1955P
Zhiming, W. See Yang, C., 2829C
Zhiquan, S. See Mujie, Y., 3829C
Zhou, S. See Stern, S. A., 427L
—; Stern, S. A.: The Effect of Plasticization on the Transport of Gases in and Through Glassy Polymers, 205P
Zhou, Y. See Lu, C. X., 1137C
Zhu, K. J.
—; Bihai, S.; Shilin, Y.: "Super Microcapsules" (SMC). I. Preparation and Characterization of Star Polyethylene Oxide (PEO)–Polylactide (PLA) Copolymers, 2151C
Žilić, M.
—; Sendijarević, A.; Sendijarević, V.; Frisch, K. C.: Studies in the Formation of Poly(oxazolidone)s. III. Catalysis and Kinetics of the Model Oxazolidone Formation from Cyclohexyl Isocyanate and Phenylglycidyl Ether, 1843C
Zimmer, H. See Chang, T.-L., 989C; Galal, A., 1891C
Zoller, P.
—; Kehl, T. A.; Starkweather, H. W., Jr.; Jones, G. A.: The Equation of State and Heat of Fusion of Poly(ether ether ketone), 993P

Subject Index to Volume 27

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 27, 1989. The Edition in which an item appears is indicated by a C, P, or L, respectively, following the page number.

ABA block copolymers, 2839C
A-B-A type triblock copolymer, 1721C
ABS copolymer, 2239C
ABS copolymers, 343C
Acetaldehyde, 1571C
Acetate, vinyl, 43C
Acetylene, 2829C
Acetylene–norbornene copolymers, 3937C
Acetylenes, monosubstituted, 4267C
Acetylene-terminated aromatic amide monomers, 4305C
Acetylenic compounds, 167L
Acid concentration, 2427C
Acid photogeneration, 3927C
Acoustic behavior, of praseodymium soaps, 1631C
Acrylamide, 527C, 2123C, 2161C, 2685C, 3875C
Acrylamide complexes, 1935C
Acrylamide microemulsion polymerizations, 2179C
Acrylates, 1935C
Acrylic acid, copolymerization of, 1817C
Acrylic monomers, 149L
Acrylonitrile, 53C, 185C, 433L, 1065C
Acrylonitrile-butadiene-styrene, 1341C
N-acryloxysuccinimide-containing copolymeric microspheres, 437L
Acyloin condensation, 1333C, 4389C
Adenine, 3589C
Adenine derivative, 4013C
Adenine grafts, 575C
Adhesion through molecular entanglements in interface, 2525P
Adipic acid, 2793C
Agar-agar, 123L
Agar-agar hydrogel, 123L
β-alanine, 1665C
$AlCl_3$, 785C
Alcohol oxidation, 79L
Aldehydes, 125C
Alginic acid, prediction of polymer-subphase volume in aqueous solutions of, 1301P
Aliphatic-aromatic polyamides, 1985C
Aliphatic diamines, 1985C
Aliphatic diisocyanatoesters, 4341C
Aliphatic isocyanates, 1287C
Aliphatic olefins, 2305C
Aliphatic polydithiocarbonates, 2277C
Aliphatic polymalonamides, 219L
Alkali graphitides, 639C
Alkane chain packing in solid mixture of *n*-hexatriacontane and octadecyl octadecanoate, 1161P
ω-alkenoates, 2051C
N-alkyl-α-chloromaleimide, 1429C
Alkyl cyanoacrylate, 1967C
4,4′-(alkylene-α,ω-dioxy)bis(phenylsuccinic anhydride)s, 653C
Alkyl halides, 4389C
Alkyl isocyanate polymers, 3211C
1-alkynes, 2305C
Allylamine, 1211C
Allyl group, 2611C
Allyl maleamic acid, 253L
N-allylmaleimide, 253L
Allylnadic-imides, 1301C
Alpha olefins, 605C, 623C
Alternation, 1817C
Amides, 1993C
Amine hydrogen atoms, 647C
Amine light stabilizers, 63C
Amines, 1641C
Amino acid esters, 87C
ω-amino acids, 431C
Amino acids, esters of, 1665C
p-aminodiphenylamines, 2385C
p-aminophenol, 115L
Ammonia plasma, 4035C
Amorphous birefringence, 527L
Amorphous polymers, 2569C
Amphiphilic active esters, 4191C
Amphiphilic polymers, 3915C
Amylose–iodine complex, 4161C
Aniline glycidyl ether, 647C
Aniline polymerization, 2385C
Anionic hydrophylic groups, 1325C
Anionic oligomerization, 4205C
Anionic polymerization, 1259C, 1915C, 2611C, 3637C
—, equilibrium, 307L
Anionic syntheses, 4205C
Anionic techniques, 4001C
Anisotropy and SANS data, analysis of, 1971P
Anisotropy, effect on crystallization in PET, 2469P
Annealing and chain relaxation in semicrystalline polymer, 875P
Annealing effects on phase I poly(vinylidene fluoride), 2347P
Annealing polymers in solid-melt region to estimate T_m, 369P
Anodic electroinitiated polymerization, of acrylamide, 2685C
Anthracene, derivatives, 203C
Anthracenophane-1,5-diene, 467C
(*E*,*E*)-[6.2](9,10)anthracenophane-1,5-diene, 467C
9-anthrylmethyl propiolate polymers, 3201C
AOT reverse micelles, 2161C
APS-silica, 2593C
Aqueous polymerization, 3977C
Aramids, 3895C
Aromatic amide monomers, acetylene-terminated, 4305C
Aromatic compounds, electron-rich, 217C
Aromatic diamines, 171C, 915C, 3393C
Aromatic dibromides, 1985C
Aromatic dicarboxyl-terminated poly(methyl methacrylate) macromonomers, 2007C
Aromatic dihydrazines, 1225C
Aromatic di(propynoic ester)s, 1225C
Aromatic dipropynones, 171C
Aromatic esters, 2325C
Aromatic polyamides, 3393C, 3895C
Aromatic polyimide-ester, 115L
Aromatic polyimides, 263L
Aromatic polythiocarbonates, 2657C
Aromatic rigid chain copolymers, 1175C
Arylene-ether-ketone copolymers, 565C
Arylene sulfone ether linkages, 583C
1-aryl-2-trimethylsilylacetylenes, 31C
Atactic polystyrene, 1373C
Azlactones, 1781C
Azomethine bismaleimides, 3465C

Benzene, 515C, 647C, 2497C
1,4-benzenedithiol, 247L
Benzhydrol functional group, 2777C
Benzimidazole, 1515C
Benzoin, 1687C
p-benzoquinone, 865C
Benzothiazolimides, novel, 733C
2-(2H-benzotriazole-2-yl)-4-t-octylphenyl benzene sulfonate, 4427C
Benzylation, of wood, 2457C
Benzyl ether, 453C
Benzyloxyamine, 4297C
Benzylsulfonium salt, 73L
Bicyclic oxalactam, 307L, 1915C
Bicycloorthoester, 1675C
Biionic potential, 1499P

Binary polymer blends, 9L
Biocatalytic synthesis, of polymers, 2553C
Biphenyl, 515C
2,5-biphenylene based difunctional condensation monomers, 1175C
Birefringence, 119L, 527L
Birefringence and dynamic viscoelasticity of polyethylene, 2283P
Birefringence of PE melt in flow, 297P
Birefringence of PET fibers, 1107P
1,3-bis(3-aminophenoxy)benzene, 865C
1,2-bis(4-aminophenoxy)propane, 963C
Bis(anthranilic acid)s, 1017C
Bis(arene), 3063C
Bisazlactones, 1515C
Bisimide resins, 133L
Bismaleimides, 245C, 2509C, 3465C
Bis(2-oxazoline) compounds, 2749C
Bisphenol A, 173L
Bisphenol-A based epoxy resins, cured, creep behavior of, 307P
Bisphenol-A epoxy resins, dielectric properties of, 753P
Bisphenol-A-polycarbonate, effect of thermal history on dielectric relaxation in, 1519P
—, thickness dilation as measure of gas sorption in, 1173P
Bisphenols, 979C
Bis(phenylglutaric anhydride)s, 653C
Bistriazolinediones, 217C
Bis(trichlorophenoxo)-tetramethylethylene diamine copper(II), 1599C
7,8-bis(trifluoromethyl)tricyclo[4,2,2,$2^{0,5}$]deca-3,7,9-triene, 3937C
Blends, DSC study of spontaneous mixing in, 2687P
—, ESR study of nitroxide probe mobility in, 2553P
—, fluorescence spectroscopy of, 1955P
—, glassy with diluents, T_g and mechanical properties of, 1979P
—, polyethylene-polystyrene, control of mechanical properties by block copolymers, 775P
—, polystyrene/poly(2-chlorostyrene), phase separation kinetics in, 2159P
Blends of Cu^{2+}-neutralized carboxy-terminated polybutadiene with poly(styrene-co-4-vinylpyridine), 1911P
Blends of LC and non-LC polymers, phase behavior of, 2117P
Blends of PMMA with styrene/acrylic acid copolymer, FTIR study of, 1057P
Blends of poly(aryl ether ketone) and poly(ether imide), 2153P
Blends of polyethylene and polypropylene, 581P
Blends of poly(ethylene oxide) with poly(ethyl methacrylate), crystallization and miscibility, 1781P
Blends of poly(vinylidene fluoride) and poly(vinylpyrrolidone), DSC of, 1195P
Blends of styrene/maleic anhydride and styrene/acrylonitrile copolymers, 223P
Block copolymers, 4001C
α-bromophenylacetic acid, 4291C
N-bromosuccinimide, 285L
2-bromoterephthalic acid, 2291C
5-bromouracil, 3589C
Brönsted acid, 3927C
Bruker AM 300 spectrometer, 1383C
Butadiene, 343C
Butadiene-propylene alternating copolymerization, 3769C
Butadiene rubber, 223L
1,4-butanediol, 2793C
Butyl, 2435C
Butyl acrylate, 193C, 357C
Butyl and cyclohexyl isocyanate, 1287C
t-butyl α-cyanoacrylates, 2871C
t-butyl hydroperoxide, 79L
Butyl iodide, 399L
5-*t*-butylisophthalic acid, 3895C
Butyllithium, 1241C
Butyl orange, 555C
CA film, 2407P
ε-caprolactone, 639C, 4423C
Carbamates, 487C
Carbon black, 1701C, 4413C
Carbon dioxide, sorbed, 385L
Carbon monoxide, 1985C
Carbon tetrachloride, 4281C
Carbonyl compounds, 139C
Carbonyl, in polyimides, 1161C
Carboxylated nitrile rubber, 361L
Carboxylic acid, 681C
Carboxylic ion-exchange membranes, 321L
Cardopolyimides, containing phenoxaphosphine units, 1419C
β-carotene, 343C
Casein, 2123C
Castor oil-based polyurethanes, 3053C
Cation exchangers, 331L
Cationic photoinitiators, 3951C
Cationic polyacrylamides, 4329C
Cationic polymerization, 73L, 1791C, 2937C, 3733C
Cationic ring-opening isomerization, 4413C
Cation interaction, with polyamic acid, 1485P
Ce(IV), 149L
Ce(IV)-alcohol redox systems, 2427C
Cellulose, 3083C
—, coagulation from ammonia/ammonium thiocyanate solutions of, 2493P
—, derivatives of, 2083C
—, heterogeneous hydrolysis of, 1863C
—, hydroxypropyl, 289L
—, methylol, mesophases in solutions of, 1949P
—, spinning of fiber from liquid crystalline cellulose solution, 1477P
Cel film, 2407P
Cellulose acetate blend with poly(styrenephosponate ester), spontaneous mixing of, 2687P
Cellulose derivatives, 3817C
Cellulose in anisotropic solution, coagulation of, 1699P
Cellulose nitrite, 393L
Ceramics, perovskite-type, 263C
Ceric ammonium nitrate, 2427C
Ceric ion, 433L
Ceric ions form complexes, 149L
Cerium^{IV} oxidation, 3837C
Chain conformation in thermotropic polyesters, 1993P, 2001P
Chain dimensions in deformed semicrystalline polymers, 859P
Chain dynamics in stressed PE, simulations of, 2321P
Chain entanglement, 723P
Chain motion in PEO crystallized from melt, computer modeling of, 1149P
Chain orientation in films of poly(*p*-phenylene vinylene), 469P
Chain structure, 723P
Chain structure of polymer near an interface, Monte Carlo simulation of, 655P
Charge-transfer emission spectra, 263L
Charge transfer interactions of trans-polyphenylacetylene, 2061P
CH_2Cl_2, 785C
Chelating ligands, 3237C
Chemiluminescence studies, 3285C
Chiral diacyl hydrazide side chain, 929C
Chitin, 3817C
Chloral, 1571C
4-Chlorobenzophenone, 4051C
α-chloromaleic anhydride, 4231C
4-(3-chloropropyl)styrene, 2539C
Chlorosilanes, 229L
Chromatography, inverse steric exclusion, 1619C
—, thin layer, 817C
Chromophore, anthracene, 203C
Cinnamates, 2647C
Circular dichroism, 929C
Citraconic anhydrides, 375C
Clay surfaces, 3977C
CMDB propellants, 409C
Coagulation of cellulose from

ammonia/ammonium thiocyanate solutions, 2493P
Coagulation of cellulose in anisotropic solution with NH_3 and NH_4SCN, 1699P
Cobaltporphyrin membrane, 1439C
Collagen diffusivity from Kerr effect in semidilute PEO solutions, 2295P
Comblike poly(mono-*n*-alkyl itaconates), dilute solution properties of, 2337P
Compatibility of acrylates interpolymerized in slurries, 1557P
Complexes of metal sulfonate ionomers with polymers in solution, 245P
Composites, model, fiber orientation and stress distribution in, 2605P
—, NMR study of, 503P
—, Raman spectroscopic study of stress in, 337P
Conducting polymer precursor, doping process in poly(3,4-diisopropylidene cyclobutene), 443P
Conducting polymers, molecular weight determination of, 199P
Conductive poly(*p*-phenylene vinylene), crystalline phases of, 2045P
Conductivity, effects of thermal aging on, 4351C
Conformation of nylon 6, 929P
Copolyamides, aromatic, 1775C
—, random, 1175C
Copolyarylates, 979C
Copolyimide, organic soluble photosensitive, 1481C
Copolymer blends, miscibility of styrene/maleic anhydride with styrene/acrylonitrile in, 223P
Copolymer blocks and mechanical properties of PE–PS blends, 775P
Copolymer blocks, segmented trans-1,4-polyisoprene/epoxidized trans-1,4-polyisoprene, 2479P
Copolymerization, free radical, 1817C
Copolymers, alternating, 1817C
—, amphiphilic block, 1883C
—, amphiphilic block, micellar properties of, 1883C
—, amphiphilic block, surface accumulation of, 1883C
—, amphiphilic block, synthesis of, 1883C
—, ethylene-butene-1, SANS study of annealing of, 875P
—, ethylene-butene-1, SANS study of deformation of, 859P
—, melting and crystallization behavior of copolyamides, 673P
—, polycaprolactone and styrene or butadiene blocks, morphology and crystallization of, 523P
—, segmented blocks, from polyisoprene, crystallization of, 1135P
—, styrene/acrylonitrile, miscibility of PVC with, 2211P
—, styrene/acrylonitrile, T_g in blends with polyarylate, 1951P
—, sulfonated styrene-divinylbenzene, self-diffusion of water in, 1551P
—, vinylidenefluoride/trifluoroethylene, ferroelectric transitions of, 913P
Copolymers of ethylene-butene-1, unit cell dimensions of, 2269P
Copolymers of *p*-hydroxybenzoic acid and 2-hydroxy-6-naphthoic acid esters, 819P
Copolymers of vinylidene fluoride and trifluoroethylene, thermal and dielectric behavior of, 709P
Craze propagation, 1273P
Crazing of polyarylate by solvent, mechanism of, 1629P
Crazing of polyethersulfone and polycarbonate, 325P
Creep of cured bisphenol-A based epoxy resins above and below the glass transition temperature, 307P
Crosslinked polyurethanes, damping behavior and rubber network theory for, 2251P
Crystal growth, epitaxial, of *n*-paraffins from vapor phase, 1433P
Crystal growth of polyethylene in dilute solution, 53P
Crystallinity and drawing of semicrystalline polymers, 1529P
Crystallinity and positronium formation in PEEK, 1419P
Crystallinity and transport of gases, model for, 175P
Crystallinity of PE from NMR spectra, 2203P
Crystallite thickness distributions, comparison of results from three methods, 967P
Crystallite thickness distributions from Raman LAM and electron microscopy, 957P
Crystallization kinetics of poly(ε-caprolactone), 155P
Crystallization kinetics of polydimethylsiloxane from toluene, 1P
Crystallization mechanism for solvent embrittlement of polyarylate, 1629P
Crystallization of PE from melt, X-ray study of, 1029P
Crystallization of PEO, computer modeling of chain motion in, 1149P
Crystallization of polycaprolactone-based block copolymers, 523P
Crystallization of polyisoprene and segmented block copolymer derivatives from solution, 1135P
Crystallization of poly(vinylidene fluoride) from melt in static electric field, 1089P
Crystallization of segmented block copolymers from solution, 2479P
Crystallization of slow-cooled linear and branched polyethylene, 1349P
Crystallization, strain-induced, in solid-state coextrusion of poly(ethylene 2,6-naphthalate), 2587P
—, strain-induced, of swollen crosslinked polyethylene, 431P
Crystal nucleation and growth in polyethylene, 1721P
Crystals, polymer, 489L
Crystal structure of model ethylene-butene-1 copolymers, 2269P
CT spectra, 263L
CTA film, 2407P
Cupric laurate, 1687C
Cyanoacrylate, 1967C
Cyano-containing compounds, 3799C
Cyanoethylation, 4143C
2-cyano-2-propyl methyl ketene acetal, 197L
Cyclic monomers, 307L
Cyclodehydration reaction, 4129C
Cyclodextrins, 191L
Cyclopolymerization, of dipropargylcarbinol, 443L
Cyclotrimerization, of butyl and cyclohexyl isocyanate, 1287C
Cytosine derivative, 4013C

De-aggregation, of organic molecules, 191L
N-decanoyl-histidine, 87C
Decarboxylation, of alternating copolymers, 2871C
Deformation, effect on swelling of aromatic polyimide films, 2131P
Deformation of polyethylene fibers, Raman spectra in, 381P
Deformation of polymeric glasses, 1235P
Degradation of poly(α-methylstyrene) in SERS experiments, 1017P
Degradation of polyurethane rubber, 809P
Demixing of polymer-polymer mixture, computer simulation of, 1675P
1,6-diacetylamino-2,4-hexadiyne, isothermal polymerization of, 1853C
Diacetylene macromonomer poly(1,8-nonadiyne), thermal behavior of, 2451P
Diacetylene macromonomer, thermal behavior of, 2451P
Diacetylene materials, 3327C
Diacetylenes, 2143C
—, amide substituted, 1853C

2-dialkylaminoethyl methacrylate-*N*-vinyl-2-pyrrolidone, 1925C
Diallyl compounds, 839C
Diallyl dimethyl ammonium chloride, radical polymerization of, 1811C
α-ω-diaminooligoamide-11, 539C
α-ω-dianhydride oligoisobutylene, 539C
Diaryliodonium salts, alkoxy-substituted, 3951C
2,6-diarylphenols, 873C
3,5-dibenzylidenepyromellitide-1,7-dithione, 2253C
Diblock copolymers, 3251C
α,α'-dibromoxylene isomers, 33L
Di-*n*-butyl itaconate, 2497C
1,2-dicarbomethoxy-3-vinylcyclobutane, 333L
Dicarboxylic acid, 1017C, 2749C
—, aromatic, 1775C
Dichloromethane, 2217C, 4181C
Dichroism, circular, 929C
2,4-dicyanobut-1-ene, 2907C
7,8-dicyano-7,8-diphenylquinodimethane, 1957C
Dielectric behavior of vinylidene fluoride-trifluoroethylene copolymers near Curie transition, 709P
Dielectric properties of bisphenol-A epoxy resins, 753P
Dielectric properties, of epoxidized SBS, 4119C
Dielectric properties of polymer electrolyte PEO–$LiClO_4$, 2011P
Dielectric properties of poly(vinylidene fluoride) and fluorinated copolymer, 39P
Dielectric properties of zinc-amine complex salts of ethylene-methacrylic acid copolymer, 2647P
Dielectric relaxation and thermal history of bisphenol-A-polycarbonate, 1519P
Dielectric relaxation of comblike polysiloxanes, 1823P
Dielectric relaxation of dipolar aromatics in unoriented LDPE, 1333P
Di-epoxy compound, 1975C
Di-ester, 1975C
N,*N*-diethyl-6(10-phenothiazinyl)-hexanamide, 2711C
1,4-diethynylbenzene, 247L
Differential scanning calorimetry, 4397C
Differential scanning calorimetry of alkane/diluent eutectic, 1161P
Differential scanning calorimetry (DSC) of annealed poly(butylene terephthalate), 1543P
Differential scanning calorimetry (DSC) of poly(1,8-nonadiyne) and cross-polymerized production, 2451P
Differential scanning calorimetry (DSC) of polystyrene, temperature and molecular weight effects in, 1449P
Differential scanning calorimetry (DSC) of PPDI-based polyurethane block copolymers, 2173P, 2189P
Differential scanning calorimetry (DSC) of segmented polyurethanes, 545P
Differential thermal analysis (DTA) of blends of PEO and PVP, 2567P
Diffusion and solubility of gases in poly(*n*-butyl methacrylate) near T_g, 405P
Diffusion coefficient of gases in substituted polystyrene, 2385P
Diffusion coefficient of linear and regular star polybutadienes, 2513P
Diffusion coefficient of polystyrene in toluene at moderate concentrations, 465P
Diffusion coefficients and gas transport in plasticized glassy polymer, theory of, 205P
Diffusion in polymer melts, alternate to reptation model for, 151P
Diffusion in polymers, stress-driven, model for, 589P
Diffusion of CO_2 in polyimide, 2621P
—, effect of morphology on, 643P
Diffusion of gases in polymers, 2561P
Diffusion of gases in semicrystalline polymers, 175P
Diffusion of penetrants in glassy polymers, model for sharp front formation in, 1731P
Diffusion of penetrants in polymers, Pace–Datyner theory of, 1663P
Diffusion of polyisoprene in polyisoprene networks, 893P
Diffusion of polymer in miscible blend, DSC study of, 2687P
Diffusivity of dilute rods in semidilute polymer solutions, 2295P
Diffusivity, rotational, of rodlike molecules in amorphous polymer matrix, 261P
Dihydrazines, aromatic, 1225C
2,3-dihydrofuran, 85L
2,3-dihydrofurans, substituted, 3733C
4,4'-dihydroxybiphenyl, 431C
Dihydroxy metallophthalocyanine compounds, 355L
Diisocyanate monomers, 3263C
Diisocyanates, aromatic, 1775C
2-dimethylaminoethyl methacrylate, 555C
Dimethyl azobisisobutyrate, 2497C
Dimethylformamide, 4087C
Dimethylsulfoxide, 1241C
Dimethylsulphoxide, 4181C
Dimethyl terephthalate, 951C, 4241C
Diols, containing nucleic acid bases, 1137C
—, polyesters of, 1137C
1,5-dioxepan-2-one, 4423C
Dipeptide catalysts, 87C
Diphenylbutadiyne, 2143C
Diphenyl ethane based mesogens, 453C
2,2-diphenyl-4-methylene-1,3-dioxolane, 1L, 2135C
Diphenyloctatetrayne, 167L
Dipole moments, 1897C
Dipropargylcarbinol, 443L
Di(propynoic ester)s, aromatic, 1225C
1,1-disubstituted-2-vinylcyclopropanes, 1435C
p-divinylbenzene, 2357C
Dithiafulvene (1,3-dithiole), 971C
Dithienylalkanes, 2417C
Dithiols, 4169C
α,ω-divalent transition metal dicarboxylato polybutadiene, 2677P
Doping, of polymers, 127L
Drawing and recrystallization in semicrystalline polymers, 1529P
Drawing of PET, effect on gas transport by, 71P
Drawing of UHMW polyethylene cast from solution, 2427P
Drug delivery, soluble polymeric 2077Q carriers for, 515L
Drugs, polymer and polymeric, 377L
Dual-mode sorption kinetics, 1209P
Dynamic mechanical properties, of epoxidized SBS, 4119C
Dynamic mechanical properties of polypropylene, model for, 2361P
Dynamic mechanical thermal analysis (DMTA) of blends of PEO and PVP, 2567P
Dynamic viscoelasticity and simultaneous birefringence measurements, 2283P
Dynamic viscosity measurement in thin films of polymer melts, 489P

E-beam resist, 915C, 3343C
Elasticity, hard, of polypropylene and blends with PE, 581P
Elasticity of polypropylene and blends with PE, 581P
Elastomeric networks, 829C
Elastomeric polypropylene, 3063C
Elastomer materials, 223L
Electrical charge transport and morphology of poly(3-methylthiophene), 2081P
Electrical materials, 411L
Electric fields, in modification of polymer blend morphology, 497L
Electrochemically polymerized polypyrrole, 93L
Electrochemical polymerization, 4431C
Electroinitiated polymerization, 1599C
—, of acrylamide, 2685C
Electron beam irradiation, 325L
Electron beam, low energy, 325L

Electron diffraction of alkane/diluent eutectic, 1161P
Electronic spectra of doped poly(3,4-diisopropylidene cyclobutene), 443P
Electron microscopy for size distributions of crystallites, 967P
Electron microscopy method for crystallite thickness, 957P
Electron paramagnetic resonance, 897C
Electron spin resonance (ESR) in doped poly(3,4-diisopropylidene cyclobutene), 443P
Electron spin resonance (ESR), of γ-irradiated poly(acrylic acid), 1187P
Electron spin resonance (ESR) study of nitroxide probe mobility in polymer blends, 2553P
Electron transfer, direct, 3875C
—, of kerateine gel, 2883C
Electron transport membrane, 1625C
Electro-optic (Kerr effect) study of collagen in semidilute PEO solutions, 2295P
Electrophilic aromatic substitution, 125C, 217C
Electrophilic vinyl monomers, 291C
Electropolymerization, of styrene, 847C
Emeraldine base, 4365C
Emeraldine hydrochloride, 4365C
Emulsification, of incompatible polymer blends, 2823C
Emulsion polymerization, 3903C
Enantioselective solvolyses, 3789C
Endo-*N*-isobutylnadimide, 2723C
Endo-*N*-phenylnadimide, 2723C
Enol carbonates, 173L
Entanglement junction, 723P
Enthalpy recovery, in polystyrene, 1125C
Environmental plasticization, 1273P
Epoxidation, 3237C
Epoxide groups, 1701C
Epoxidized polyenes, 279C
Epoxy-carboxy addition reaction, 133L
Epoxy compounds, 2519C
Epoxy resin, fiber-filled, spectroscopic study of stress and failure in, 337P
Epoxy resins, 153L
—, bisphenol-A based, dielectric properties of, 753P
ESCA studies, 881C
ESR spectroscopy, 3865C
Ethanol, 647C
Ether, in polyimides, 1161C
Ethoxycarbonylpropenoylphosphonate polymers, 1967C
Ethylaluminium chloride, 1559C
Ethylchloroaluminum 10-undecenoate, 2189C
Ethylene, 147C, 605C, 623C, 2051C, 2695C
—, combined with oxygen, 2633C
Ethylene glycol, 951C, 2071C, 2793C, 4241C
Ethylene glycol monomethylether, 795C
Ethylene oligomers, terminally functionalized, 4205C
N-(ethylene)phthalimidyl acrylate, 2491C
Ethylene-propylene rubbers, 829C
Ethyl α-hydroxymethylacrylate, 751C
1-ethyl-4-[(2-methacryloxy)ethyl carbamoyloxymethyl]-2,6,7-trioxabicyclo[2.2.2]-octane, 333C
Ethyl 4-methyl-3-oxo-4-pentenoate, 855C
Ethyl vinyl ether, 2093C
Ethyl 2-(vinyloxy)ethoxyacetate, 3303C
EVA-g-acrylic acid, 3451C
Excimer formation, 21L

Ferromagnetic iron oxide, 497C
Fiber orientation, effect of stress distribution in model composites, 2605P
Fiber spinning from copolyester nematic melt, 1837P
Fibrilar morphologies, 93L
Field ionization, 1027C
Fineman–Ross plots, 2203C
Flame ionization detection, 817C
Flame retardation, 2239C
Flory–Huggins interaction parameters of gases in polybutadiene, 2243P
Fluoranthene groups, 469L
Fluorescence, 1C
Fluorescence photobleaching recovery, 427L
Fluorescence spectroscopy of blends, nonradiative energy transfer method for, 1955P
Fluoropolymers, 3495C
5-fluorouracil, 377L
Formamides, polymeric, 3383C
Free energy of inhomogeneous polydispersed polymer-solvent system, 2637P
Free radical ring-opening polymerization, 4403C
Free-volume model for diffusion in polymers, 2561P
Free-volume theory for solvent self-diffusion coefficients, 1179P
Friedel–Crafts polymerization, 2417C
FTIR, 1211C
FT-IR spectroscopic studies, 1401C
Furan, 1713C

Gamma irradiation, 123L
Gamma-radiation, 2313C
Gas transport, in glassy polymers, 1209P
Gelation and diffusion processes in coagulation of cellulose from ammonia/ammonium thiocyanate solutions, 2493P
Gel permeation chromatography (GPC), calibration method for low molecular weights, 763P
Gel point, 839C
Gel-state, 2015C
Glasses, monomeric, 2569C
Glass-state, 2015C
Glass transition and gas transport in poly(*n*-butyl methacrylate), 405P
Glass transition in blends of polyarylate and styrene/acrylonitrile copolymer, 1951P
Glass transition of polystyrene, pressure-jump study of, 837P
Glass transition temperature, 259L
Glass transition T_g in glassy blends with diluents, 1979P
Glass transition, thermodynamics of, 2105P
Glassy polymer, model for sharp fronts in penetrant diffusion in, 1731P
Glassy polymers, 385L
—, crazing of, 325P
—, dual-mode sorption kinetics of gas transport in, 1209P
—, model for transport of gas in, 603P
—, permeation of gas in, 97P, 1121P
—, phenomenological description of large deformations in, 1235P
—, selectivity of gas permeation in, 1887P
Glassy poly(1-trimethylsilyl-1-propyne), 427L
Glycidyl acrylates, 1641C
Glycine esters, 1665C
Glycol-silicone polymer, 229L
GPC, 2925C
Graft copolymerization, 149L
—, of acrylonitrile, 433L
Graft copolymers, 3521C
—, water-soluble, 1099C
Graph theory, 2761C
Green strength, in polyisoprene, 1071C

Halato-telechelic polymers, 2677P
Halobutyl elastomers, 2435C
Hard Elasticity, 581P
^{1}H, 539C
HCl, 229L
Heat of fusion of PEEK from PVT data, 993P
Heavy metal salts, 3985C
Helical poly(L-proline), 1721C
Herbicide alcohols, 487C
Heteroatoms, 751C
Hexadecane, 193C, 3659C
1,6-hexanediol, 2793C
—, high density, 4051C, 4077C
H_2O_2/Fe^{++} redox system, 595C
Hofmann reaction, modified, 4329C

Homopolymerization, radical-initiated, 737C
Hydantoin polymers, 507L
Hydrocarbon substrates, 3353C
Hydrogen bonding, 4109C
Hydrogen plasma, 4035C
Hydrolysis, heterogeneous dilute acid, 1863C
Hydrolysis rates, 1993C
Hydrophobic fluorescent probes. 1C, 1925C
Hydrophobic modification of anion exchange membranes, 2229P
Hydroquinone, 431C
Hydrosilation, 3969C
Hydrosilylation reaction, 1907C
4-hydroxy-3,5-dibromobenzyl phosphonates, 2239C
Hydroxyl groups, 229L
α-hydroxymethylacrylonitrile, 737C
N-[2-(4-hydroxyphenyl)ethyl]acrylamide, 515L
Hydroxypropyl cellulose, 289L
N-(2-hydroxypropyl)methacrylamide, 515L
Hydroxystyrene monomers, 2811C
4-hydroxy-4′-vinylbiphenyl, 4231C
Hypoxanthine derivative, 4013C

Ikeda, theory for salt concentration, 1499P
Imidazole-containing polymeric surfactants, 3789C
Imino sulfonate groups, 325C
Immiscibility loop phase behavior, of polycarbonate, 421L
Indene, 185C
Infrared dichroism measurements, 527L
Infrared spectra in deformation of polystyrene and blends, 355P
Infrared spectra in oxidation of polyethylene, 1691P
Infrared spectra of blends of PMMA with styrene/acrylic acid copolymer and analogs, 1057P
Infrared spectra of polysulfonamides, 1077P
Infrared spectra of thermotropic liquid crystal polyesters, 25P
Iniferters, functional, 1795C
Interaction parameters in ternary polymer solutions, 1569P, 1599P
Interpenetration of polymers in interfacial adhesion, 2525P
Interphase in PMMA and PVF_2 laminates, characterization of, 2525P
Intrinsic viscosity of linear and regular star polybutadienes, 2513P
Iodine, 4161C
Iodine doping, of polymers, 127L
Iodometry, of peracid resin, 4397C
Ion exchange membranes, with hydrophobic groups, 2229P
Ion exchange substrates, 1485P
Ionizing radiation, 2313C
—, use of thermoluminescent organic phosphors in dosimetry of, 2577P
Ion mass spectra, 2071P
Ionomer blends, 1911P
Ionomer of ethylene-methacrylic acid copolymer, dielectric properties of, 2647P
Ionomers, metal sulfonate, in interpolymer complexes in solution, 245P
Ion permeation, 209L
IR, 245C, 515C
γ-irradiation, 1589C
—, of polypropylene, 1763C
Irradiation experiments, 123L
IR studies, 711C
Isobutylene, 107C, 785C
Isobutyl vinyl ether, 399L
Isocyanates, multifunctional, 4341C
Isomeric liquid crystalline polyesters, 3691C
Isomeric poly(oxynaphthyleneoxy-2-bromoterephthaloyl)s, 2291C
Isomorphic copolymers, 4423C
Isoprene, 2907C
1,4-^{13}C-isoprene, 107C
Isotactic poly(*p*-methylstyrene), 4439C
Itaconic monomers, 1325C

KC_{24}, 639C
Kerateine gel, 2883C
Ketene acetals, 197L
—, cyclic, 4441C
Ketone group, 1L
Kinetics of crystallization of oriented PET, theory for, 2469P
Kinetics of gas transport, in glassy polymers, 1209P
Kinetics of photo-initiated *n*-butyl acrylate polymerization, 189P
Kinetics of relaxation of PET, 2419P
Kinetics of single crystal growth in polyethylene, 1721P
Kinetics of strain-induced crystallization in PE networks, 431P

Lactic acid, L-(+), 929C
Lactones, 639C
Langmuir–Blodgett films, polymerized and unpolymerized, mechanical properties of, 1289P
Laser-initiated polymerization, 1609C
Laser repetition rate effect, 1609C
Latexes, crosslinked polystyrene, 1873C
Latex particles, 157C
Lauryl methacrylate, 1609C
Lewis acids, 1817C
Light scattering from isotropic sphere in anisotropic medium, 2157P
Light scattering from latex particles, 2037P
Light scattering from solution of polyelectrolyte complex, 1043P
Light scattering, prediction of SALS for isotropic and anisotropic spheres, 2023P
Light scattering, SALS of isotropic spheres, 2037P
Light scattering study of phase separation in blends, 2159P
Light-sensitive polymer, new, 2647C
Linear sweep voltammetry, 2385C
Lipase-catalyzed polymerization, 2553C
Liquid chromatography, 2593C
Liquid crystal copolyesters, rheology of, 819P
Liquid crystalline methylol cellulose, 1949P
Liquid crystalline polyesters, isomeric, 3691C
Liquid crystalline polyester, transitions and morphology of, 1749P
Liquid crystalline polymer, phase behavior in blends of, 2117P
Liquid crystalline polymers, phase transition studied by polarized light transmission, 2145P
Liquid crystalline precursors in spinning fibers from cellulose solution, 1477P
Liquid crystal polysiloxanes, electro-optic effects in, 1823P
L-(+) lactic acid, 929C

Macrocyclic organic compounds, 2109C
Macromonomer method, 1099C
Macromonomer, poly(methyl methacrylate), 1259C
Macronet styrene polymer, 1619C
Magnesium chloride, 1499C
^{1}H magnetic resonance imaging (MRI), 3429C
Maleamic acid, 15C
Maleic anhydride, 367C, 1713C, 2093C, 3315C, 3353C, 4099C
Maleic anhydrides, 375C
Maleimide, 15C
Maleimido benzoic acid, 2509C
Mark–Houwink constants, 2925C
Mass spectrometer system, direct, 301C
Mass spectrometry, 1027C, 4035C
Mayo–Lewis equation, 2819C
Mechanical anisotropy in shear of oriented polyvinylidene fluoride, 1375P
Mechanical properties of glassy blends with diluents, 1979P
Mechanical properties of Langmuir–Blodgett films, 1289P

Mechanical properties of oriented polymers, size effects in, 115P
Mechanical properties of PE–PS blends controlled by block copolymers, 775P
Mechanical properties of polyurethane rubber, 795P
Mechanical properties of UHMW polyethylene, 1009P
Mechanical properties of UHMW polyethylene cast from solution, 2427P
Mechanical relaxations in trans-1,4-polyisoprene crystals, 1425
Melting and crystallization of blends of PEO with PEMA, 1781P
Melting and crystallization of copolyamides, 673P
Melting behavior, 1463P
Melting of annealed poly(butylene terephthalate), 1543P
Melting temperature, estimation of equilibrium value for, 369P
Melts, self diffusion in, alternate to reptation model for, 151P
Melt viscosity in thin films under shear, two techniques for measuring, 489P
Membrane equilibria, Donnan's theory of, 1863C
Membrane polymers, 187L
Membranes, asymmetric, diffusion of gas through, 919P
Meniscus instability model, 1273P
Mesogenic aromatic polyesters, chain packing, in 1993P, 2001P
Mesogenic units, 999C
Mesogens, diphenyl ethane-based, 453C
Metal alkoxides, 263C
Metal catalysts, transition, 31C
Metal-containing monomers, 1935C
Metal ions, 3759C
Metallized beads, 2963C
Metallocene-methylaluminoxane catalysts, 1525C, 1539C
Metallomacrocycles, 2531C
Metallophthalocyanine formaldehyde condensation resins, 2531C
Metal oxide surfaces, 3015C
Metal-polymer microdispersions, 2995C
Metal selective sorbents, 3237C
Methacrylic acid, 595C, 4375C
Methacrylic esters, 751C
4-methacryloxy-2,3,5,6-tetrabromobenzyl phosphonates, 3551C
2-methacryloyloxyethyl isocyanates, 487C
Methine vinyl carbon, 2345C
3-methoxy-4-cyano-2,9-dioxabicyclo[4.3.0]non-3-ene, 85L
4-methoxy-4′-hydroxy-α-methylstilbene-based mesogenic groups, 999C
N-*p*-methoxyphenyl citraconimide, 1149C
α-methoxyphenylmethylium hexachloroantimonate, 3651C
Methoxyphthalic acids, 2815C
3-methoxythiophene, 4087C
Methyl acrylate, 1559C, 3173C
4-[2-(S)-methyl-1-butoxy]-4′-(11-undecanyl-1-oxy)-α-methylstilbene side groups, 2367C
Methyl α-cyanoacrylate, 85L
Methylene chloride, 847C
2-methylene-4-phenyl-1,3-dioxolane, 291C, 4441C
Methyl methacrylate, 139C, 181L, 203C, 295L, 325C, 1429C, 1687C, 1741C, 2007C, 2427C, 3439C, 3703C, 3817C, 3977C
N-methylolamides, 725C
Methyl orange, 1C, 389C, 1925C
Methylsilylene units, 2849C
(*o*-methylphenyl)acetylene, 4267C
α-methylstyrene, 2217C, 3227C
Micelles, 4191C
Michael addition, 447C
Microcapsules, "super", 2151C
Microemulsion polymerization, 691C
Microporous urethane-acrylamide film, 317C
Microspheres, copolymeric, 437L
—, core-shell type, 3721C
—, water dispersible, 377L
Miniemulsion copolymerization, 193C
Miscibility in blends of PEO and PEMA, 1781P
Miscibility in blends of sulfonated poly(aryl ether ketone) with poly(ether imide), 2153P
Miscibility of PEO and poly(*N*-vinyl pyrrolidone), 2567P
Miscibility of PVC with styrene/acrylonitrile copolymers, 2211P
Miscibility studies of polymer blends, fluorescence technique for, 1955P
MMA, polymerization of, 1795C
Mo catalysts, 4267C
Molecular and supramolecular orientation, 105L
Molecular desorption, 2015C
Molecular dynamics simulations of stressed PE, 2321P
Molecular motions in polymer composites, 503P
Molecular orbital calculations, of poly(vinylidene fluoride), 1897C
Molecular relaxation in poly(vinylidene fluoride), 39P
Molecular weight calibration of GPC for low MW, 763P
Molecular weight determination of insoluble conducting polymers, 199P
Monodisperse hydrophilic polyamide, 1915C
Monodisperse poly(vinyl acetate), 157C
Monomeric glasses, organic, 2569C
Monomers, unsaturated, 1045C
Montmorillonite/thiourea initiating system, 3977C
Morphology in electrolyte controlled growth of poly(3-methylthiophene), 2081P
Morphology of eutectic solid mixture of *n*-hexatriacontane and octadecyl cotadecanoate, 1161P
Morphology of latexes, supermolecular structure in, 1649P
Morphology of polyethylene under uniaxial tension, 1853P
Morphology of polyethylene under unidirectional rolling, 1867P
Morphology of polyimide, influence on CO_2 sorption by, 1221P
Morphology of poly(vinylidene fluoride), melt-crystallized in electric field, 1089P
Morphology of slow-cooled linear and branched polyethylene, 1349P
Morphology of spherulitic surface in PE, 561P
MS and GC-MS studies, 2109C
Multiallyl monomer, 475C

Naphthalenediol isomers, 2291C
Nematogenic block copolymers, 59L
Network fraction in polymer composites, 503P
Networks, NMR of sulfur vulcanized natural rubber, 1389P
—, polyurethane, mechanical properties of, 795P
Networks of polyisoprene, diffusion of polyisoprene liquids in, 893P
Networks of radiation cross-linked PEO, structure and thermal behavior of, 621P
Network structure and damping behavior of crosslinked polyurethanes, 2251P
Neutron scattering from supermolecular structure in latex particles, 1649P
Neutron scattering study of chain dimensions in deformation, 859P
Neutron scattering study of chain relaxation in annealing, 875P
Neutron scattering, treatment of asymmetric SANS data from, 1971P
Nickel ylide-based catalytic system, 605C
Nickel ylide-based system, 623C
Nickel ylide complex, 147C
Nitrile rubber, 223L
—, carboxylated, 361L
Nitrile-terminated diacetylene materials, 3327C
Nitro displacement, 457L
NMR, 2083C
^{13}C-NMR, 565C, 1382C
^{1}H-NMR, 357C
^{31}P NMR, 763C
NMR imaging, 451L
—, of case II diffusion, 55L

NMRS, 245C
^{1}H-^{13}C-NMR spectra, 333C
^{13}C-NMR spectra, of crosslinked polymers, 2345C
NMR spectra, of poly(*N*-vinylcarbazole), 4257C
^{1}H-NMR and ^{2}H-NMR spectra of water (H_2O and D_2O) absorbed in Visking cellulose tubing, angular dependence, 2407P
^{13}C-NMR spectroscopic analysis, of vinyl groups, 2357C
^{13}C-NMR spectroscopy, 539C, 1749C
^{13}C-NMR studies, 1447C
NMR studies, of aromatic esters, 2325C
Noble metal salt, 2963C
Nomenclature, of polymers, 2065C
Norbornene, 3937C
Nozaki, theory for salt concentration, 1499P
Nuclear magnetic resonance (NMR) in crystallization of polydimethylsiloxane from toluene, 1P
Nuclear magnetic resonance (NMR), of filled polymer, 503P
—, of nylon 6, 929P
—, of semicrystalline PE, 2203P
—, of UHMW polyethylene, 2441P
—, of vulcanized natural rubber, 1389P
Nucleic acid base derivatives, 4013C
Nylon 2/11, crystal structure of, 1563P
Nylon-4,6, 423C
Nylon-4,T, 423C
Nylon-6, 481L, 1359C, 3619C
—, ^{13}C NMR of, 929P
—, star shaped, 3637C

Octacyanophthalocyanines, thin films of monomeric and polymeric, 3883C
Octadecyl chain-extended polyurethanes, 2673C
Octafluorocyclobutane, 2265C
Oil-soluble initiators, 3569C
Olefin polymerization, 1499C, 1525C, 1539C
α-olefins, 2051C
Oligomeric compound, novel, 865C
Oligomers, containing furan rings, 1891C
—, containing thiophene rings, 1891C
—, electrochemical properties, 1891C
—, polymerization of, 1891C
Oligovinylpyrrolidone macromonomers, 3521C
Optical configuration parameter, 743P
Optically active polymers, 475L
Organic monomeric glasses, 2569C
Organoaluminum compounds, 147C
Organosilane polymers, 469L, 2849C, 2861C
Organotin polymers, 1053C
Organotransition metal, 2695C
Oxazolidone formation, catalysis of, 1843C
—, kinetics of, 1843C
Oxazoline compounds, 2749C
Oxazoline monomer, 2711C
Oxidizing reagents, 2897C
Oxido-reduction reaction, 2777C
Oxirane ring, of phenylthioetherglycidyl resin, 2397C
Oxiranes, 3651C
Oxychitin, 3817C
Oxychloride, phosphorous, 507C
N,N'-oxydimethylenebisamides, 725C
Oxygen, in polymer membrane, 1439C
Oxygen permeability, 2761C
Ozone, 2313C
Ozonolysis, of butyl and halobutyl elastomers, 2435C

Pace–Datyner theory of diffusion of small molecules in polymers, 1663P
Paraffins, epitaxial growth in deposition from vapor phase of, 1433P
Penicillin, 507L
Pentadienyl derivatives, of Ti, V, and Cr, 2695C
4-pentamethyldisilylstyrenes, 2203C
Penultimate unit effects, on sequence length distribution, 417L
Peracid polymer, 3451C
Peracid resin, 4397C
Perfluorobenzene/SO_2 mixture, 3495C
Permanganate species, 2897C
Permeation of binary gas mixtures in poly(phenylene oxide), 1927P
Permeation of dissolved O_2 in polyacetylene, 1261P
Permeation of gases in polyimide membranes, 1887P
Permeation of gases in poly(phenolphthalein phthalate), 1121P
Permeation of gases in substituted polystyrene, 2385P
Permeation of O_2 in oriented PET, 71P
Perovskite-type ceramics, 263C
PET, 2071C
Phase behavior in blends of liquid crystalline and non-LC polymers, 2117P
Phase equilibria in lattice solutions of finite chains, 1795P
Phase separation in polymer-polymer mixtures, computer simulation of, 1675P
Phase separation in segmented polyurethanes, 545P
Phase separation kinetics in polystyrene/poly(2-chlorostyrene) blends, 2159P
Phase transition, ferroelectric to paraelectric, in copolymers of vinylidene fluoride and trifluoroethylene, 709P
Phase transitions, ferroelectric, 913P
—, liquid crystalline, studied by polarized light transmission, 2145P
Phase transitions in conductive poly(*p*-phenylene vinylene), 2045P
Phase transitions in thermotropic liquid crystal polyesters, 25P
Phase transitions of poly(vinylidene fluoride) and fluorinated copolymer, pressure dependence of, 39P
Phenolic hydroxyl, 2951C
Phenols, 331L
—, substituted, 173L
Phenoxaphosphine units, in cardopolyimides, 1419C
Phenyl, 3603C
Phenylacetylene, 75C, 4267C, 4281C
Phenyl ester linkages, in polymer chains, 2519C
Phenyl glycidyl ether, 647C
Phenylindanedicarbonyl chloride, 979C
N-phenylmaleimide, 3227C
Phenylquinoxaline oligomers, 2951C
Phenylthioetherglycidyl, 2397C
Phosphites, 2239C
Phosphonates, 3551C
Phosphorus oxychloride, in pyridine, 507C
Phosphorylation, 3985C
Phosphorylation reactions, 59L
Photoacoustic monitoring, 313L
Photochromism, of spirofluorenylindolizines, 671C
Photocrosslinking, of polyethylene, 4051C, 4077C
Photocurable resins, 4427C
Photoinitiated cationic polymerization, 399L
Photoinitiator, for ultrafast light-induced polymerization, 347L
Photoirradiation, 1653C
Photolysis wavelength, 247L
Photomemory, of viologen copolymers, 393C
Photophysics, polymer, 21L
Photopolymerization, of *N*-vinylpyrrolidone, 301L
Photosensitive copolyimide, 1481C
Phthalic acid, 279C
Phthalic anhydride, 2491C
Phthalimide, 2491C
Phthalocyanine compounds, 3883C
Phthalocyanine monomers, 2109C
Phthalocyanine polymers, 2531C
Phthalonitrile monomers (bis), 2777C
β-picolinium-p-chlorophenacylide, 43C
Piezoelectric and pyroelectric activity in annealed films of oriented PVF_2, 2347P
Plasma modified polymers, 1267C
Plasma polymerization, 795C, 2633C, 3495C, 3799C
—, of allylamine, 1211C

Plasma technique, 2265C
Plasticization and gas transport in glassy polymers, model for, 205P
Plasticization of polymer by sorbed gas, 879P
Plastic yielding in partially crystalline polymers, 1529P
Platinum complexes, 2849C, 2861C
PMKC matrix, 475C
PMMA, functionalization of, 1795C
Polarimetric measurements, 161L
Polarized light transmission study of liquid crystalline transitions, 2145P
Poly(acetaldehyde-co-chloral), 1571C
Polyacetylene,105L, 3201C
Polyacetylenes, permeation of O_2 dissolved in water through, 1261P
—, silicon-containing, 1197C
Polyacrylamide, 2123C
Polyacrylate, solvent-induced crystallization and embrittlement of, 1629P
—, liquid crystalline, 453C
Polyacrylates, 999C
Poly(acrylic acid), irradiated, ESR of, 1187P
Polyactide copolymers, 2151C
Polyalcohol blocks, 3251C
Polyalcohols, 2937C
Poly(*n*-alkyl acrylate) networks, 743P
Polyalkyleneoxides, 1767P
Poly(alkylene phosphates), 763C
Polyamic acid, 3343C
Polyamic acids, 1485P
Poly(amic acid), swelling behavior of imidized films of, 2131P
Polyamidation, 507C
Polyamide copolymers, melting and crystallization behavior of, 673P
Polyamides, 583C
—, nylon 2/11, crystal structure of, 1563P
Poly(amide-sulfonamide)s, 1115C
Polyamidoximes, 3759C
Poly(amino acid)s, 1665C
Polyaniline, 2385C, 4351C
Polyanilines, 4431C
Polyaniline-TCNE complexes, 4365C
Polyarylate in blends with styrene/acrylonitrile, T_g of, 1951P
Polyarylates, 979C
—, fluorine-containing, from tetrafluoroterephthaloyl chloride and bisphenols, 1425C
Poly(aryl-ether-ether-ketone) (PEEK), positronium formation at free-volume sites in, 1419P
Poly(aryline imide), 3343C
Poly(arylsufone imide), 915C
Polybenzimidazole, 3237C
Poly(benzimidazole), 2815C
Polybenzimidazoles, 1781C
Poly(benzimidazole-urea)s, 2805C
Poly(benzoxazinone)s, 1017C
Poly[3,3-bis(hydroxymethyl)oxetane], 3083C
Poly(bisimide)s, new, 375C
Poly[*N,N'*-bis(phenoxyphenyl)pyromellitimide] films, 25L
Poly(bis-*p*-phenylenediaminosulphoxide), 447C
Polybutadiene, 1089C
—, hydroxyl terminated, 829C
—, sorption and partial molar volume of gases in, 2243P
Polybutadiene rubber structure, 451L
Polybutadienes, linear, 18-arm and 270-arm stars, dilute solution properties of, 2513P
Poly(*n*-butyl acrylate), kinetics of photoinitiated formation of, 189P
Poly(butylene terephthalate), multiple melting behavior of, 1543P
Poly(*n*-butyl methacrylate), solution and transport of gases near T_g in, 405P
Poly(*t*-butyl methacrylate-b-isoprene-b-*t*-butyl methacrylate, 4001C
Polycaprolactone-based block copolymers, morphology and crystallization of, 523P
Poly(*ε*-caprolactone), crystallization of, 155P
Polycarbonate, 421L
—, deformation and crazing in, 325P
—, phenomenological treatment of deformation and thermoelasticity of, 1235P
—, transport of CO_2 in, 97P
Poly(chloroalkyl methacrylate)s, 1589C
Poly(chlorohydroquinone terephthalate), 2325C
Poly-cyclodextrin, 191L
Polydiacetylene, statistical strength behavior of, 115P
Polydiene, 3251C
Poly(4,4'-diethynyldiphenylmethane), thermally polymerized, properties of, 1611P
Poly(2-dimethylaminoethyl methacrylate), 1C, 555C
Poly(2,6-dimethyl-1,4 phenylene oxide), 3363C
Poly(2,6-dimethyl-1,4 phenyl oxide), 285L
Polydimethylsiloxane, NMR study on crystallization from toluene, 1P
Poly(dipeptide)s, 4191C
Poly(4,4'-diphenylsulfone terephthalamide), 1359C
Poly(1,4-divinylbenzene peroxide), 455L
Polyelectrolyte, complex with heparin, light scattering of, 1043P
Polyelectrolytes, 3855C
Poly(enamine-ketones), 171C
Polyenes, epoxidized, 279C
Polyester, 1975C
—, aromatic, with flexible spacer, physical properties of, 1749P
—, epoxy-substituted, 2553C
Polyesterification, 2793C
Polyesterification processes, 409C
Polyesters, 3271C
—, liquid crystal, IR spectra and phase transitions in, 25P
—, novel unsaturated, 409C
Poly ether ether ketone, 119L
Poly(ether ether ketone) (PEEK), PVT properties and heat of fusion of, 993P
Polyetherifications, phase transfer catalyzed, 33L, 457L
Polyethersulfone, deformation and crazing in, 325P
Polyethylene, 63C, 103L, 3063C, 3405C, 3419C
—, birefringence and dynamic viscoelasticity of, 2283P
—, birefringence in melt flow of, 297P
—, comparison of Raman LAM and electron microscopy methods for crystallite size distribution in, 957P
—, growth kinetics of crystals in dilute solutions of, 53P
—, high density, 4051C, 4077C
—, infrared spectroscopy of carbonyl peak in, 1691P
—, linear and branched, crystallization in slow cooling of, 1349P
—, low density, 313L, 1641C, 1653C
—, morphology of spherulitic surface in, 561P
—, NMR study of T_g and crystallinity of, 2203P
—, oriented low density, orientation of aromatic molecules in, 1333P
—, Raman spectra of fibers under stress, 381P
—, short-time molecular dynamics simulations on effect of stress in, 2321P
—, statistical strength behavior of, 115P
—, strain-induced crystallization of swollen networks of, 431P
—, texture development in straining of, 1853P, 1867P
—, UHMW, cast from solution, 2427P, 2441P
—, UHMW, viscoelasticity of, 1009P
Polyethylene crystallization from melt, 1029P
Polyethylene-g-acrylic acid, 3451C
Poly(ethylene glycol) monomethyl ethers, 3915C
Polyethyleneimine, 575C
Poly(ethylene 2,6-naphthalate), solid-state coextrusion of, 2587P
Poly(ethylene oxide), 9L, 489L
—, compatibility in blends with PVP, 2567P
—, complex with $LiClO_4$, dielectric properties of, 2011P
—, computer modeling of chain motions in, 1149P

—, crosslinked, structure and thermal behavior of, 621P
—, random coil, 1721C
Polyethylenepolyamine side chain-peroxide system, 3515C
Polyethylene single crystals, nucleation-controlled growth in, 1721P
Poly(ethylene terephthalate), 951C, 2071C, 3535C, 4241C
—, drawn, transport of O_2 in, 71P
—, kinetics of structural relaxation of, 2419P
—, oriented, nucleation and crystal growth in, 2469P
Poly(ethylene terephthalate) fibers, birefringence and viscoelasticity of, 1107P
Poly(ethylene terephthalate) film, 527C
Polyethylmethacrylate, 2071P
Poly(ethyl methacrylate), CO_2 sorption and dilation in, 879P
Poly(glutamine) derivatives, 339L
Polyhydrazides, 4129C
Poly(hydrogenmethylsiloxane), 3969C
Poly(2-hydroxyethyl methacrylate), 237C
—, isotactic, 1731C
—, tactic, 1383C
Poly(3-hydroxyoxetane), 3113C
Polyimide-ester, aromatic, 115L
Polyimide from BPDA and DDS, CO_2 sorption and transport in, 2621P
Polyimide membranes, structure and gas permeation in, 1887P
Polyimide, open-chain, 4297C
—, photodegradative, 411L
—, sorption and transport of CO_2 in, 643P, 1221P
Polyimide-polyformal block copolymers, 1467C
Polyimide/polyimide adhesion, 235L
Polyimide resins, 153L
Polyimides, 653C, 711C, 733C, 963C, 1161C, 2723C
—, aromatic, 263L
—, nadic anhydride terminated, 133L
Polyimidines, 2253C
Poly(isobutylene-b-amide-11), 539C
Polyisocyanurate interpenetrating polymer networks, 3619C
Polyisoprene, 1071C
—, crystallization from solution, 1135P
—, diffusion and sorption of polyisoprene molecules in polyisoprene networks, 893P
—, mechanical relaxations in crystals of, 1425P
—, thermal field-flow fractionation of solutions of, 1317P
Polyisoprene/epoxidized polyisoprene segmented blocks, crystallization of, 2479P
Polyketones, 2417C
Polylactide copolymers, 2151C
Poly-L-lysine derivatives, 2593C
Poly(L-proline), 4109C
—, helical, 161L
Polymaleamic acids, *N*-substituted, 15C
Polymalonamides, aliphatic, 219L
Polymandelide, 4291C
Polymer blend morphology, 497L
Polymeric formamides, 3383C
Polymeric peroxides, 455L
Polymerization behavior, solid-state, 1853C
Polymerization kinetics of 4,4′-diethynyldiphenylmethane, 1611P
Polymerization, photo-initiated, of *n*-butyl acrylate, 189P
—, radical ring-opening, 1831C
—, rate of, 1831C
Polymer mixtures, simulation of demixing, 1675P
Poly(methacrylate), entangled mixtures with PMMA, 1557P
Polymethacrylates, 453C
—, liquid crystalline, 999C
Poly(methacrylic acid), 4109C
—, random-coil, 161L
Polymethacrylic esters, 4035C
Poly(methacryloyl chloride), 475C
Polymethylmethacrylate, 259L, 2071P
—, thermal field-flow fractionation of solutions of, 1317P
Poly(methyl methacrylate), 3053C, 3161C, 3439C
—, influence of tacticity on, 9L
Poly(methyl methacrylate) blends, 421L
Poly(methyl methacrylate) blends with styrene/acrylic acid copolymer, FTIR study of, 1057P
Poly(methyl methacrylate) macromonomer, 1259C
Poly(methyl methacrylate)s, O_2/H_2O plasma modified, 1267C
Poly(α-methylstyrene), 2217C
—, metal-catalyzed oxidation of thin films, of, 1017P
Poly(α-methylstyrene)s, monodisperse, 2611C
Poly(*p*-methylstyrene), isotactic, 4439C
Poly(2-methylstyrene), thermal field-flow fractionation of solutions of, 1317P
Poly(3-methylthiophene), effect of electrochemical synthesis on morphology and transport in, 2081P
Poly(methylvinylsiloxane), 2203C
Poly(monodecyl itaconate), synthesis and properties of comblike molecules of, 2337P
Poly(1,8-nonadiyne), DSC study of, 2451P
Polynucleotide analogs, 99C, 3589C, 4013C
Poly(1,3,4-oxadiazole)s, 729C
Poly(oxazolidone)s, formation of, 1843C
Poly(*p*-oxybenzoate-co-ethylene terephthalate) copolymer, 60/40, 775C
Polyoxyethylene segments, 2625C
Polyoxymethylene, statistical strength behavior of, 115P
Polyparaphenylene films (PPP), 515C
Polypeptide membranes, 1625C
Polyphenolic materials, 331L
Poly(phenolphthalein phthalate), gas transport in, 1121P
Poly[*N*-((10-phenothiazinyl)-6-hexanoyl)ethylenimine, 2711C
Poly(phenyl)acetylene, 75C
cis-polyphenylacetylene films, 3829C
Poly(phenylacetylene)s, 989C
Polyphenylacetylene, XPS of charge transfer complexes of, 2061P
Polyphenylene ether, 661C
—, nylon-grafted, 3371C
Poly(phenylene ether) blends with polystyrene and diluents, 1979P
Polyphenylene oxide, 873C
Poly(phenylene oxide), permeation of binary gas mixtures in, 1927P
Polyphenylene sulfide, 127L, 3043C
Poly(phenylene sulfide), 3285C
Poly(*p*-phenylene terephthalamide), statistical strength behavior of, 115P
Poly(*p*-phenylene vinylene), electrically conductive, crystalline phases of, 2045P
—, paracrystalline structure of, 469P
Polyphthalocyanines, 2777C
Polypivalolactone segments, 2625C
Polypivalolactone single crystals, 1463P
Polypropylene, 53C, 65L, 3405C, 3419C
—, hard elasticity of, 581P
—, mechanical relaxations in, 2361P
—, rate dependent nonlinear constitutive equation for, 85P
Polypropylene films, 1763C
Polypropylene ionomers, 2189C
Poly(propylene oxide), 1749C, 1767P
Polypyrazolinones, 1225C
Poly(pyridilenemethylidenenitriloiron)s, 497C
Polypyrrole, 93L
Polyquinones, 1027C
Polysaccharides, prediction of polymer-subphase volume in aqueous solutions of, 1301P
Polysilanes, 469L
Polysiloxane-poly(methyl methacrylate), 1907C
Polysiloxanes, 999C
—, comblike, dielectric relaxation of, 1823P
Polystyrene, 481L, 1125C, 3405C, 3419C
—, enthalpy relaxation related to temperature and molecular weight in, 1449P
—, FTIR study of conformational changes in drawing of, 355P
—, near T_g, pressure-jump volume-relaxation

study of, 837P
—, substituted, gas permeation in, 2385P
—, thermal field-flow fractionation of solutions of, 1317P
Polystyrene beads, 295L
Polystyrene blends with poly(phenylene ether) and diluents, 1979P
Poly(styrene-co-divinylbenzene), 2015C
Poly(styrene-co-ethyl methacrylate), 817C
Poly(styrene-co-1-vinyl naphthalene), 1401C
Polystyrene diffusivity at moderate concentrations in toluene, 465P
Polystyrene latex, development of supermolecular structure in, 1649P
Polystyrene model colloids, 3187C
Poly(styrenephosphonate diethyl ester)s, 3985C
Polystyrene resins, 1373C
Poly[styrene(S)-b-isoprene(I)], 3721C
Polystyrenes, crosslinked, 2345C
Polystyrene solutions, 271L
Polystyrene thermodegradation, 3865C
Polysulfides, 4169C
Polysulfonamides, crystal structure of, 1077P
Poly(sulfone imide), 915C
Polysulfone, permeation of CO_2 in, 919P
Poly[*N,N'*-(sulfo-phenylene)phthalamide]s, 3745C
Poly[*N,N'*-(sulfo-*p*-phenylene)pyromellitimide], 3745C
Poly(tetramethylene oxide), 1767P
Polythiocarbonates, aromatic, 2657C
Polytriazole films, 3481C
Poly(1,2,4-triazole)s, 729C
Polytrimethylenimine, 4013C
Polytrimethylenimine backbones, 99C
Poly(triphenylmethyl methacrylate), 475L
Poly(urethane acrylate), 285L, 3363C
Polyurethane block copolymers, PPDI-based, annealing in, 2189P
—, PPDI-based, morphology of, 2173P
Polyurethane elastomer, phase-segregated, 939P
Polyurethane foams, 3429C
Polyurethane hydrolysis, 1993C
Polyurethane networks, chemorheology of, 809P
—, mechanical properties of, 795P
Polyurethanes, 409L, 2673C, 3263C
—, castor oil-based, 3053C
—, damping behavior and network structure of, 2251P
—, segmented, phase separation in, 545P
Polyurethane thermolysis, 301C
Poly(vinyl acetate), 1065C
Poly(vinyl acetate-co-vinylidene fluoride), 201L
Poly(vinyl alcohol), 3113C, 3837C
—, aminoacetalized, complex with heparin, 1043P
Polyvinyl alcohol, 1325C
Poly(vinylalcohol)s, 3589C
Poly(*N*-vinylcarbazole), 4257C
Polyvinyl chloride, 223L
Poly(vinylchloride), 399C, 1767P
Poly(vinyl chloride) in blends with styrene/acrylonitrile copolymer, compatibility of, 2211P
Poly(vinylidene fluoride), 1897C
—, annealing effects on oriented films of, 2347P
—, dielectric properties and phase transitions in, 39P
Poly(vinylidene fluoride) crystallization in static electric field, 1089P
Polyvinylidene fluoride, mechanical anisotropy in shear, 1375P
Poly(vinyl methyl ether) blends, 1401C
Poly(4-vinylpyridine), 2897C
—, *N*-partially alkylated, 389C
Poly(4-vinylpyridine-co-styrene), 2897C
Poly(*N*-vinyl pyrrolidone), compatibility in blends with PEO, 2567P
Poly(vinylstyrylpyrazine), 49L
Poly(*p*-xylylidene dialkyl sulfonium halide), molecular weight determination of, 199P
Porcine pancreatic lipase, 3271C
Positive E-beam resist, 1571C
Positron annihilation lifetime spectroscopy, 1373C
Positron formation in semicrystalline PEEK, 1419P
Potassium peroxodisulfate, 2123C
Potato starch, 595C
Praseodymium soaps, 1631C
Pressure-jump volume relaxation of polystyrene, 837P
Pressure-volume-temperature properties of PEEK, 993P
Propagation rate constants, 181L
Propylene, 2189C
Pulsed laser technique, 181L
PVC films, 399C
Pyridine, 507C
Pyrimidine rings, 2483C
Pyrolysis, 2277C
Pyrolysis-gas chromatography, 1027C

Quinone-amine polymers, 865C

Radiation effects, on silicon-containing polyacetylenes, 1197C
Radiation-induced polymerization, 4181C
Radical desorption, 3903C
Radical desorption coefficient, 3903C
Radical ring-opening polymerization, 2135C, 4441C
i radicals, 3569C
^{14}CO radiolabeling technique, 1539C
Raman LAM method for crystallite thickness, 957P
Raman (LAM) method for size distributions of crystallites, 967P
Raman scattering, surface-enhanced, of poly(α-methylstyrene) films, 1017P
Raman spectra of model composite, 337P
Raman spectra of polyethylene under stress, 381P
Raman spectroscopy, 25L
Random-coil poly(ethylene oxide), 1721C
γ-ray, 1653C
^{60}Co γ-ray, 3829C
γ-rays, 259L
Reaction kinetics, 4051C
Reactive copolymers, novel, 253L
Reactive side groups, 2861C
Reactivity ratios, 2819C
Recycling, of bottles, 2071C
Redox system, Ce(IV)-isopropyl alcohol, 3439C, 3703C
Relaxation of amorphous PET, kinetics of, 2419P
Relaxation, structural, in polystyrene by pressure-jump method, 837P
Reptation mechanism, alternate to, 151P
Resin precursors, 4305C
Retro-ene reaction, 197L
Reversed micelles, 4191C
Rheology in nematic melt of copolyester, 1837P
Rheology of thermotropic liquid crystal copolyesters, 819P
Rheometer, rotational, for studies with prescribed strain or stress history, 273P
Rheo-optical properties of polyethylene films, 2283P
Rh^I complexes, 75C
Ring-opening polymerization, 85L, 3151C
Rodlike molecules, diffusivity in amorphous polymer matrix, 261P
Rolltruded polymers, 65L
Rotating-sector technique, 2093C
Rotational diffusion of rodlike molecules in amorphous polymer matrix, 261P
Rubber blend system, 361L
Rubber, comparison of models for diffusion of gases in, 2561P
—, vulcanized natural, NMR of, 1389P

Salt concentration, 1499P
Salt polymers, thiazolium, 1333C
Second virial coefficient, 2513P
Second virial coefficient in ternary systems, 1569P, 1599P
Sedimentation coefficients, 271L
Seeded polymerization, 157C

Sequence length distribution, 417L
Side-chain liquid crystalline polymers, 2367C
Side chains, length of, 743P
Silarylene-siloxane polymers, 3503C
Silica, 2593C
—, silane coupling reagent-modified, 79L
Silicon, 2611C
Silicone rubber, thickness dilation as measure of gas sorption in, 1173P
Siloxane copolymers, novel triblock, 3673C
p-silphenylene-siloxane polymers, 3503C
Silyl enol ethers, 3779C
Silyloxyl group, 2937C
Simulation of concentration fluctuations in demixing, 1675P
Si-O bonds, 229L
SO_3, 3043C
$SOCl_2$, 3043C
Sodium styrene sulfonate, 3187C
Solid-state NMR, of polymers, 1447C
Solid state polymerization, 247L
Soluble electrically conducting polymers, 4087C
Solution properties of comblike poly(monodecyl itaconate), 2337P
Solvation of polymer in mixed solvents, 1599P
Solvent size effect, 187L
$Sorp_2$ in polysulfone, 919P
Sorption and transport of CO_2 in polyimide, 643P, 2621P
Sorption equilibrium in ternary polymer systems, 1569P, 1599P
Sorption of CO_2 in poly(ethyl methacrylate), 879P
Sorption of CO_2 in polyimide, 1221P
Sorption of CO_2 in polymers measured by thickness dilation, 1173P
Sorption of CO_2 in polysulfone, 919P
Sorption of gases, in glassy polymers, 1209P
Sorption of gases in polybutadiene, 2243P
Sorption of gas mixtures in glassy polymer, 1927P
Spectroscopic studies, 1267C
Spherulitic morphology in polyethylene, 561P
Spinning of regenerated cellulose from biphasic solution, 1477P
Spin probe mobility in polymer blends, ESR study of, 2553P
Spirofluorenylindolizines, 671C
Spiroorthocarbonate moiety, 409L, 4169C
Spiro orthocarbonates, 4413C
Spiroorthocarbonate, unsaturated, 1415C
Spiro ortho ester, 681C
Spiroothoester moieties, 4319C
Starch, potato, 595C
Star polybutadienes, dilute solution properties of, 2513P
Star polyethylene oxide, 2151C
Static secondary ions mass spectrometry, 4035C
Statistical mechanics of polymer chains near a neutral barrier, 655P
Statistical thermodynamics of viscoelastic fluid, 1807P
Stereospecific catalysts, 897C
Steroidal crown membranes, 209L
Stress distribution and fiber orientation in model composites, 2605P
Stress-driven diffusion in polymers, model for, 589P
Stress-optical coefficients of PE melt, 297P
Stress relaxation in degradation of polyurethane, 809P
Stress-strain in polymeric glasses, 1235P
Stress-strain in semicrystalline polymers, 1529P
Styrene, 73L, 181L, 367C, 691C, 847C, 1429C, 2811C, 2871C, 3187C, 3315C, 3811C, 4375C
—, hydrosilation of, 3969C
—, new, 2539C
Styrene-arsenic sulfide complex, 3811C
Styrene–butadiene–styrene, epoxidized, 4119C
Styrene-divinylbenzene networks, 2357C
Styrene-methyl methacrylate, 3659C
12-(*o*-Styryloxy)dodecyltrimethylammonium bromide, 1873C
2-substituted-4-methylene-1,3-dioxolanes, 4403C
Sulfonation, 1619C
Sulfonic acid ion-exchange resins, self-diffusion of water in, 1551P
Sulfonium salts, 3927C
Sulfonium salt structures, 1675C
Sulfur dioxide, 1791C, 2305C
Superactive catalysts, 897C
Surfactants, 1873C
Swelling behavior of aromatic polyimide, 2131P
Syndiotactic methacrylic polymers, 929C
Synthesis, electrochemical, 1891C

Tannin, 331L
Tautomers, polymerizable, 855C
Teichoic acids, 763C
Telechelic perfluoropolyether, 951C
Terephthaloyl chloride, 4297C
Terpolymerization, 4099C
Tetraallyl ammonium chloride, polymerization of, 1811C
Tetraamino compounds, 1515C
Tetrabromooxomolybdate, 79L
1,2,4,5-tetracyanobenzene, 3883C
Tetrafluoromethane, 2265C
Tetrafluorophthaloyl chlorides, 3393C
Tetrafluoroterephthaloyl chloride, 1425C
Tetramine, 2815C
T_g E-beam resist, 1149C
Theophylline, 377L
Thermal analysis, of chemically synthesized polyaniline, 4351C
Thermal analysis of radiation cross-linked PEO, 621P
Thermal behavior of diacetylene macromonomer, 2451P
Thermal behavior of vinylidene fluoride-trifluoroethylene copolymers near Curie transition, 709P
Thermal decomposition processes, 2657C
Thermal deesterification, 2871C
Thermal degradation, of alkyl isocyanate polymers, 3211C
Thermal degradation processes, 2277C
Thermal diffusion coefficient in polymer solutions, 1317P
Thermal field-flow fractionation of polymer solutions, 1317P
Thermal initiation, on radical polymerization, 1045C
Thermally stimulated depolarization study of vinylidene fluoride/trifluoroethylene, 913P
Thermal polymerization, 355L
Thermal polymerization of 4,4′-diethynyldiphenylmethane, 1611P
Thermal shrinkage of poly(ethylene 2,6-naphthalate) in solid-state coextrusion, 2587P
Thermal stability, of methyl acrylate, 3173C
—, of poly(methyl methacrylate), 3161C
—, of vinyl acetate, 3173C
Thermal stability studies, 2325C
Thermal studies, 1401C
Thermal transitions in poly(vinylidene fluoride)/poly(vinyl pyrrolidone) blends, 1195P
Thermodynamics: free energy of inhomogeneous polymer-polymer-solvent system, 2637P
Thermodynamics of chains near a neutral barrier, 655P
Thermodynamics of dilute viscoelastic polymer solutions, extended irreversible formulation for, 1807P
Thermodynamics of glass transition in polymers, 2105P
Thermodynamics of lattice solutions of finite chains, 1795P
Thermodynamics of sorption equilibrium in ternary polymer solutions, 1569P
Thermogravimetric analysis, 447C
Thermoluminescence dosimetry, use of organic phosphors in, 2577P
Thermoluminescence of UHMW polyethylene, 2441P
Thermoplasticization, 4143C
—, of wood, 2457C
Thermoplastic polyimides, 2833C
Thermoplastic resins, 1467C

Thermoplastics, 565C
Thermosets, heat-resistant, 1301C
Thermotropic liquid-crystalline copolymers, 369L
Thermotropic polymers, 1447C
Thiazolium salt polymers, 1333C
Thiazolium salt, polymer supported, 4389C
Thioether glycidyl resins, 2397C
Thioether ketones, 661C
Thioglycolic acid, 1713C
Thiol compounds, 367C
Thiophene links, 2417C
Thiourea, 3977C
Thiuram vulcanization, sulfur-free, 1089C
Thorium catalyst system, 2829C
Thymine grafts, 575C
Thymine moieties, 99C
$TiCl_4$, 897C
Time domain measurements of dielectric relaxations in PEO and PEO–$LiClO_4$ complex, 2011P
Titanium, 1525C
Titanium oxidation states, 1499C
TLC/FID, 817C
Toluene, 2161C, 2179C, 2265C
Toluene-d_8 solutions, 4205C
2-*p*-toluidinylnaphthalene-6-sulfonate, 1925C
Transition metal catalysts, 31C, 443L
Transition temperature of PE from NMR spectra, 2203P
Transport in ion exchange membranes, modification of, 2229P
Transport in polymer-solvent systems, prediction of self-diffusion coefficients in, 1179P
Transport of CO_2 in polycarbonate, 97P
Transport of gases in heterogeneous systems, 175P
Transport of gases in plasticized glassy polymers, 205P
Transport of gas in glassy polymers, model for, 603P
Transport of solvent in polymer, non-Fickian stress-driven component of, 589P
Trialkyltin fluorides, symmetric, 1053C
Triallylcyanurate, 4051C, 4077C
Triallylisocyanurate mixtures, 1589C
s-triazine rings, 3263C
Triethanolamine redox reaction, 2161C
Triethylamine, 139C, 4291C
Trifluoroethylmethacrylate, 1149C
Trifluoropropylmethylsiloxane polymerization, 1241C
Trimellitic acid, 431C
α-trimethylsilyloxystyrene, 3779C
Triphenylsulfonium salts, 3927C
Two-pot phosphorylation reactions, 59L

Ultrahigh-modulus rods, 369L
Ultrasonic velocity measurements, 1631C
Ultrasound phase comparison method, 103L
Ultraviolet light, 63C
Undecyl oxazoline block copolymers, 3603C
Urea-formaldehyde condensation resins, 2531C
Ureas, 237C, 1993C
Urethane-acrylamide film, microporous, 317C
Urethanes, 1993C
UV irradiation, 527C
UV radiation, 347L

Vanadium-aluminum system, 3769C
Vapor sorption, 939P
Vinyl acetate, 43C, 139C, 157C, 193C, 357C, 807C, 847C, 1325C, 1559C, 3173C, 3315C
—, copolymerization of, 1817C
2-vinyl anthraquinone, 4181C
Vinylcyclopropane, 1435C
Vinylcyclopropanes, 333L, 2135C, 3151C
—, behavior of, 1831C
Vinyl ethers, 2937C, 3303C
Vinyl groups, 2357C
Vinylidene fluoride copolymers, 201L
Vinyl monomers, 1L, 737C, 1741C, 2143C, 3515C, 4099C
—, electrophilic, 291C
3-vinylphenyl, 487C
4-vinylpyrimidine, 2483C
N-vinyl-2-pyrrolidone, 555C
N-vinyl-2-pyrrolidone films, plasma polymerized, 881C
N-vinylpyrrolidone, 301L
Vinylthiirane derivatives, 381L
Viologen copolymers, 393C
Viologen moiety, 289L
Viologen structure, of polymers, 1625C
Viscoelasticity of bisphenol-A based epoxy resins, 307P
Viscoelasticity of PET fibers, 1107P
Viscoelasticity of polymer solutions, extended nonequilibrium treatment of, 1807P
Viscoelasticity of polypropylene, theory and experimental study of, 85P
Viscoelasticity of UHMW polyethylene in simple elongation, 1009P
Viscoelasticity with controlled strain or stress history, rotational rheometer for study of, 273P
Viscometric behavior, 237C
Viscometry, 2925C
Viscosity, of polymers, 5L
Viscosity of solutions of polymer complexes with metal sulfonate ionomer, 245P
Viscosity of thin films at high and low shear rates, 489P

Water-soluble graft copolymers, 1099C
Water-vapor permeability, 795C
Wavelength sensitivity, of acrylonitrile-butadiene-styrene, 1341C
W catalysts, 4267C
$W(CO)_6$, light-activated, 4281C
Wittig reaction, 125C
Wood, benzylation of, 2457C
—, thermoplasticization of, 2457C, 4143C
Wool fiber, 2883C

XPS investigation, 2625C
X-ray, 1653C
X-ray diffraction in ionomer blend with transition metal coordination, 1911P
X-ray diffraction method, 1463P
X-ray diffraction of alkane/diluent eutectic, 1161P
X-ray diffraction of model ethylene-butene-1 copolymers, 2269P
X-ray diffraction of nylon 2/11, 1563P
X-ray diffraction of PE crystallization from melt, 1029P
X-ray diffraction of PEO gels, 621P
X-ray diffraction of polyethylene under strain, 1853P, 1867P
X-ray diffraction of polysulfonamides, 1077P
X-ray diffraction of thermotropic polyesters with rigid side groups, 1993P
X-ray diffraction of thermotropic polyesters with semiflexible side groups, 2001P
X-ray diffraction studies, 2833C
X-ray photoelectron spectroscopy (XPS) study of polyphenylacetylene-electron acceptor systems, 2061P
X-ray scattering (SAXS) for size distributions of crystallites, 967P
X-rays, 259L
Xylene/water interface, 93L
m-xylylenediamine, 2253C

Ylide, 43C, 807C
—, nickel, 147C
Ylide-based system, nickel, 605C, 623C

Zerovalent metal polymer composites, 2963C, 2995C, 3015C
Ziegler–Natta catalysts, 3151C
—, superactive, 897C
Zinc(II) chloride catalysis, 399C
Zirconium, 1525C
Zwitterionic mechanism, 291C